GenCore version 5.1.6 Copyright (c) 1993 - 2003 Compugen Ltd.

OM nucleic - nucleic search, using sw model

October 27, 2003, 10:47:27; Search time 1415.77 Seconds Run on:

(without alignments)

10489.161 Million cell updates/sec

Title: US-10-017-372E-14

Perfect score: 363

Sequence: 1 gccctggataccaactactg.....gttcctgcaagtgcagctga 363

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched: 2888711 segs, 20454813386 residues

Total number of hits satisfying chosen parameters: 5777422

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : GenEmbl:*

1: gb_ba:*

2: gb_htg:*

3: gb in:*

4: gb om:* 5: gb ov:*

6: gb_pat:*

7: gb ph:*

8: gb_pl:*

9: gb pr:*

10: qb ro:*

11: gb sts:*

12: gb sy:* 13: gb_un:*

14: gb_vi:* 15: em_ba:*

16: em_fun:*

17: em hum:*

18: em in:*

19: em mu:*

20: em om:* 21: em or:*

22: em_ov:*

23: em_pat:*

24: em ph:*

25: em pl:*

26: em ro:*

em sts:* 27:

```
28: em_un:*
29: em_vi:*
30: em_htg_hum:*
31: em_htg_inv:*
32: em htg other:*
33: em htg mus:*
34: em htg pln:*
35: em_htg_rod:*
36: em_htg_mam:*
37: em_htg_vrt:*
38:
     em sy:*
39:
     em htgo hum: *
40:
     em_htgo_mus:*
41:
     em_htgo_other:*
```

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Dogule		* ^				
Result	Caoro	Query	Length	חם	10	Dogganistics
No.	Score	Match	Length	שט	ID	Description
1	306.8	84.5	1326	6	AX338213	AX338213 Sequence
2	306.8	84.5	1605	4	SSTGFBR	Y00111 Porcine mRN
3	306.8		1750	4	GGTGFB1	X12373 Porcine mRN
4	306.8		2221	4	AF461808	AF461808 Sus scrof
5	306.8	84.5	3206	4	PIGTGFB1A	M23703 Sus scrofa
6	281.2	77.5	339	6	AR036686	AR036686 Sequence
7	281.2	77.5	489	6	AX455100	AX455100 Sequence
8	281.2	77.5	1173	4	OATGFB1	X76916 O.aries mRN
9	281.2	77.5	1369	4	DOGTGFB1A	L34956 Canine tran
10	281.2	77.5	1561	9	AGMTGFB	M16658 Simian tran
11	279.6	77.0	339	6	A18277	A18277 H.sapiens T
12	279.6	77.0	339	6	A23751	A23751 TGF-betal c
13	279.6	77.0	339	6	A48549	A48549 Sequence 1
14	279.6	77.0	339	6	A48563	A48563 Sequence 1
15	279.6	77.0	339	6	I56854	I56854 Sequence 1
16	279.6	77.0	650	6	AX336646	AX336646 Sequence
17	279.6	77.0	650	9	HUMTGFBA	M38449 Homo sapien
18	279.6	77.0	699	6	105434	I05434 Sequence 4
19	279.6	77.0	862	6	103312	I03312 Sequence 3
20	279.6	77.0	1176	6	AX481432	AX481432 Sequence
21	279.6	77.0	1176	6	AX615127	AX615127 Sequence
22	279.6	77.0	1176	6	AX615128	AX615128 Sequence
23	279.6	77.0	1560	6	108268	I08268 Sequence 2
24	279.6	77.0	1746	9	BC022242	BC022242 Homo sapi
25	279.6	77.0	1780	9	BC000125	BC000125 Homo sapi
26	279.6	77.0	1780	9	BC001180	BC001180 Homo sapi
27	279.6	77.0	1821	6	E03028	E03028 DNA encodin
28	279.6	77.0	2537	6	A06669	A06669 Synthetic m
29	279.6	77.0	2745	9	HSTGFB1	X02812 Human mRNA
30	279.2	76.9	337	6	AR198575	AR198575 Sequence
31	278.6	76.7	1560	6	106216	I06216 Sequence 2
32	278	76.6	339	4	OCAF000133	AF000133 Oryctolag
33	278	76.6	1117	4	BOVTGFB	M36271 Bovine tran

```
76.6
    34
           278
                       1266 6 AX455875
                                                          AX455875 Sequence
                       2527 6 E00973
    35
           278
                76.6
                                                          E00973 cDNA encodi
                       1173 9 BT007245
    36
         277.6
                76.5
                                                         BT007245 Homo sapi
                76.5
    37
        277.6
                       1173 12 BT007866
                                                          BT007866 Synthetic
    38
          277
                76.3
                       334 4 SHPGFB1W
                                                         L36038 Ovis aries
    39
           277
                76.3
                       1569 6 I06221
                                                         I06221 Sequence 3
    40
        275.2
                75.8 1173 4 ECRGFB1
                                                         X99438 E.caballus
                75.8 1187 4 AF175709
        275.2
    41
                                                         AF175709 Equus cab
                        469 10 MATGFB1
        274.8
                75.7
    42
                                                          X60296 M.auratus m
    43
        271.6
                74.8 1597 10 AF191297
                                                          AF191297 Cavia por
    44
        271.2
                74.7 374 4 AF349538
                                                         AF349538 Canis fam
        266.8 73.5
    45
                        336 6 A23758
                                                         A23758 TGF-beta3(4
                                   ALIGNMENTS
RESULT 1
AX338213
LOCUS
           AX338213
                                   1326 bp
                                              DNA
                                                      linear PAT 09-JAN-2002
DEFINITION Sequence 1 from Patent W00181404.
ACCESSION
           AX338213
           AX338213.1 GI:18128750
VERSION
KEYWORDS
SOURCE
           Sus scrofa (pig)
 ORGANISM Sus scrofa
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
REFERENCE
 AUTHORS
           Strober, W., Nakamura, K., Kitani, A. and Fuss, I.J.
 TITLE
           Inducible plasmid vector encoding tgf-_g(b) and uses thereof
 JOURNAL
           Patent: WO 0181404-A 1 01-NOV-2001;
           THE SECRETARY OF THE DEPARTMENT OF HEALTH AND HUMAN SERVICES (US)
FEATURES
                    Location/Qualifiers
                    1. .1326
    source
                    /organism="Sus scrofa"
                    /mol type="genomic DNA"
                    /db xref="taxon:9823"
    CDS
                    16. .1188
                    /note="unnamed protein product"
                    /codon start=1
                    /protein id="CAD20538.1"
                    /db xref="GI:18128751"
                    /translation="MAPSGLRLLPLLLPLLWLLVLTPGRPAAGLSTCKTIDMELVKRK
                    RIEAIRGQILSKLRLASPPSQGDVPPGPLPEAVLALYNSTRDRVAGESVEPEPEPEAD
                    YYAKEVTRVLMVESGNQIYDKFKGTPHSLYMLFNTSELREAVPEPVLLSRAELRLLRL
                    KLKVEQHVELYQKYSNDSWRYLSNRLLAPSDSPEWLSFDVTGVVRQWLTRREAIEGFR
                    LSAHSSSDSKDNTLHVEINGFNSGRRGDLATIHGMNRPFLLLMATPLERAQHLHSSRH
                    RRALDTNYCFSSTEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDT
                    QYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEOLSNMIVRSCKCS"
BASE COUNT
               263 a
                        438 c
                                 392 g
                                          233 t
ORIGIN
 Query Match
                         84.5%; Score 306.8; DB 6; Length 1326;
 Best Local Similarity
                         99.4%; Pred. No. 5.2e-52;
```

2; Indels

0; Gaps

0:

Matches 308; Conservative 0; Mismatches

```
Db
        879 CACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 938
Qу
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
            939 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 998
Db
Qу
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
            Db
        999 CATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGCACAACCC 1058
Qу
        234 GGGCGCGTCGCGCGCGCGCGCGCGCGCGCGCGCGCGCCCATCGTGTA 293
            Db
       1059 GGGCGCGTCGGCGCGCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 1118
Qу
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
            Db
       1119 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 1178
        354 GTGCAGCTGA 363
Qу
            11111111
Db
       1179 GTGCAGCTGA 1188
RESULT 2
SSTGFBR
LOCUS
          SSTGFBR
                               1605 bp
                                        mRNA
                                               linear
                                                       MAM 27-MAR-1995
DEFINITION Porcine mRNA for transforming growth factor-beta (TFG) precursor.
          Y00111
ACCESSION
VERSION
          Y00111.1 GI:2129
KEYWORDS
          transforming growth factor-beta.
SOURCE
          Sus scrofa (pig)
 ORGANISM Sus scrofa
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
REFERENCE
            (bases 1 to 1605)
 AUTHORS
          Derynck, R. and Rhee, L.
          Sequence of the porcine transforming growth factor-beta precursor
 TITLE
 JOURNAL
          Nucleic Acids Res. 15 (7), 3187 (1987)
 MEDLINE
          87174844
  PUBMED
          3470708
FEATURES
                  Location/Qualifiers
    source
                  1. .1605
                  /organism="Sus scrofa"
                  /mol type="mRNA"
                  /db xref="taxon:9823"
                  /tissue type="ovary"
                  /clone lib="lambda gt10"
    CDS
                  404. .1576
                  /note="TFG-beta precursor (AA 1-390)"
                  /codon start=1
                  /protein id="CAA68291.1"
                  /db xref="GI:2130"
                  /db xref="SWISS-PROT:P07200"
                  /translation="MPPSGLRLLPLLLPLLWLLVLTPGRPAAGLSTCKTIDMELVKRK
                  RI EA I RGO I LSKLRLASPPSOGDVPPGPLPEAVLALYNSTRDRVAGESVEPEPEPEAD
```

54 CAAGGAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113

Qу

```
YYAKEVTRVLMLESGNQIYDKFKGTPHSLYMLFNTSELREAVPEPVLLSRAELRLLRL
                  KLKVEQHVELYQKYSNDSWRYLSNRLLAPSDSPEWLSFDVTGVVRQWLTRREAIEGFR
                  LSAHCSCDSKDNTLHVEINGFNSGRRGDLATIHGMNRPFLLLMATPLERAQHLHSSRH
                  RRALDTNYCFSSTEKNCCVROLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDT
                  OYSKVLALYNOHNPGASAAPCCVPOALEPLPIVYYVGRKPKVEOLSNMIVRSCKCS"
    mat peptide
                  1238. .1573
                  /product="mature TFG-beta"
    misc feature
                  647. .655
                  /note="pot. N-glycosylation site"
    misc feature
                  809. .817
                  /note="pot. N-glycosylation site"
BASE COUNT
              298 a
                     572 c
                            437 g
                                     298 t
ORIGIN
  Query Match
                      84.5%; Score 306.8; DB 4; Length 1605;
 Best Local Similarity 99.4%; Pred. No. 5.1e-52;
 Matches 308; Conservative
                            0; Mismatches
                                            2; Indels
                                                        0; Gaps
                                                                  0;
Qу
         54 CAAGGAGAACACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
            Db
        1267 CACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 1326
Qy
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
            Db
        1327 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 1386
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
            1387 CATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGCACAACCC 1446
Db
Qу
        234 GGGCGCGTCGGCGCCCTGCTGCGCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
            Db
        1447 GGGCGCGTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 1506
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
            1507 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 1566
Db
        354 GTGCAGCTGA 363
Qу
            Db
        1567 GTGCAGCTGA 1576
RESULT 3
GGTGFB1
LOCUS
          GGTGFB1
                               1750 bp
                                        mRNA
                                               linear
                                                       MAM 27-MAR-1996
DEFINITION Porcine mRNA for transforming growth factor-beta 1.
ACCESSION
          X12373
VERSION
          X12373.1 GI:63808
KEYWORDS
          transforming growth factor-beta 1.
SOURCE
          Sus scrofa (pig)
 ORGANISM Sus scrofa
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
REFERENCE
             (bases 1 to 1750)
 AUTHORS
          Jakowlew, S.B., Dillard, P.J., Sporn, M.B. and Roberts, A.B.
```

Nucleotide sequence of chicken transforming growth factor-beta 1

TITLE

```
(TGF-beta 1)
  JOURNAL
           Nucleic Acids Res. 16 (17), 8730 (1988)
  MEDLINE
           88335639
   PUBMED
           3166520
REFERENCE
              (bases 1 to 1750)
  AUTHORS
           Jakowlew, S.B.
  TITLE
           Direct Submission
  JOURNAL
           Submitted (14-JUL-1988) Jakowlew S.B., National Institute of
           health, National Cancer Institute, Laboratory of Chemoprevention,
           Building 41, Room B902, Bethesda, Maryland 20892, USA
COMMENT
           The submitters believe that the chicken cDNA library was
           contaminated with porcine cDNA, and that the sequence is infact
           porcine TGF-beta-1.
                                27-MAR-1996.
                    Location/Qualifiers
FEATURES
                    1. .1750
    source
                    /organism="Sus scrofa"
                    /mol type="mRNA"
                    /strain="white leghorn"
                    /db xref="taxon:9823"
                    /clone="pTGFB-ChX119"
                    /cell type="chondrocyte"
                    1. .1750
    gene
                    /gene="TGF-beta 1"
     5'UTR
                    1. .446
                    /gene="TGF-beta 1"
    CDS
                    447. .1622
                    /gene="TGF-beta 1"
                    /codon start=1
                    /product="transforming growth factor"
                    /protein id="CAA30933.1"
                    /db xref="GI:63809"
                    /db_xref="SWISS-PROT:P07200"
                    /translation="MPPSGPGLLPLLLPLLWLLVLTPGRPAAGLSTCKTIDMELVKRK
                    RIEAIRGQILSKLRLASPPSQGDVPPGPLPEAVLALYNSTRDRVAGESVEPEPEPEAD
                    YYAKEVTRVLMVESGNQIYDKFKGTPHSLYMLFNTSELREAVPEPVLLSRAELRLLRL
                    \verb+KLKVEQHVELYQKYSNDSWGYLSNRLLAPSDSPEWLSFDVTGVVRQWLTRREAIEGFR-
                    LSAHCSCDSKDNTLHVEINAGFNSGRRGDLATIHGMNRPFLLLMATPLERAOHLHSSR
                    HRRALDTNYCFSSTEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLD
                    TQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEOLSNMIVRSCKCS"
    mat peptide
                    1285. .1619
                    /gene="TGF-beta 1"
    3'UTR
                    1620. .1750
                    /gene="TGF-beta 1"
BASE COUNT
               325 a
                        627 c
                                479 q
                                         319 t
ORIGIN
 Query Match
                         84.5%; Score 306.8; DB 4; Length 1750;
 Best Local Similarity
                        99.4%; Pred. No. 5.1e-52;
         308; Conservative
                               0; Mismatches
                                                2; Indels
                                                              0;
                                                                  Gaps
                                                                          0;
Qу
          54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
             Db
        1313 CACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 1372
Qу
         114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
             Db
        1373 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 1432
```

```
Qу
         174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
             Db
        1433 CATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGCACAACCC 1492
         234 GGGCGCGTCGGCGCGCGTGCTGCGCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
ОУ
             Db
        1493 GGGCGCGTCGGCGGCGCGTGCTGCGCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 1552
         294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
             Db
        1553 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 1612
         354 GTGCAGCTGA 363
Qу
             1613 GTGCAGCTGA 1622
Db
RESULT 4
AF461808
           AF461808
LOCUS
                                 2221 bp
                                           mRNA
                                                   linear MAM 03-JAN-2002
DEFINITION Sus scrofa transforming growth factor beta 1 (TGFB1) mRNA, complete
           cds.
ACCESSION
           AF461808
VERSION
           AF461808.1 GI:18042250
KEYWORDS
SOURCE
           Sus scrofa (pig)
 ORGANISM Sus scrofa
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
REFERENCE
              (bases 1 to 2221)
 AUTHORS
           Wimmers, K., Chomdej, S., Ponsuksili, S. and Schellander, K.
 TITLE
           Polymorphism in the porcine transforming growth factor beta 1 gene
 JOURNAL
           Unpublished
REFERENCE
             (bases 1 to 2221)
           \label{thm:mers,K.} Wimmers, K.\,, \ Chomdej, S.\,, \ Ponsuksili, S. \ and \ Schellander, K.\,
 AUTHORS
 TITLE
           Direct Submission
 JOURNAL
           Submitted (20-DEC-2001) Institute of Animal Breeding Science,
           University of Bonn, Endenicher Allee 15, Bonn 53115, Germany
FEATURES
                   Location/Oualifiers
    source
                   1. .2221
                   /organism="Sus scrofa"
                   /mol type="mRNA"
                   /db xref="taxon:9823"
                   /chromosome="6"
                   1. .2221
    gene
                   /qene="TGFB1"
    CDS
                   1. .1173
                   /gene="TGFB1"
                   /note="cytokine"
                   /codon start=1
                   /product="transforming growth factor beta 1"
                   /protein id="AAL57902.1"
                   /db xref="GI:18042251"
                   /translation="MPPSGLRLLPLLLPLLWLLVLTPGRPAAGLSTCKTIDMELVKRK
                   RIEAIRGQILSKLRLASPPSQGDVPPGPLPEAVLALYNSTRDRVAGESVEPEPEPEAD
                   YYAKEVTRVLMVESGNQIYDKFKGTPHSLYMLFNTSELREAVPEPVLLSRAELRLLRL
```

KLKVEQHVELYQKYSNDSWRYLSNRLLAPSDSPEWLSFDVTGVVRQWLTRREAIEGFR LSAHCSCDSKDNTLHVEINGFNSGRRGDLATIHGMNRPFLLLMATPLERAQHLHSSRH RRALDTNYCFSSTEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDT QYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS"

3'UTR 1174. .2221 /gene="TGFB1"

BASE COUNT 504 a 616 c 649 g 452 t

ORIGIN

Query Match 84.5%; Score 306.8; DB 4; Length 2221; Best Local Similarity 99.4%; Pred. No. 4.9e-52; Matches 308; Conservative 0; Mismatches 2; Indels 0; Gaps 0; Qу 54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113 Db 864 CACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 923 Qу 114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173 Db 924 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 983 Qу 174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233 Db 984 CATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGCACAACCC 1043 234 GGGCGCGTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293 Qу 1044 GGGCGCGTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 1103 Dh 294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353 Qу Db 1104 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 1163 354 GTGCAGCTGA 363 Qу

RESULT 5 PIGTGFB1A

Db

LOCUS PIGTGFB1A 3206 bp mRNA linear MAM 31-MAR-1995 DEFINITION Sus scrofa transforming growth factor beta-1 mRNA, complete cds.

ACCESSION M23703

VERSION M23703.1 GI:755044

1164 GTGCAGCTGA 1173

KEYWORDS transforming growth factor-beta-1.

SOURCE Sus scrofa (pig)

ORGANISM Sus scrofa

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.

REFERENCE 1 (bases 1 to 3206)

AUTHORS Kondaiah, P., Van Obberghen-Schilling, E., Ludwig, R.L., Dhar, R.,

Sporn, M.B. and Roberts, A.B.

TITLE cDNA cloning of porcine transforming growth factor-beta 1 mRNAs.

Evidence for alternate splicing and polyadenylation

JOURNAL J. Biol. Chem. 263 (34), 18313-18317 (1988)

MEDLINE 89054010 PUBMED 2461367

```
COMMENT
          On Apr 1, 1995 this sequence version replaced gi:341017.
          Original source text: Sus scrofa (strain miniature swine) cDNA to
          mRNA.
FEATURES
                  Location/Qualifiers
                  1. .3206
    source
                  /organism="Sus scrofa"
                  /mol type="mRNA"
                  /strain="miniature swine"
                  /db xref="taxon:9823"
                  /cell type="peripheral blood lymphocyte"
                  1. .3206
    gene
                  /gene="TGF-beta-1"
    CDS
                  906. .2078
                  /gene="TGF-beta-1"
                  /codon start=1
                  /product="transforming growth factor-beta-1"
                  /protein id="AAA64616.1"
                  /db xref="GI:755045"
                  /translation="MPPSGLRLLPLLLPLLWLLVLTPGRPAAGLSTCKTIDMELVKRK
                  RIEAIRGOILSKLRLASPPSOGDVPPGPLPEAVLALYNSTRDRVAGESVEPEPEPEAD
                  YYAKEVTRVLMVESGNOI YDKFKGTPHSLYMLFNTSELREAVPEPVLLSRAELRLLRL
                  KLKVEOHVELYOKYSNDSWRYLSNRLLAPSDSPEWLSFDVTGVVROWLTRREAIEGFR
                  LSAHCSCDSKDNTLHVEINGFNSGRRGDLATIHGMNRPFLLLMATPLERAOHLHSSRH
                  RRALDTNYCFSSTEKNCCVROLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDT
                  OYSKVLALYNOHNPGASAAPCCVPOALEPLPIVYYVGRKPKVEOLSNMIVRSCKCS"
                  3186. .3191
    polyA signal
                  /gene="TGF-beta-1"
                  3206
    polyA site
                  /gene="TGF-beta-1"
BASE COUNT
              645 a
                     1041 c
                              924 q
                                     596 t
ORIGIN
 Query Match
                      84.5%; Score 306.8; DB 4; Length 3206;
 Best Local Similarity
                      99.4%; Pred. No. 4.7e-52;
 Matches 308; Conservative
                            0; Mismatches
                                            2; Indels
                                                         0; Gaps
                                                                   0;
         54 CAAGGAGAACACTGCTGCGTGCGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
Qу
            1769 CACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 1828
Db
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
Qу
            1829 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 1888
Db
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
            Db
        1889 CATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGCACAACCC 1948
        234 GGGCGCGTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
            Db
        1949 GGGCGCGTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 2008
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
            Db
        2009 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 2068
        354 GTGCAGCTGA 363
QУ
```

```
+ + + + + + + + + +
       2069 GTGCAGCTGA 2078
Db
RESULT 6
AR036686
LOCUS
          AR036686
                                             linear PAT 29-SEP-1999
                               339 bp
                                       DNA
DEFINITION Sequence 29 from patent US 5800811.
ACCESSION
          AR036686
          AR036686.1 GI:5954542
VERSION
KEYWORDS
SOURCE
          Unknown.
 ORGANISM Unknown.
          Unclassified.
REFERENCE
          1 (bases 1 to 339)
 AUTHORS
          Hall, F.L., Nimni, M.E., Tuan, T.-L., Wu, L. and Cheung, D.T.
 TITLE
          Artificial skin prepared from coclagen matrix containing
          transforming growth factor-.beta. having a collagen binding site
 JOURNAL
          Patent: US 5800811-A 29 01-SEP-1998;
FEATURES
                 Location/Qualifiers
                 1. .339
    source
                 /organism="unknown"
BASE COUNT
              66 a
                    113 с
                           100 g
                                     60 t
ORIGIN
 Query Match
                      77.5%; Score 281.2; DB 6; Length 339;
 Best Local Similarity 94.2%; Pred. No. 8.9e-47;
 Matches 292; Conservative 0; Mismatches 18; Indels
                                                       0; Gaps
                                                                 0;
Qу
         54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
            Db
         30 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 89
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
Qу
            Db
         90 GAAGTGGATCCATGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 149
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
            150 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 209
Db
        234 GGGCGCGTCGGCGGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
            210 GGGCGCCTCGGCGGCGCCGTGCTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 269
Db
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
            Db
        270 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 329
        354 GTGCAGCTGA 363
QУ
            111111111
        330 GTGCAGCTGA 339
Db
```

RESULT 7

LOCUS AX455100 489 bp DNA linear PAT 06-JUL-2002

```
ACCESSION
          AX455100
VERSION
          AX455100.1 GI:21714285
KEYWORDS
SOURCE
          Canis familiaris (dog)
 ORGANISM Canis familiaris
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Carnivora; Fissipedia; Canidae; Canis.
REFERENCE
 AUTHORS
          Farr, S.B., Pickett, G.G., Neft, R.E. and Dunn, R.T.
 TITLE
          Canine toxicity genes
 JOURNAL
          Patent: WO 0208453-A 167 31-JAN-2002;
          Phase-1 Molecular Toxicology (US)
FEATURES
                  Location/Qualifiers
                  1. .489
    source
                  /organism="Canis familiaris"
                  /mol_type="genomic DNA"
                  /db_xref="taxon:9615"
BASE COUNT
              84 a
                     183 c
                                    76 t
                                              1 others
                            145 g
ORIGIN
                      77.5%; Score 281.2; DB 6; Length 489;
 Query Match
 Best Local Similarity
                      94.2%; Pred. No. 8.5e-47;
 Matches 292; Conservative 0; Mismatches 18; Indels
                                                      0; Gaps
                                                                  0;
         54 CAAGGAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
Qу
            Db
        101 CACGGAGAAGAACTGCTGCGTCCGGCAGCTCTACATTGACTTCCGCAAGGATCTGGGCTG 160
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
Qу
            Db
        161 GAAGTGGATCCATGAGCCCAAGGGTTACCACGCTAACTTCTGCCTGGGGCCCTGCCCCTA 220
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
            221 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCACAACCC 280
Db
        234 GGGCGCGTCGGCGCCCTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
QУ
            Db
        281 GGGCGCGTCGGCGGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 340
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
            Db
        341 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCGAACATGATCGTGCGCTCCTGCAA 400
Qу
        354 GTGCAGCTGA 363
            1111111111
Db
        401 GTGCAGCTGA 410
RESULT 8
OATGFB1
LOCUS
          OATGFB1
                               1173 bp
                                        mRNA
                                               linear
                                                      MAM 18-APR-1995
DEFINITION O.aries mRNA for transforming growth factor-beta I.
ACCESSION
          X76916
VERSION
          X76916.1 GI:496648
KEYWORDS
          TGF-beta 1; transforming growth factor-beta 1.
```

DEFINITION Sequence 167 from Patent W00208453.

```
SOURCE
           Ovis aries (sheep)
  ORGANISM Ovis aries
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
           Bovidae; Caprinae; Ovis.
REFERENCE
  AUTHORS
           Woodall, C.J., McLaren, L.J. and Watt, N.J.
  TITLE
           Sequence and chromosomal localisation of the gene encoding ovine
           latent transforming growth factor-beta 1
  JOURNAL
           Gene 150 (2), 371-373 (1994)
  MEDLINE
           95121932
   PUBMED
          7821809
REFERENCE
           2 (bases 1 to 1173)
 AUTHORS
           Woodall.C.
 TITLE
           Direct Submission
  JOURNAL
           Submitted (24-DEC-1993) C. Woodall, Univ. of Edinburgh, Dept. of
           Veterinary Pathology, Sc. of Vet. Studies, Univ. of Edinburgh,
           Edinburgh EH9 IQH, UK
FEATURES
                   Location/Qualifiers
    source
                   1. .1173
                   /organism="Ovis aries"
                   /mol type="mRNA"
                   /db xref="taxon:9940"
    CDS
                   1. .1173
                   /codon start=1
                   /product="transforming growth factor-beta 1"
                   /protein id="CAA54242.1"
                   /db_xref="GI:496649"
                   /db xref="SWISS-PROT:P50414"
                   /translation="MPPSGLRLLPLLLPLLWLLMLTPGRPVAGLSTCKTIDMELVKRK
                   GIEAIRGQILSKLRLASPPSQGDVPPGPLPEAILALYNSTRDRVAGESAETEPEPEAD
                   YYAKEVTRVLMVEYGNKI YDKMKSSSHSI YMFFNTSELREAVPEPVLLSRADVRLLRL
                   KLKVEQHVELYQKYSNNSWRYLSNRLLAPSDSPEWLSFDVTGVVRQWLTHREE1EGFR
                   LSAHCSCDSKDNTLQVDINGFSSGRRGDLATIHGMNRPFLLLMATPLERAQHLHSSRH
                   RRALDTNYCFSSTEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDT
                   QYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS"
    mat peptide
                   835. .1170
                   /product="transforming growth factor-beta 1"
BASE COUNT
               245 a
                       378 с
                               336 q
                                        214 t
ORIGIN
 Query Match
                        77.5%; Score 281.2; DB 4; Length 1173;
                        94.2%; Pred. No. 7.7e-47;
 Best Local Similarity
 Matches 292; Conservative
                             0; Mismatches
                                              18:
                                                   Indels
                                                            0; Gaps
                                                                        0;
          54 CAAGGAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
Qу
                Db
         864 CACAGAAAAGAACTGCTGTGTTCGTCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 923
Qу
         114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
             Db
         924 GAAGTGGATTCACGAACCCAAGGGCTACCACGCCAATTTCTGCCTGGGGCCCTGTCCCTA 983
         174 CATCTGGAGCCTAGACACTCAGTACAACAACGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
             Db
         984 CATCTGGAGCCTGGACACACAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCACAACCC 1043
```

```
Qу
             Db
        1044 GGGCGCATCGGCGCGCGTGCTGCGTGCCTCAGGCGCTGGAACCCCTGCCCATCGTGTA 1103
Qу
         294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
             Db
        1104 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGTTGTCCAACATGATCGTGCGCTCCTGCAA 1163
         354 GTGCAGCTGA 363
Qу
             Db
        1164 GTGCAGCTGA 1173
RESULT 9
DOGTGFB1A
LOCUS
           DOGTGFB1A
                                 1369 bp
                                           mRNA
                                                  linear
                                                          MAM 30-OCT-1994
DEFINITION Canine transforming growth factor-beta 1 (TGFB1) mRNA, complete
           cds.
ACCESSION
          L34956
VERSION
          L34956.1 GI:516071
KEYWORDS
           homologue; transforming growth factor-beta 1.
SOURCE
           Canis familiaris (dog)
 ORGANISM Canis familiaris
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Carnivora; Fissipedia; Canidae; Canis.
REFERENCE
             (bases 1 to 1369)
           Manning, A.M., Auchampach, J.A., Drong, R.F. and Slightom, J.L.
 AUTHORS
           Cloning of a canine cDNA homologous to human transforming growth
 TITLE
           factor-beta 1 (TGFbeta1)
 JOURNAL
           Unpublished (1994)
COMMENT
           Original source text: Canis familiaris adult juqular vein
           endothelial cDNA to mRNA.
FEATURES
                   Location/Oualifiers
    source
                   1. .1369
                   /organism="Canis familiaris"
                   /mol type="mRNA"
                   /db xref="taxon:9615"
                   /cell type="LPS-activated"
                   /tissue type="jugular vein endothelial"
                   /dev stage="adult"
    gene
                   1. .1369
                   /gene="TGFB1"
    5'UTR
                   1. .57
                   /gene="TGFB1"
    CDS
                   58. .1230
                   /gene="TGFB1"
                   /function="anti-inflammatory agent"
                   /note="precursor"
                   /codon start=1
                   /product="transforming growth factor-beta 1"
                   /protein id="AAA51458.1"
                   /db xref="GI:516072"
                   /translation="MPPSGLRLLPLLLPLLRLLVLTPGRPAAGLSTCKTIDMELVKRK
                   RIEAIRGQILSKLRLSSPPSQGEVPPVPLPEAVLALYNSTRDRVAGESAEPEPEPEAD
                   YYAKEVTRVLMVENTNKI YEKVKKSPHSI YMLFNTSELREAVPEPVLLSRAELRLLRL
                   KLKAEQHVELYQKYSNDSWRYLSNRLLAPSDTPEWLSFDVTGVVRQWLSHGGEVEGFR
```

LSAHCSCDSKDNTLQVDINGFSSSRRGDLATIHGMNRPFLLLMATPLERAQHLHSSRO

```
RRALDTNYCFSSTEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDT
                 QYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEOLSNMIVRSCKCS"
    mat peptide
                 1039. .1227
                 /gene="TGFB1"
                 /product="transforming growth factor-beta 1"
    3'UTR
                 1231. .1369
                 /qene="TGFB1"
BASE COUNT
             264 a
                    473 c
                           415 g
                                  216 t
                                           1 others
ORIGIN
 Ouery Match
                     77.5%; Score 281.2; DB 4; Length 1369;
 Best Local Similarity
                     94.2%; Pred. No. 7.5e-47;
 Matches 292; Conservative 0; Mismatches
                                        18: Indels
                                                      0; Gaps
                                                                0:
         54 CAAGGAGAAGAACTGCTGCGTGCGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
QУ
            Db
        921 CACGGAGAAGAACTGCTGCGTCCGGCAGCTCTACATTGACTTCCGCAAGGATCTGGGCTG 980
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
Qу
            Db
        981 GAAGTGGATCCATGAGCCCAAGGGTTACCACGCTAACTTCTGCCTGGGGCCCTGCCCCTA 1040
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
           1041 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCACAACCC 1100
Db
Qу
        234 GGGCGCGTCGGCGCGCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
            Db
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
           Db
       1161 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCGAACATGATCGTGCGCTCCTGCAA 1220
Qу
        354 GTGCAGCTGA 363
           Db
       1221 GTGCAGCTGA 1230
RESULT 10
AGMTGFB
LOCUS
         AGMTGFB
                             1561 bp
                                      mRNA
                                             linear
                                                    PRI 27-APR-1993
DEFINITION Simian transforming growth factor-beta (TGF) mRNA, complete cds.
ACCESSION
         M16658
         M16658.1 GI:176552
VERSION
KEYWORDS
         growth factor; transforming growth factor-beta.
SOURCE
         Cercopithecus aethiops (African green monkey)
 ORGANISM Cercopithecus aethiops
         Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
         Mammalia; Eutheria; Primates; Catarrhini; Cercopithecidae;
         Cercopithecinae; Cercopithecus.
REFERENCE
         1 (bases 1 to 1561)
 AUTHORS
         Sharples, K., Plowman, G.D., Rose, T.M., Twardzik, D.R. and
         Purchio, A.F.
 TITLE
         Cloning and sequence analysis of simian transforming growth
         factor-beta cDNA
```

JOURNAL

DNA 6 (3), 239-244 (1987)

```
MEDLINE
          87246074
  PUBMED
          3474130
COMMENT
          Original source text: African green monkey cells (cell line
          BSC-40), cDNA to mRNA, clone pTGF-beta-2.
FEATURES
                  Location/Oualifiers
                  1. .1561
    source
                  /organism="Cercopithecus aethiops"
                  /mol type="mRNA"
                  /db xref="taxon:9534"
                  262. .1434
    CDS
                  /note="transforming growth factor-beta precursor"
                  /codon start=1
                  /protein_id="AAA35369.1"
                  /db xref="GI:176553"
                  /translation="MPPSGLRLLPLLLPLLWLLVLTPSRPAAGLSTCKTIDMELVKRK
                  RIETIRGOILSKLRLASPPSOGEVPPGPLPEAVLALYNSTRDRVAGESAEPEPEPEAD
                  YYAKEVTRVLMVETHNEI YDKFKQSTHSI YMFFNTSELREAVPEPVLLSRAELRLLRL
                  KLKVEQHVELYQKYSNNSWRYLSNRLLAPSNSPEWLSFDVTGVVRQWLSRGGE1EGFR
                  LSAHCSCDSKDNTLQVDINGFTTGRRGDLATIHGMNRPFLLLMATPLERAQHLQSSRH
                  RRALDTNYCFSSTEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDT
                  QYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS"
    sig peptide
                  262. .1095
                  /note="transforming growth factor-beta signal peptide"
                  1096. .1431
    mat peptide
                  /product="transforming growth factor-beta"
BASE COUNT
             301 a
                     547 c
                             446 q
ORIGIN
 Query Match
                      77.5%;
                             Score 281.2; DB 9; Length 1561;
 Best Local Similarity
                      94.2%;
                             Pred. No. 7.4e-47;
 Matches 292; Conservative
                            0; Mismatches
                                          18; Indels
                                                        0; Gaps
                                                                   0;
Qу
         54 CAAGGAGAACACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
            1125 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTATATTGACTTCCGCAAGGACCTCGGCTG 1184
Db
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
Qу
            1185 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTGGGGCCCTGTCCCTA 1244
Db
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
            1245 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 1304
Db
        234 GGGCGCGTCGGCGCGCGTGCTGCGCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
            Dh
       1305 GGGCGCCTCGGCGCGCGCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 1364
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qy
            1365 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 1424
Db
        354 GTGCAGCTGA 363
Qу
             1111111
Db
       1425 ATGCAGCTGA 1434
```

```
RESULT 11
A18277
LOCUS
          A18277
                                        mRNA
                                339 bp
                                               linear PAT 17-MAY-1994
DEFINITION H. sapiens TGF-beta 1 gene seq ID No:1.
ACCESSION
          A18277
VERSION
          A18277.1 GI:513237
KEYWORDS
SOURCE
          synthetic construct
 ORGANISM synthetic construct
          artificial sequences.
REFERENCE
            (bases 1 to 339)
 AUTHORS
          Cerletti, N., McMaster, G.K., Cox, D., Schmitz, A. and Meyhack, B.
 TITLE
          Process for the production of biologically active protein (e.g.
 JOURNAL
          Patent: EP 0433225-A 1 19-JUN-1991;
          CIBA-GEIGY AG
FEATURES
                  Location/Qualifiers
                  1. .339
    source
                  /organism="synthetic construct"
                  /mol type="mRNA"
                  /db xref="taxon:32630"
    CDS
                  1. .339
                  /note="Protein sequence is in conflict with the conceptual
                  translation"
                  /codon start=1
                  /transl table=11
                  /product="TGF-beta 1"
                  /protein_id="CAA01385.1"
                  /db xref="GI:4529903"
                  /translation="ALDTNYCFSSTEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFC
                  LGPCPYIWSLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLS
                  NMIVRSCKCS"
BASE COUNT
              66 a
                     114 c
                             100 g
                                     59 t
ORIGIN
                             Score 279.6; DB 6; Length 339;
 Query Match
                      77.0%;
                      93.9%;
 Best Local Similarity
                             Pred. No. 1.9e-46;
 Matches 291; Conservative
                            0; Mismatches
                                          19: Indels
                                                        0; Gaps
                                                                  0;
QУ
         54 CAAGGAGAACTGCTGCGTGCGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
            Db
         30 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 89
Qу
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
            Dh
         90 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 149
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
            Db
        150 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 209
        234 GGGCGCGTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
            Db
        210 GGGCGCCTCGGCGCGCCGTGCTGCGTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 269
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
QУ
```

```
Db
        270 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 329
        354 GTGCAGCTGA 363
QУ
            111111111
Db
        330 GTGCAGCTGA 339
RESULT 12
A23751
LOCUS
          A23751
                               339 bp
                                        mRNA linear PAT 25-JAN-1995
DEFINITION TGF-betal coding region.
ACCESSION
         A23751
VERSION
          A23751.1 GI:825585
KEYWORDS
SOURCE
          Homo sapiens (human)
 ORGANISM Homo sapiens
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
            (bases 1 to 339)
 AUTHORS
          McMaster, G.K., Cox, D., Cerletti, N. and Kuhla, J.
 TITLE
          Novel hybrid transforming growth factors
 JOURNAL
          Patent: EP 0542679-A 1 19-MAY-1993;
          CIBA-GEIGY AG
FEATURES
                 Location/Oualifiers
                 1. .339
    source
                  /organism="Homo sapiens"
                  /mol type="mRNA"
                 /db xref="taxon:9606"
BASE COUNT
              66 a
                     114 c 100 g
                                    59 t
ORIGIN
 Query Match
                      77.0%; Score 279.6; DB 6; Length 339;
 Best Local Similarity
                      93.9%; Pred. No. 1.9e-46;
 Matches 291; Conservative
                            0; Mismatches
                                         19: Indels
                                                       0; Gaps
                                                                 0:
Qу
         54 CAAGGAGAACACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
            Db
         30 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 89
QУ
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
            Db
         90 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 149
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
QУ
            Dh
        150 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 209
Qу
        234 GGGCGCGTCGGCGCCCTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
            Db
        210 GGGCGCCTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 269
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
            Db
        270 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 329
        354 GTGCAGCTGA 363
Qу
            111111111
```

```
RESULT 13
A48549
LOCUS
          A48549
                                339 bp
                                         DNA
                                                linear PAT 07-MAR-1997
DEFINITION Sequence 1 from Patent W09603432.
ACCESSION
          A48549
VERSION
          A48549.1 GI:2302319
KEYWORDS
SOURCE
          unidentified
 ORGANISM
         unidentified
          unclassified.
REFERENCE
             (bases 1 to 339)
 AUTHORS
          Cerletti, N.
 TITLE
          NOVEL PROCESS FOR THE PRODUCTION OF BIOLOGICALLY ACTIVE DIMERIC
          PROTEI
 JOURNAL
          Patent: WO 9603432-A 1 08-FEB-1996;
          CIBA GEIGY AG (CH)
COMMENT
          Other publication AU 3109595 960222.
FEATURES
                  Location/Qualifiers
                  1. .339
    source
                  /organism="unidentified"
                  /mol type="genomic DNA"
                  /db xref="taxon:32644"
    CDS
                  1. .336
                  /note="Protein sequence is in conflict with the conceptual
                  translation"
                  /codon start=1
                  /product="HUMAN TGF-BETA1"
                  /protein_id="CAA03113.1"
                  /db xref="GI:2302320"
                  /translation="ALDTNYCFSSTEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFC
                  LGPCPYIWSLDTQYSKVLALYNOHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLS
                  NMIVRSCKCS"
BASE COUNT
              66 a
                      114 c
                             100 g
                                      59 t
ORIGIN
 Ouery Match
                      77.0%; Score 279.6; DB 6; Length 339;
 Best Local Similarity
                      93.9%; Pred. No. 1.9e-46;
 Matches 291: Conservative
                            0: Mismatches
                                            19: Indels
                                                         0: Gaps
                                                                    0:
         54 CAAGGAGAACTGCTGCGTGCGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
QУ
            Db
         30 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 89
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
Qу
            90 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 149
Db
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
            Db
        150 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 209
        234 GGGCGCGTCGGCGCGCGTGCTGCGCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
            210 GGGCGCCTCGGCGGCGCCGTGCTGCGTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 269
Db
```

```
294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
             270 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 329
Db
         354 GTGCAGCTGA 363
Qу
             111111111
         330 GTGCAGCTGA 339
Db
RESULT 14
A48563
LOCUS
          A48563
                                 339 bp
                                           DNA
                                                  linear PAT 07-MAR-1997
DEFINITION Sequence 1 from Patent W09603433.
ACCESSION
          A48563
VERSION
          A48563.1 GI:2302333
KEYWORDS
SOURCE
          unidentified
 ORGANISM unidentified
          unclassified.
REFERENCE
             (bases 1 to 339)
 AUTHORS
           Cerletti, N.
 TITLE
          NEW PROCESS FOR THE PRODUCTION OF BIOLOGICALLY ACTIVE PROTEIN
           Patent: WO 9603433-A 1 08-FEB-1996;
 JOURNAL
          CIBA GEIGY AG (CH)
COMMENT
          Other publication AU 3109695 960222.
FEATURES
                   Location/Oualifiers
                   1. .339
    source
                   /organism="unidentified"
                   /mol type="genomic DNA"
                   /db xref="taxon:32644"
    CDS
                   1. .336
                   /note="Protein sequence is in conflict with the conceptual
                   translation"
                   /codon start=1
                   /product = "HUMAN TGF-BETA1"
                   /protein id="CAA03120.1"
                   /db xref="GI:2302334"
                   /translation="ALDTNYCFSSTEKNCCVROLYIDFRKDLGWKWIHEPKGYHANFC
                   LGPCPYIWSLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLS
                   NMI VRSCKCS"
BASE COUNT
               66 a
                      114 c
                               100 g
                                        59 t
ORIGIN
 Query Match
                       77.0%; Score 279.6; DB 6; Length 339;
 Best Local Similarity
                       93.9%; Pred. No. 1.9e-46;
 Matches 291; Conservative
                              0; Mismatches
                                            19; Indels
                                                              Gaps
                                                                      0;
Qу
         54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
            Db
         30 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 89
         114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
Qу
            Db
         90 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 149
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
```

```
Db
        150 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 209
        234 GGGCGCGTCGGCGGCGCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
           210 GGGCGCCTCGGCGGCGCGTGCTGCGTGCCGCAGGCGCTGCGCGCTGCCCATCGTGTA 269
Db
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
QУ
           270 CTACGTGGCCCCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 329
Db
        354 GTGCAGCTGA 363
QУ
           Db
        330 GTGCAGCTGA 339
RESULT 15
I56854
LOCUS
         I56854
                             339 bp
                                     DNA
                                            linear
                                                   PAT 07-OCT-1997
DEFINITION Sequence 1 from patent US 5650494.
ACCESSION
         I56854
         I56854.1 GI:2477267
VERSION
KEYWORDS
SOURCE
         Unknown.
 ORGANISM
         Unknown.
         Unclassified.
REFERENCE
         1 (bases 1 to 339)
 AUTHORS
         Cerletti, N., McMaster, G. Kent., Cox, D., Schmitz, A. and Meyhack, B.
 TITLE
         Process for refolding recombinantly produced TGF-.beta.-like
         proteins
 JOURNAL
         Patent: US 5650494-A 1 22-JUL-1997;
FEATURES
                Location/Qualifiers
    source
                1. .339
                /organism="unknown"
BASE COUNT
             66 a
                          100 g
                   114 c
                                   59 t
ORIGIN
 Query Match
                    77.0%; Score 279.6; DB 6; Length 339;
 Best Local Similarity
                    93.9%; Pred. No. 1.9e-46;
 Matches 291; Conservative
                          0; Mismatches
                                      19: Indels
                                                   0; Gaps
                                                             0:
Qу
        54 CAAGGAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
           30 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 89
Db
Qу
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
           90 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 149
Db
Qу
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACCACCC 233
           Db
       150 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 209
Qу
       234 GGGCGCGTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
           Db
       210 GGGCGCCTCGGCGGCGCGTGCTGCGTGCCGCAGGCGCTGGCCCATCGTGTA 269
```

```
Qу
         294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
             Db
         270 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 329
         354 GTGCAGCTGA 363
Qу
             Db
         330 GTGCAGCTGA 339
Search completed: October 27, 2003, 18:34:52
Job time : 1416.77 secs
                           GenCore version 5.1.6
                 Copyright (c) 1993 - 2003 Compugen Ltd.
OM nucleic - nucleic search, using sw model
Run on:
               October 27, 2003, 10:47:27; Search time 109.057 Seconds
                                        (without alignments)
                                        8985.201 Million cell updates/sec
Title:
               US-10-017-372E-14
Perfect score: 363
Sequence:
               1 gccctggataccaactactg.....gttcctgcaaqtqcaqctqa 363
Scoring table:
              IDENTITY NUC
               Gapop 10.0 , Gapext 1.0
Searched:
               2552756 segs, 1349719017 residues
Total number of hits satisfying chosen parameters:
                                                    5105512
Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
                Maximum Match 100%
                Listing first 45 summaries
Database :
                N Geneseq 19Jun03:*
               1: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1980.DAT:*
                  /SIDS1/gcgdata/geneseq/geneseqn-emb1/NA1981.DAT:*
```

3: /SIDS1/gcgdata/geneseq/geneseqn-emb1/NA1982.DAT:* 4: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1983.DAT:* 5: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1984.DAT:* 6: /SIDS1/gcgdata/geneseq/geneseqn-emb1/NA1985.DAT:* 7: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1986.DAT:* 8: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1987.DAT:* /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1988.DAT:* 10: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1989.DAT:* 11: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1990.DAT:* 12: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1991.DAT:* 13: /SIDS1/gcgdata/qeneseq/qeneseqn-emb1/NA1992.DAT:* 14: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1993.DAT:* 15: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1994.DAT:* 16: /SIDS1/gcgdata/geneseq/geneseqn-emb1/NA1995.DAT:*

```
17: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1996.DAT:*
18: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1997.DAT:*
19: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1998.DAT:*
20: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1999.DAT:*
21: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA2000.DAT:*
22: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA2001A.DAT:*
23: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA2001B.DAT:*
24: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA2002.DAT:*
25: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA2003.DAT:*
```

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

		્ર				
Result	a	Query	T = - 11		* F	B
No.	Score	Match	Length	DB	ID	Description
1	306.8	84.5	1326	24	AAD22696	Porcine transformi
2	281.2	77.5	339	18	AAT42771	TGF-betal active f
3	281.2	77.5	339	20	AAV99375	cDNA encoding a tr
4	281.2	77.5	489	24	ABL99528	Target canine gene
5	281.2	77.5	1303	11	AAQ09317	Monkey transformin
6	281.2	77.5	1559	13	AAQ20289	Sequence encoding
7	281.2	77.5	1561	11	AAQ03268	Simian transformin
8	281.2	77.5	1571	11	AAQ03269	Human transforming
9	279.6	77.0	339	17	AAT17235	Human TGF-beta 1 c
10	279.6	77.0	339	20	AAX15245	cDNA encoding the
11	279.6	77.0	650	24	ABK84023	Human cDNA differe
12	279.6	77.0	650	24	ABL68818	Kidney cancer rela
13	279.6	77.0	1176	24	ABZ35738	Human TGF beta 1 p
14	279.6	77.0	1176	24	ABX09981	Human TGFbetal DNA
15	279.6	77.0	1176	24	ABV78162	Human TGF beta 1 D
16	279.6	77.0	1176	24	ABL91703	Human polynucleoti
17	279.6	77.0	1176	25	ABV75391	TGFB1 Arg25Pro pol
18	279.6	77.0	1176	25	ABV75392	TGFB1 Arg25Pro pol
19	279.6	77.0	1560	9	AAN81084	Coding sequence of
20	279.6	77.0	1560	11	AAQ03508	Simian Transformin
21	279.6	77.0	1569	9	AAN81085	Coding sequence of
22	279.6	77.0	1821	12	AAQ13392	Human pro-TGF-beta
23	279.6	77.0	2537	7	AAN60972	Sequence encoding
24	279.6	77.0	2537	11	AAQ03301	cDNA encoding huma
25	279.6	77.0	2537	11	AAQ02814	Sequence of pre-TG
26	279.6	77.0	2537	15	AAQ56923	Human pre-TGF-beta
27	279.6	77.0	2537	17	AAT15720	Pre-transforming g
28	279.6	77.0	2537	19	AAV52933	Human pre-transfor
29	279.6	77.0	2742	22	AAI58342	Human polynucleoti
30	279.6	77.0	2745	16	AAT05876	cDNA encoding tran
31	279.6	77.0	2745	22	AAH28216	Nucleotide sequenc
32	279.6	77.0	3541	17	AAT16516	Collagen Al/TGF-be
33	279.6	77.0	3541	21	AAA12498	cDNA encoding a ch
34	279.6	77.0	4105	15	AAQ55624	TGFbetal 5'-UTR-CD
35	278	76.6	339	12	AAQ11993	Transforming Growt
36	278	76.6	339	17	AAT15462	Human transforming
37	278	76.6	1266	24	ABK12871	Chimeric TGF-B-SA
38	278	76.6	1569	11	AAQ03509	Human Transforming

```
39
      278
            76.6
                  2527 25 ABQ76674
                                                    Androgen receptor
           75.9 345 14 AAQ41599
73.5 336 14 AAQ41606
    275.4
40
                                                    Mature human Trans
          73.5
41
    266.8
                                                    Transforming Growt
    262.2 72.2
42
                  1561 11 AAQ04908
                                                    Sequence encoding
   262.2 72.2 1561 13 AAQ29177
43
                                                    TGF-beta 1/beta 2
   253.2 69.8 875 23 AAS70979
44
                                                    DNA encoding novel
     248 68.3 336 14 AAQ41604
45
                                                    Transforming Growt
```

ALIGNMENTS

```
RESULT 1
AAD22696
ID
     AAD22696 standard; cDNA; 1326 BP.
XX
AC
    AAD22696;
XX
DT
     26-FEB-2002 (first entry)
XX
     Porcine transforming growth factor beta 1 (TGF-beta1) cDNA.
DE
XX
KW
     Porcine; transforming growth factor beta 1; TGF-beta1; gene therapy;
KW
     IBD; inflammatory bowel disease; autoimmune disease; immunosuppressive;
KW
     multiple sclerosis; rheumatoid arthritis; systemic lupus erythematosus;
KW
     diabetes mellitus; sarcoidosis; psoriasis; dermatological; ss.
XX
OS
     Sus scrofa.
ХX
FΗ
     Key
                     Location/Oualifiers
FT
     CDS
                     16..1188
FT
                     /*tag=a
FT
                     /product= "Porcine TGF-betal mutant protein"
XX
PN
     WO200181404-A2.
XX
PD
     01-NOV-2001.
XX
ΡF
     20-APR-2001; 2001WO-US12980.
ХX
     20-APR-2000; 2000US-199014P.
PR
XX
PA
     (USSH ) US DEPT HEALTH & HUMAN SERVICES.
XX
PΙ
     Strober W, Nakamura K, Kitani A, Fuss IJ;
XX
DR
     WPI; 2002-026155/03.
DR
     P-PSDB; AAE13596.
XX
PT
     Composition for treating autoimmune diseases e.g. inflammatory bowel
PT
     disease in humans, comprises vector containing transforming growth
PT
     factor-beta under the control of inducible promoter
XX
PS
     Claim 1; Fig 1; 78pp; English.
XX
CC
     The invention relates to a composition containing a vector comprising a
CC
     gene encoding a regulatory transcription factor under the control of a
```

```
CC
    vector is useful for expressing TGF-beta, such as TGF-beta1, TGF-beta2
CC
    or TGF-beta3, its variants or homologues, by transfecting a cell which
CC
    is part of a host suspected of having an autoimmune disease, especially
CC
    inflammatory bowel disease (IBD), under conditions such that the
CC
    polypeptide encoded by the nucleic acid sequence in the vector is
    expressed. The vector is delivered using a delivery system. The delivery
CC
CC
    of the vector results in substantial elimination of symptoms of the
CC
    autoimmune disease and increased production of IL-10 by the host. The
CC
    composition is useful for treating various diseases with an autoimmune
CC
    component such as multiple sclerosis, rheumatoid arthritis, systemic
    lupus erythematosus, insulin-dependent diabetes mellitus, sarcoidosis
CC
    and psoriasis, and also for assaying the expression of a gene in a cell.
CC
CC
    The vector is further useful for screening of the effect of test
CC
    compounds on cytokine (e.g. TGF-beta) expression of transfected cells.
CC
    The present sequence is a cDNA encoding porcine TGF-betal mutant.
XX
SO
    Sequence 1326 BP; 263 A; 438 C; 392 G; 233 T; 0 other;
                       84.5%; Score 306.8; DB 24; Length 1326;
 Best Local Similarity
                       99.4%; Pred. No. 2.8e-64;
 Matches 308; Conservative
                           0; Mismatches
                                             2; Indels
                                                         0; Gaps
                                                                    0;
Qу
         54 CAAGGAGAACACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
            879 CACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 938
Db
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
QУ
            939 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 998
Dh
Qу
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
            Db
         999 CATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGCACAACCC 1058
Qу
        234 GGGCGCGTCGGCGCGCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
            Db
        1059 GGGCGCGTCGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 1118
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
            Db
        1119 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 1178
        354 GTGCAGCTGA 363
Qу
            1179 GTGCAGCTGA 1188
Db
RESULT 2
TD
    AAT42771 standard; cDNA; 339 BP.
XX
AC
    AAT42771;
XX
DT
    26-AUG-1997 (first entry)
XX
DE
    TGF-beta1 active fragment of a TGF-beta fusion protein encoding cDNA.
```

promoter encoding a transforming growth factor-beta (TGF-beta). The

CC

```
XX
KW
     Transforming growth factor-beta fusion protein; wound healing;
KW
     artificial skin; surgery recovery time; ss.
XX
OS
     Homo sapiens.
XX
FΗ
                     Location/Qualifiers
     Key
FT
     CDS
                     1..339
FT
                     /*taq=a
FT
                     /function= TGF active fragment
XX
PN
     WO9639430-A1.
XX
PD
     12-DEC-1996.
XX
ΡF
     05-JUN-1996;
                  96WO-US08973.
XX
PR
     06-JUN-1995; 95US-0470837.
XX
PΑ
     (CHEU/) CHEUNG D T.
PΑ
     (HALL/) HALL F L.
     (NIMN/) NIMNI M E.
PA
     (TUAN/) TUAN T.
PΑ
PΑ
     (WULL/) WU L.
XX
PΙ
     Cheung DT, Hall FL, Nimni ME, Tuan T, Wu L;
XX
DR
    WPI; 1997-043065/04.
DR
     P-PSDB; AAW08173.
XX
PΤ
     Prepn. of transforming growth factor-beta fusion protein - useful to
PT
     reduce surgery recovery time and to prepare artificial skin
XX
PS
     Disclosure; Page 44-45; 59pp; English.
XX
CC
     A novel transforming growth factor-beta (TGF-beta) fusion protein
CC
     comprises a purification tag and a TGF active fragment. The present
CC
     sequence encodes a specifically claimed TGF active fragment, TGF-beta1.
CC
     Additionally, the fusion protein may comprise proteinase-sensitive
CC
     linker sites and binding domain so the protein sequence may contain
CC
     some or all of the following elements: purification tag:proteinase
CC
     site: ECM binding site: proteinase site: TGF-beta. TGF-beta promotes
CC
     wound healing, and the fusion protein can be used to reduce surgery
CC
     recovery time and in the preparation of artificial skin. The inclusion
CC
     of a purification tag facilitates purification of the fusion protein.
CC
    The proteinase site is included to permit cleavage and release of the
CC
    purification tag after purification if desired. The extracellular
CC
    matrix binding site facilitates delivery of the fusion protein to the
CC
    desired site of action. Delivery of the TGF-beta to the site to be
CC
     treated reduces the amount of TGF-beta required to be administered to
CC
    be effective and reduces the concentration of circulating TGF-beta
CC
    which may result in undesirable effects.
XX
SQ
    Sequence 339 BP; 66 A; 113 C; 100 G; 60 T; 0 other;
 Query Match
                          77.5%; Score 281.2; DB 18; Length 339;
```

Best Local Similarity 94.2%; Pred. No. 3e-58;

```
Matches 292; Conservative 0; Mismatches 18; Indels
                                                     0; Gaps
                                                                 0;
         54 CAAGGAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
Qу
            Db
         30 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 89
Qу
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
            Db
         90 GAAGTGGATCCATGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 149
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
            150 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 209
Db
Qу
        234 GGGCGCGTCGGCGGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
            210 GGGCGCCTCGGCGGCGCCGTGCTGCGTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 269
Db
Qу
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
            270 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 329
Db
        354 GTGCAGCTGA 363
Qу
            11111111
Db
        330 GTGCAGCTGA 339
RESULT 3
AAV99375
ID
    AAV99375 standard; cDNA; 339 BP.
XX
AC
    AAV99375;
XX
DT
    25-MAR-1999 (first entry)
XX
ĎΕ
    cDNA encoding a transforming growth factor beta active fragment.
XX
KW
    Proteinase site; bone morphogenetic fusion protein; bone binding site;
KW
    bone morphogenetic protein; transforming growth factor beta;
KW
    active fragment; wound healing; bone growth; purification tag: ds.
XX
OS
    Homo sapiens.
XX
PN
    WO9855137-A1.
XX
PD
    10-DEC-1998.
XX
ΡF
    02-JUN-1998;
                98WO-US11189.
XX
PR
    03-JUN-1997;
               97US-0868452.
XX
PΑ
    (HALL/) HALL F L.
PA
    (HANB/) HAN B.
PΑ
    (NIMN/) NIMNI M E.
    (SHOR/) SHORS E C.
PΑ
    (WULL/) WU L.
PΑ
XX
```

```
PΙ
    Hall FL, Han B, Nimni ME, Shors EC, Wu L;
XX
DR
    WPI; 1999-059875/05.
DR
    P-PSDB; AAW84207.
XX
PT
    New bone morphogenetic fusion proteins - comprising a purification
PT
    tag and a bone morphogenetic active fragment, used for enhancing
PT
    wound healing or bone growth
XX
    Example 1; Page 41; 64pp; English.
PS
XX
CC
    The present sequence encodes a transforming growth factor beta active
    fragment. The protein can be used in place of a bone morphogenetic
CC
CC
    active fragment to create the fusion proteins of the invention. When a
CC
    bone morphogenetic active fragment is used, the fusion proteins are
CC
    designated bone morphogenetic fusion proteins. The bone morphogenetic
    fusion protein may contain some or all of the following elements: a
CC
CC
    purification tag, a proteinase site, an ECM/bone binding site, a second
CC
    proteinase site, and a bone morphogenetic protein active fragment.
    The bone morphogenetic fusion proteins can be used for enhancing wound
CC
CC
    healing or bone growth.
XX
    Sequence 339 BP; 66 A; 113 C; 100 G; 60 T; 0 other;
SQ
 Query Match
                      77.5%; Score 281.2; DB 20; Length 339;
 Best Local Similarity
                      94.2%; Pred. No. 3e-58;
 Matches 292; Conservative
                           0; Mismatches
                                         18; Indels
                                                       0: Gaps
                                                                 0;
Qу
         54 CAAGGAGAACACTGCTGCGTGCGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
            Db
         30 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 89
Qу
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
            Db
         90 GAAGTGGATCCATGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 149
Qу
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
            Db
        150 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 209
        234 GGGCGCGTCGGCGCGCGCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Ov
            Db
Qу
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
            Db
        270 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 329
Qу
        354 GTGCAGCTGA 363
            111111111
Db
        330 GTGCAGCTGA 339
RESULT 4
ABL99528
    ABL99528 standard; cDNA; 489 BP.
```

XX

```
AC
    ABL99528;
XX
DT
    02-JUL-2002 (first entry)
XX
DE
    Target canine gene TGFB1.
XX
KW
    Canine gene array; toxicological response; ss.
XX
OS
    Canis sp.
XX
PN
    WO200208453-A2.
XX
PD
    31-JAN-2002.
XX
ΡF
    23-JUL-2001; 2001WO-US23311.
XX
PR
    21-JUL-2000; 2000US-220057P.
XX
    (PHAS-) PHASE-1 MOLECULAR TOXICOLOGY.
PΑ
XX
PΙ
    Farr SB, Pickett GG, Neft RE, Dunn RT;
XX
DR
    WPI; 2002-217063/27.
XX
PT
    Identifying toxicologically relevant canine gene to determine
PT
    toxicological responses of agents, by obtaining and comparing gene
PT
    expression profiles of untreated canine cells and canine cells treated
PT
    with an agent
XX
PS
    Disclosure; Page 67; 140pp; English.
XX
CC
    This invention relates to identifying a toxicologically relevant canine
CC
    gene and the generation of an array of toxicologically relevant
CC
    canine genes. The gene array is useful for obtaining a gene expression
CC
    profile, by exposing a population of cells to an agent, obtaining cDNA
CC
    from the population of cells, labeling the cDNA, and contacting the cDNA
CC
    with the gene array. The relevant gene is useful for making and using
CC
    arrays to determine toxicological responses to various agents, and also
CC
    useful for identifying novel gene sequences and novel canine genes.
CC
    The method for analysing toxicological responses using the canine
    gene array is rapid and efficient. The present sequence is related
CC
CC
    to the canine gene array.
XX
SO
    Sequence 489 BP; 84 A; 183 C; 145 G; 76 T; 1 other;
 Query Match
                        77.5%; Score 281.2; DB 24; Length 489;
 Best Local Similarity
                        94.2%; Pred. No. 3.2e-58;
 Matches 292; Conservative
                              0; Mismatches 18; Indels
                                                             0; Gaps
                                                                         0;
Qу
          54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
             Db
         101 CACGGAGAAGAACTGCTGCGTCCGGCAGCTCTACATTGACTTCCGCAAGGATCTGGGCTG 160
         114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
Qу
             161 GAAGTGGATCCATGAGCCCAAGGGTTACCACGCTAACTTCTGCCTGGGGCCCTGCCCCTA 220
Db
```

```
Qу
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
            Db
        221 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCACAACCC 280
Qу
        234 GGGCGCGTCGGCGCCCTGCTGCGCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
            Db
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
            341 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCGAACATGATCGTGCGCTCCTGCAA 400
Db
        354 GTGCAGCTGA 363
Qу
            Db
        401 GTGCAGCTGA 410
RESULT 5
AAQ09317
ID
    AAQ09317 standard; cDNA; 1303 BP.
XX
AC
    AAQ09317;
XX
DT
    25-MAR-2003 (updated)
DT
    12-AUG-1990 (first entry)
XX
DE
    Monkey transforming growth factor-beta cDNA.
XX
KW
    Transforming growth factor-beta; simian; psoriasis;
KW
    TGF-beta.
XX
OS
    Monkey.
XX
FΗ
    Key
                 Location/Qualifiers
FT
    sig peptide
                 22..63
FT
                 /*tag= a
FT
    mat peptide
                 836..1170
FT
                 /*tag= b
FΤ
                 /product=monkey transforming growth factor-beta
XX
    EP353772-A.
ΡN
XX
PD
    07-FEB-1990.
XX
PF
    04-AUG-1989;
               89EP-0114458.
XX
PR
    05-AUG-1988; 88US-0229133.
XX
PΑ
    (ONCO ) ONCOGEN LP.
XX
PΙ
    Twardzik DR, Purchio AF, Ranchalis JE, Stevens V;
XX
DR
    WPI; 1990-038499/06.
    P-PSDB; AAR03743.
DR
XX
PT
    Inhibition of proliferation of epidermal cells -
    used to treat psoriasis by contacting cells with compositions
```

```
containing transforming growth factor-beta.
XX
PS
    Disclosure; fig 1; 20pp; English.
XX
CC
    TGF-beta may be used in the treatment of hyperplasia
CC
    associated with acanthosis-categorised skin diseases, and
CC
    in alleviating psoriatic symptoms associated with cytokine-
CC
    induced phenomena. See also AAQ03268 and AAR03750.
CC
    (Updated on 25-MAR-2003 to correct PA field.)
XX
SO
    Sequence 1303 BP; 263 A; 442 C; 378 G; 217 T; 3 other;
 Query Match
                      77.5%; Score 281.2; DB 11; Length 1303;
 Best Local Similarity
                      94.2%; Pred. No. 3.8e-58;
 Matches 292; Conservative 0; Mismatches
                                         18; Indels
                                                       0; Gaps
                                                                 0;
         54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
Qу
            Db
        867 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTATATTGACTTCCGCAAGGACCTCGGCTG 926
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
Qу
            Db
        927 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTGGGGCCCTGTCCCTA 986
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
            Db
        987 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 1046
        234 GGGCGCGTCGGCGCGCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
QУ
            Dh
       1047 GGGCGCCTCGGCGGCGCCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 1106
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
            Db
       1107 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 1166
        354 GTGCAGCTGA 363
Qу
             11111111
Db
       1167 ATGCAGCTGA 1176
RESULT 6
AA020289
ID
    AAQ20289 standard; cDNA; 1559 BP.
XX
AC
    AAQ20289;
XX
DT
    25-MAR-2003
               (updated)
DT
    16-APR-1992 (first entry)
XX
DE
    Sequence encoding simian transforming growth factor (TGF) beta-1.
XX
KW
    Hypertension therapy; hypotensive agent; blood pressure modulator;
KW
    SS.
XX
OS
    Monkey.
XX
```

PT

```
FT
    CDS
                   262..282
FT
                   /*tag= a
FT
    sig peptide
                   283..324
FT
                   /*tag= b
FΤ
    CDS
                   325..1098
FT
                   /*tag= c
FΤ
                   1099..1436
    mat peptide
FT
                   /*tag= d
XX
PN
    WO9119513-A.
XX
PD
    26-DEC-1991.
XX
PF
    20-JUN-1991;
                91WO-US04449.
XX
PR
    20-JUN-1990;
                90US-0541221.
XX
PΑ
    (BRIM ) BRISTOL-MYERS SQUIBB CO.
XX
PΙ
    Oleson FB, Comereski CR;
XX
DR
    WPI; 1992-024199/03.
    P-PSDB; AAR20124.
DR
XX
PT
    Use of transforming growth factor (TGF)-beta and their
PT
    antagonists - for modulating blood pressure, for treating
PT
    hypertension and hypotension
XX
PS
    Disclosure; Fig 1; 42pp; English.
XX
CC
    A new method for treating hypertension comprises administering a
CC
    transforming growth factor (TGF)-beta to an individual at a dose
CC
    effective for lowering blood pressure; the TGF-beta may be e.q.
CC
    mature TGF-beta, TGF-beta2, a mature TGF-beta1/beta2 hybrid, TGF-
CC
    betal precursor, a latent TGF-beta2 precursor, hybrid TGF-beta1/TGF-
    beta2 precursor, a latent TGF-beta1 complex or a latent TGF-beta2
CC
CC
    complex.
CC
    (Updated on 25-MAR-2003 to correct PA field.)
XX
SQ
    Sequence 1559 BP; 300 A; 546 C; 446 G; 267 T; 0 other;
 Query Match
                       77.5%; Score 281.2; DB 13; Length 1559;
 Best Local Similarity 94.2%; Pred. No. 4e-58;
 Matches 292; Conservative 0; Mismatches 18; Indels
                                                           0: Gaps
                                                                      0;
Qу
          54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
             Db
        1124 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTATATTGACTTCCGCAAGGACCTCGGCTG 1183
QУ
         114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGGCCCTGTCCCTA 173
             Db
        1184 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTGGGGCCCTGTCCCTA 1243
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
             1244 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 1303
Db
```

Location/Qualifiers

FH

Key

```
Qу
         234 GGGCGCGTCGGCGCCCTGCTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
             Db
        1304 GGGCGCCTCGGCGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 1363
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
             Db
        1364 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 1423
        354 GTGCAGCTGA 363
Qу
             Db
        1424 ATGCAGCTGA 1433
RESULT 7
AAQ03268
    AAQ03268 standard; DNA; 1561 BP.
XX
AC
    AAQ03268;
XX
DT
    25-MAR-2003 (updated)
DT
    12-AUG-1990 (first entry)
XX
DE
    Simian transforming growth factor-beta cDNA.
XX
KW
    Transforming growth factor-beta; psoriasis; TGF-beta; ss.
XX
OS
    Monkey.
XX
FΗ
                   Location/Qualifiers
    Key
FT
                   283..324
    sig peptide
FT
                   /*tag= a
                   1096..1431
FT
    mat_peptide
FT
                   /*tag=b
FT
                   /product=human transforming growth factor-beta
XX
PN
    EP353772-A.
XX
PD
    07-FEB-1990.
XX
    04-AUG-1989; 89EP-0114458.
PF
XX
PR
    05-AUG-1988;
                88US-0229133.
XX
    (ONCO ) ONCOGEN LP.
PA
XX
PΙ
    Twardzik DR, Purchio AF, Ranchalis JE, Stevens V;
XX
DR
    WPI; 1990-038499/06.
DR
    P-PSDB; AAR03743.
XX
PΤ
    Inhibition of proliferation of epidermal cells -
PT
    used to treat psoriasis by contacting cells with compositions
PT
    containing transforming growth factor-beta.
XX
PS
    Disclosure; fig 1; 20pp; English.
XX
```

```
CC
    associated with acanthosis-categorised skin diseases, and
CC
    in alleviating psoriatic symptoms associated with cytokine-
CC
    induced phenomena. See also AAQ03269 and AAR03750.
CC
    (Updated on 25-MAR-2003 to correct PA field.)
XX
SQ
    Sequence 1561 BP; 301 A; 547 C; 446 G; 267 T; 0 other:
                     77.5%; Score 281.2; DB 11; Length 1561;
 Best Local Similarity
                     94.2%; Pred. No. 4e-58;
 Matches 292; Conservative 0; Mismatches 18; Indels
                                                    0; Gaps
                                                              0;
         54 CAAGGAGAACACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
Qу
           1125 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTATATTGACTTCCGCAAGGACCTCGGCTG 1184
Db
Qу
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGGCCCTGTCCCTA 173
           1185 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTGGGGCCCTGTCCCTA 1244
Db
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
           Db
       1245 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 1304
        Oy
           1305 GGGCGCCTCGGCGGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 1364
Db
Qу
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
           Db
       1365 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 1424
Qу
        354 GTGCAGCTGA 363
            Db
       1425 ATGCAGCTGA 1434
RESULT 8
AA003269
TD
   AAQ03269 standard; DNA; 1571 BP.
XX
AC
   AAQ03269;
XX
DT
    25-MAR-2003
              (updated)
DT
    12-AUG-1990
              (first entry)
XX
DE
   Human transforming growth factor-beta cDNA.
XX
KW
    Transforming growth factor-beta; psoriasis;
KW
   TGF-beta.
XX
OS
   Homo sapiens.
XX
FΗ
   Key
                Location/Qualifiers
FT
   sig_peptide
                22..63
FT
                 /*tag=a
FΤ
   mat peptide
                836..1170
```

TGF-beta may be used in the treatment of hyperplasia

CC

```
FT
                  /*tag=b
FT
                  /product=human transforming growth factor-beta
XX
PN
    EP353772-A.
XX
    07-FEB-1990.
PD
XX
PF
    04-AUG-1989;
                89EP-0114458.
XX
PR
    05-AUG-1988; 88US-0229133.
ХX
PA
    (ONCO ) ONCOGEN LP.
XX
PΙ
    Twardzik DR, Purchio AF, Ranchalis JE, Stevens V;
XX
    WPI; 1990-038499/06.
DR
DR
    P-PSDB; AAR03750.
XX
    Inhibition of proliferation of epidermal cells -
PT
PT
    used to treat psoriasis by contacting cells with compositions
    containing transforming growth factor-beta.
PT
XX
PS
    Disclosure; fig 1; 20pp; English.
XX
CC
    TGF-beta may be used in the treatment of hyperplasia
    associated with acanthosis-categorised skin diseases, and
CC
CC
    in alleviating psoriatic symptoms associated with cytokine-
CC
    induced phenomena. See also AAQ03268 and AAR03743.
CC
    (Updated on 25-MAR-2003 to correct PA field.)
XX
SO
    Sequence 1571 BP; 299 A; 563 C; 443 G; 266 T; 0 other;
 Query Match
                      77.5%; Score 281.2; DB 11; Length 1571;
 Best Local Similarity 94.2%; Pred. No. 4e-58;
 Matches 292; Conservative
                          0; Mismatches 18; Indels
                                                       0: Gaps
                                                                  0:
         54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
Qу
            Db
        1135 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTATATTGACTTCCGCAAGGACCTCGGCTG 1194
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
Qу
            Db
        1195 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTGGGGCCCTGTCCCTA 1254
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
            1255 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 1314
Db
Qу
        234 GGGCGCGTCGGCGCGCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
            1315 GGGCGCCTCGGCGGCGCCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 1374
Db
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
            1375 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 1434
Db
        354 GTGCAGCTGA 363
QУ
```

CC

XX SO

also produced.

Sequence 339 BP; 66 A; 114 C; 100 G; 59 T; 0 other;

Query Match 77.0%; Score 279.6; DB 17; Length 339; Best Local Similarity 93.9%; Pred. No. 7.3e-58; Matches 291; Conservative 0; Mismatches 19; Indels 0;

```
Db
         30 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 89
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
Qу
           Db
         90 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 149
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
           150 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 209
Db
Qу
        234 GGGCGCGTCGGCGCCGTGCTGCGCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
           Db
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
           Db
        270 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 329
        354 GTGCAGCTGA 363
Qу
           111111111
Db
        330 GTGCAGCTGA 339
RESULT 10
AAX15245
    AAX15245 standard; cDNA; 339 BP.
XX
AC
    AAX15245;
XX
DT
    20-MAR-2003 (updated)
DT
    28-APR-1999 (first entry)
XX
DE
    cDNA encoding the mature form of transforming growth factor-beta-1.
XX
KW
    Transforming growth factor-beta-1; TGF-beta-like protein;
KW
    S-sulphonated TGF-beta-like protein; wound treatment; cancer;
KW
    bone repair; tissue repair; bone marrow protective agent;
KW
    cardioprotection; anti-inflammatory; immunosuppressive;
KW
    ulcer; bed sore; ds.
XX
OS
    Homo sapiens.
XX
PN
    EP891985-A1.
XX
PD
    20-JAN-1999.
XX
PF
    27-NOV-1990;
               98EP-0113487.
XX
PR
    06-DEC-1989;
               89GB-0027546.
PR
    27-NOV-1990;
               90EP-0810922.
XX
ÞΔ
    (NOVS ) NOVARTIS AG.
XX
ΡI
    Cerletti N, Cox D, McMaster GK, Meyhack B, Schmitz A;
XX
```

54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113

Qу

```
DR
    WPI; 1999-083520/08.
    P-PSDB; AAW97091.
DR
XX
PT
    Producing biologically active dimeric Transforming Growth
PT
    Factor-beta - by refolding new monomeric Transforming Growth
PT
    Factor-beta, useful for treatment of wounds and cancer
XX
PS
    Example 1; Page 28; 32pp; English.
XX
CC
    The present sequence encodes the mature form of transforming growth
CC
    factor-beta-1. Dimeric, biologically active TGF-beta-like protein
CC
    can be produced by subjecting the denatured monomeric form to refolding
CC
    conditions. The new monomeric S-sulphonated TGF-beta-like protein is
CC
    useful for the production of the dimeric, biologically active
CC
    TGF-beta-like protein, which is useful for the treatment of wounds
CC
    (surface or internal) and cancer in a mammal, in bone and tissue
CC
    repair, as a bone marrow protective agent, a mediator of
CC
    cardioprotection, for the production of an anti-inflammatory or
CC
    immunosuppressive preparation. Treatment is useful for animals,
CC
    especially humans, and wound treatment (e.g. ulcers, bed sores etc.) is
CC
    particularly useful for the elderly.
CC
    (Updated on 20-MAR-2003 to correct PF field.)
CC
    (Updated on 20-MAR-2003 to correct PR field.)
XX
SO
    Sequence 339 BP; 66 A; 114 C; 100 G; 59 T; 0 other;
 Query Match
                       77.0%; Score 279.6; DB 20; Length 339;
 Best Local Similarity 93.9%; Pred. No. 7.3e-58;
 Matches 291; Conservative 0; Mismatches 19; Indels
                                                         0; Gaps
                                                                    0;
Qу
         54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
            Db
         30 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 89
Qу
         114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
            90 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 149
Db
         174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
            150 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 209
Db
         234 GGGCGCGTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
            210 GGGCGCCTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 269
Db
         294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
            Db
         270 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 329
         354 GTGCAGCTGA 363
Qу
            1111111
Db
         330 GTGCAGCTGA 339
```

```
ID
     ABK84023 standard; cDNA; 650 BP.
XX
AC
     ABK84023;
XX
DT
     14-AUG-2002 (first entry)
XX
DE
     Human cDNA differentially expressed in granulocytic cells #594.
XX
KW
     Human; ss; granulocytic cell; DNA chip; bacterial infection;
KW
     viral infection; parasitic infection; protozoal infection;
KW
     fungal infection; sterile inflammatory disease; psoriasis;
KW
     rheumatoid arthritis; glomerulonephritis; asthma; thrombosis;
KW
     cardiac reperfusion injury; renal reperfusion injury; ARDS;
KW
     adult respiratory distress syndrome; inflammatory bowel disease;
KW
     Crohn's disease; ulcerative colitis; periodontal disease;
KW
     granulocyte activation; chronic inflammation; allergy.
XX
OS
     Homo sapiens.
XX
PN
     WO200228999-A2.
XX
PΠ
     11-APR-2002.
XX
ΡF
     03-OCT-2001; 2001WO-US30821.
XX
PR
     03-OCT-2000; 2000US-237189P.
XX
PA
     (GENE-) GENE LOGIC INC.
XX
PΙ
     Beazer-Barclay Y, Weissman SM, Yamaga S, Vockley J;
XX
DR
    WPI; 2002-435328/46.
XX
PT
     Detecting granulocyte activation by detecting differential expression
PT
     of genes associated with granulocyte activation, which serves as
PT
     diagnostic markers that is useful for monitoring disease states and
PT
    drug toxicity
XX
PS
    Claim 1; SEQ ID No 594; 114pp; English.
XX
CC
     The invention relates to detecting (M1) granulocyte (GC) activation
CC
     (GCA), by detecting the level of expression of gene(s) (Gs) identified by
CC
     DNA chip analysis as given in the specification, and comparing
CC
     the expression level to an expression level in an unactivated
CC
    GC, where differential expression of Gs is indicative of GCA.
CC
    Also included are modulating (M2) GA by contacting GC with an agent
CC
     that alters the expression of at least one gene in Gs; (2) screening (M3)
CC
     for an agent capable of modulating GCA or an inflammation (especially
CC
     chronic) in a tissue, an allergic response in a subject, exposure of a
CC
     subject to a pathogen or sterile inflammatory disease using the
CC
    gene expression profile; (3) detecting (M4) an inflammation (especially
CC
    chronic) in a tissue, an allergic response in a subject, exposure of a
CC
    subject to a pathogen or sterile inflammatory disease, by detecting the
CC
    level of expression in a sample of the tissue of gene(s) from Gs, where
CC
    the level of expression of the gene is indicative of inflammation;
CC
     (4) treating (M5) an inflammation (especially chronic) or in a tissue,
CC
```

an allergic response in a subject, exposure of a subject to a pathogen

```
CC
    or sterile inflammatory disease, by contacting a tissue having
CC
    inflammation with an agent that modulates the expression of gene(s)
CC
    from Gs in the tissue. M1 is useful for detecting GCA; M2 is useful for
CC
    modulating GA; M3 is useful for screening an agent capable of modulating
CC
    GCA preferably in an inflammation in a tissue; M4 is useful for
CC
    detecting an inflammation (especially chronic) in a tissue, an allergic
CC
    response in a subject, exposure of a subject to a pathogen or sterile
CC
    inflammatory disease (e.g. psoriasis, rheumatoid arthritis,
CC
    glomerulonephritis, asthma, thrombosis, cardiac reperfusion injury, renal
CC
    reperfusion injury, ARDS, adult respiratory distress syndrome,
CC
    inflammatory bowel disease, Crohn's disease, ulcerative colitis,
CC
    periodontal disease; also bacterial infection, viral infection,
CC
    parasitic infection, protozoal infection, fungal infection and M5 is
CC
    useful for treating one of the above conditions. The present
CC
    sequence represents a gene differentially expressed in granulocytes.
CC
    Note: The sequence data for this patent did not form part
CC
    of the printed specification, but was obtained in electronic
CC
    format directly from WIPO at
CC
    ftp.wipo.int/pub/published pct sequences.
XX
    Sequence 650 BP; 108 A; 244 C; 179 G; 119 T; 0 other;
SQ
                       77.0%; Score 279.6; DB 24; Length 650;
 Query Match
 Best Local Similarity
                       93.9%; Pred. No. 8.2e-58;
 Matches 291; Conservative
                            0; Mismatches
                                           19; Indels
                                                          0; Gaps
                                                                     0:
         54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
Qу
            30 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 89
Db
Qу
         114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
            90 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 149
Db
         174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
             150 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 209
Db
        234 GGGCGCGTCGGCGGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
            Db
         210 GGGCGCCTCGGCGGCCCGTGCTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 269
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
             270 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 329
Db
        354 GTGCAGCTGA 363
Qу
            1 | | | | | | | | | |
Db
        330 GTGCAGCTGA 339
RESULT 12
ABL68818
ID
    ABL68818 standard; DNA; 650 BP.
XX
    ABL68818;
AC
XX
```

```
DT
     15-MAY-2002
                  (first entry)
XX
DE
     Kidney cancer related gene sequence SEQ ID NO:7155.
XX
KW
     Human; cancer; colon; breast; ovary; oesophagus; kidney; thyroid;
KW
     stomach; lung; prostate; pancreas; carcinoma; antitumour; cancerous;
KW
     cytostatic; gene therapy; antineoplastic; Wilm's tumour; adenocarcinoma;
KW
     gene; ds.
XX
OS
     Homo sapiens.
XX
PN
     WO200194629-A2.
ХX
PD
     13-DEC-2001.
XX
PF
     30-MAY-2001; 2001WO-US10838.
XX
PR
     05-JUN-2000; 2000US-209473P.
PR
     05-JUN-2000; 2000US-209531P.
PR
     18-SEP-2000; 2000US-233133P.
PR
     18-SEP-2000; 2000US-233617P.
     20-SEP-2000; 2000US-234009P.
PR
     20-SEP-2000; 2000US-234034P.
PR
     20-SEP-2000; 2000US-234052P.
PR
PR
     22-SEP-2000; 2000US-234509P.
PR
     22-SEP-2000; 2000US-234567P.
PR
     25-SEP-2000; 2000US-234923P.
PR
     25-SEP-2000; 2000US-234924P.
     25-SEP-2000; 2000US-235077P.
PR
     25-SEP-2000; 2000US-235082P.
PR
     25-SEP-2000; 2000US-235134P.
PR
     25-SEP-2000; 2000US-235280P.
PR
PR
     26-SEP-2000; 2000US-235637P.
PR
     26-SEP-2000; 2000US-235638P.
PR
     27-SEP-2000; 2000US-235711P.
     27-SEP-2000; 2000US-235720P.
PR
     27-SEP-2000; 2000US-235840P.
PR
     27-SEP-2000; 2000US-235863P.
PR
     28-SEP-2000; 2000US-236028P.
PR
     28-SEP-2000; 2000US-236032P.
PR
PR
     28-SEP-2000; 2000US-236033P.
     28-SEP-2000; 2000US-236034P.
PR
PR
     28-SEP-2000; 2000US-236109P.
     28-SEP-2000; 2000US-236111P.
PR
     29-SEP-2000; 2000US-236842P.
PR
PR
     29-SEP-2000; 2000US-236891P.
PR
     02-OCT-2000; 2000US-237172P.
PR
     02-OCT-2000; 2000US-237173P.
PR
     02-OCT-2000; 2000US-237278P.
PR
     02-OCT-2000; 2000US-237294P.
PR
     02-OCT-2000; 2000US-237295P.
     02-OCT-2000; 2000US-237316P.
PR
     03-OCT-2000; 2000US-237425P.
PR
PR
     03-OCT-2000; 2000US-237598P.
PR
     03-OCT-2000; 2000US-237604P.
PR
     03-OCT-2000; 2000US-237606P.
PR
     03-OCT-2000; 2000US-237608P.
```

```
PR
    01-NOV-2000; 2000US-244867P.
PR
    01-NOV-2000; 2000US-245084P.
XX
PA
     (AVAL-) AVALON PHARM.
XX
PΙ
    Young PE, Augustus M, Carter KC, Ebner R,
                                               Endress G, Horrigan S;
PΙ
    Soppet DR, Weaver Z;
XX
DR
    WPI; 2002-188264/24.
XX
PT
    Screening for anti-neoplastic agent involves exposing cells to a
PT
    chemical agent to be tested for anti-neoplastic activity, and
PT
    determining a change in expression of a gene of a signature gene set -
XX
PS
    Claim 1; SEQ ID 7155; 44pp; English.
XX
CC
    The present invention describes a method (M1) for screening for an
CC
    anti-neoplastic agent. The method involves exposing cells to a chemical
CC
    agent to be tested for anti-neoplastic activity, determining a change in
CC
    expression of at least one gene (I) of a signature gene set, where (I)
CC
    comprises a sequence (S) selected from 8447 sequences (given in ABL61664
CC
    to ABL70110), or is at least 95% identical to (S), where a change in
CC
    expression is indicative of anti-neoplastic activity. (I) has cytostatic
CC
    activity and can be used in gene therapy. M1 can be used for screening
CC
    an anti-neoplastic agent, and can be used for producing a product which
CC
    is the data collected with respect to the anti-neoplastic agent as a
CC
    result of M1, and the data is sufficient to convey the chemical
CC
    structure and/or properties of the agent. M1 can be used in the
CC
    treatment of cancer such as colon, breast, stomach, lung, thyroid,
CC
    oesophageal, ovarian, kidney, prostate or pancreatic cancer,
    adenocarcinoma, carcinoma, clear cell cancer, infiltrating ductal cancer,
CC
CC
    infiltrating lobular cancer, squamous cell carcinoma, neuroendocrine
CC
    carcinoma, papillary carcinoma and Wilm's tumour.
XX
SO
    Sequence 650 BP; 108 A; 244 C; 179 G; 119 T; 0 other;
                        77.0%; Score 279.6; DB 24; Length 650;
 Best Local Similarity
                        93.9%; Pred. No. 8.2e-58;
 Matches 291; Conservative
                             0; Mismatches 19; Indels
                                                           0; Gaps
Qу
          54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
             30 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 89
Db
         114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
QУ
             90 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 149
Db
         174 CATCTGGAGCCTAGACACTCAGTACAACAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
             Db
         150 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 209
         234 GGGCGCGTCGGCGCCCGTGCTGCGTGCCGCAGCCGCTGGAGCCACTGCCCATCGTGTA 293
QУ
             Db
         210 GGGCGCCTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 269
QУ
         294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
```

```
270 CTACGTGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 329
Db
         354 GTGCAGCTGA 363
Qу
              Db
         330 GTGCAGCTGA 339
RESULT 13
ABZ35738
ID
    ABZ35738 standard; DNA; 1176 BP.
XX
AC
    ABZ35738;
XX
DT
    07-FEB-2003 (first entry)
XX
DE
    Human TGF beta 1 polynucleotide SEQ ID NO 46.
XX
KW
    Double stranded RNA; dsRNA; RNAi; RNA inhibition; cytostatic; virucide;
KW
    protozoacide; gene expression; antisense; tumour; infection; Plasmodium;
KW
    virus; viroid; anti-GFP; human; HIV; human immunodeficiency virus;
KW
    Hepatitis C virus; human papilloma virus; gene; ds.
XX
OS
    Homo sapiens.
XX
PN
    DE10100588-A1.
XX
    18-JUL-2002.
PD
XX
PF
    09-JAN-2001; 2001DE-1000588.
XX
PR
    09-JAN-2001; 2001DE-1000588.
XX
    (RIBO-) RIBOPHARMA AG.
PA
XX
    Kreutzer R, Limmer S, Rost S, Hadwiger P;
PΙ
XX
DR
    WPI; 2002-683450/74.
XX
PT
    Inhibiting expression of target genes, useful e.g. for treating tumors,
PΤ
    by introducing into cells two double-stranded RNAs that are
PΤ
    complementary to the target -
XX
PS
    Claim 13; Page 34-35; 100pp; German.
XX
CC
    The invention relates to inhibiting expression of a target gene in a cell
    by introducing at least two oligoribonucleotides (dsRNAI and II), both
CC
    with a double-stranded (ds) structure of at most 49 sequential nucleotide
CC
CC
    pairs. At least part of one strand (S1, S2) of the ds structures in each
    of dsRNAI and II are complementary to regions in the target gene. The
CC
CC
    method uses antisense inhibition of gene expression using double stranded
    RNA inhibition (RNAi). The method is particularly used to treat tumours
CC
    or infections, especially by Plasmodium or viruses/viroids (pathogenic on
CC
    humans, animals or plants). The method provides more effective inhibition
CC
    of expression than known methods using a single dsRNA, even at very low
CC
CC
    concentrations. When dsRNA has at least one unpaired nucleotide at the
    end, stability (and thus effective concentration in the cell) is
CC
```

```
improved and efficiency can be increased further by pretreating the cells
CC
    with interferon. The present sequence is that of a target DNA of the
CC
    invention.
XX
    Sequence 1176 BP; 239 A; 382 C; 353 G; 202 T; 0 other;
SQ
                      77.0%; Score 279.6; DB 24; Length 1176;
 Best Local Similarity
                      93.9%; Pred. No. 9.1e-58;
 Matches 291; Conservative 0; Mismatches
                                         19; Indels
                                                      0; Gaps
                                                                0;
Qу
         54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
            Db
        867 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 926
QУ
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
            927 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 986
Db
Qу
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
            Db
        987 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 1046
Qу
        234 GGGCGCGTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
            Db
       1047 GGGCGCCTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 1106
Oy
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
            Db
       1107 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 1166
Qу
        354 GTGCAGCTGA 363
            Dh
       1167 GTGCAGCTGA 1176
RESULT 14
ABX09981
    ABX09981 standard; DNA; 1176 BP.
XX
AC
    ABX09981;
XX
DT
    23-JAN-2003 (first entry)
XX
DE
    Human TGFbetal DNA fragment SEQ ID 46.
XX
KW
    Oligoribonucleotide; interferon; oncogene; cytokine; Id; developmental;
KW
    prion; inhibition; human; ds.
XX
OS
    Homo sapiens.
XX
PN
    DE10100587-C1.
XX
PD
    21-NOV-2002.
XX
PF
    09-JAN-2001; 2001DE-1000587.
XX
PR
    09-JAN-2001; 2001DE-1000587.
```

CC

```
XX
PΑ
    (RIBO-) RIBOPHARMA AG.
XX
PΙ
    Kreutzer R, Limmer S, Rost S, Hadwiger P;
XX
DR
    WPI; 2002-742209/81.
XX
PΤ
    Inhibiting expression of target genes, e.g. oncogenes, in cells, by
PT
    introduction of complementary double-stranded oligoribonucleotide,
    after treating the cell with interferon -
PT
XX
PS
    Disclosure; Page 39-40; 98pp; German.
XX
CC
    This invention describes a novel method for inhibiting expression of a
CC
    target gene by introducing into the cell that contains the target gene
CC
    at least one oligoribonucleotide (dsRNAI) that has a double-stranded
CC
    (ds) structure of not more than 49 consecutive nucleotides (nt), where
CC
    at least a segment of one strand of the ds structure is complementary
CC
    with the target gene and the cells are treated with interferon before
CC
    introduction of dsRNAI. The method is used to inhibit expression of
CC
    target genes, particularly oncogenes, cytokine genes, Id (not defined)
CC
    protein genes; developmental or prion genes, or genes expressed in
CC
    pathogenic organisms (particularly plasmodia) or in viruses or viroids
CC
    (pathogenic in humans, animals or plants). Treating the cells with
CC
    interferon greatly increases the extent to which dsRNA can inhibit
CC
    expression of the target genes, and the effect is even greater when dsRNA
CC
    are modified to increase their stability. ABX09936-ABX10075 represent
CC
    gene fragments used to illustrate the method of the invention.
XX
SO
    Sequence 1176 BP; 239 A; 382 C; 353 G; 202 T; 0 other;
 Query Match
                       77.0%; Score 279.6; DB 24; Length 1176;
 Best Local Similarity
                       93.9%; Pred. No. 9.1e-58;
 Matches 291; Conservative
                            0: Mismatches
                                            19;
                                                Indels
                                                                     0:
         54 CAAGGAGAACACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
Qу
            Db
        867 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 926
Qу
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
            Db
        927 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 986
Qу
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
            Db
        987 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 1046
        234 GGGCGCGTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
            Db
        1047 GGGCGCCTCGGCGGCGCCGTGCTGCGGCGCAGGCGCTGCAGCCGCTGCCCATCGTGTA 1106
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
            Db
        1107 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 1166
        354 GTGCAGCTGA 363
QУ
```

Ouery Match

```
RESULT 15
ABV78162
    ABV78162 standard; DNA; 1176 BP.
XX
AC
    ABV78162;
XX
DT
     15-NOV-2002 (first entry)
XX
DE
    Human TGF beta 1 DNA SEQ ID NO 46.
XX
KW
     RNA inhibition; dsRNA1; gene expression inhibitor; oncogene; cytostatic;
KW
     virucide; protozoacide; gene; ds.
XX
OS
     Homo sapiens.
XX
PN
    WO200255693-A2.
XX
     18-JUL-2002.
PD
XX
PF
     09-JAN-2002; 2002WO-EP00152.
XX
PR
     09-JAN-2001; 2001DE-1000586.
     26-OCT-2001; 2001DE-1055280.
PR
PR
     29-NOV-2001; 2001DE-1058411.
     07-DEC-2001; 2001DE-1060151.
PR
XX
     (RIBO-) RIBOPHARMA AG.
PΑ
XX
PΙ
     Kreutzer R, Limmer S, Rost S, Hadwiger P;
XX
     WPI; 2002-590671/63.
DR
XX
PT
     Inhibiting expression of target gene, useful e.g. for inhibiting
PΤ
     oncogenes, by administering double-stranded RNA complementary to the
PT
     target and having an overhang
XX
PS
     Claim 10; Page 138; 203pp; German.
XX
CC
     The invention relates to inhibiting expression of a target gene (I) in a
CC
     cell by introducing an inhibitory RNA (dsRNA1) having a double-stranded
CC
     structure of at most 49 consecutive bases. At least part of one strand
CC
     (as1) of dsRNA1 is complementary to (I) and at least one end of dsRNA1
     has an overhang of 1-4 nucleotides. The method is used to inhibit the
CC
CC
     expression of a wide range of genes, e.g. oncogenes, cytokine genes etc.
CC
     in humans, also genes in Plasmodium or in viruses or viroids that are
CC
     pathogenic for humans, animals or plants. Introducing an overhang into
CC
     dsRNA greatly increases effectiveness for inhibiting gene expression,
CC
     both in vivo and in vitro and also increases stability and thus the
CC
     effective concentration inside the cell. The present sequence is that of
CC
     a gene related to the invention.
XX
SQ
     Sequence 1176 BP; 239 A; 382 C; 353 G; 202 T; 0 other;
```

77.0%; Score 279.6; DB 24; Length 1176;

Best Local Similarity 93.9%; Pred. No. 9.1e-58; 0; Gaps Matches 291; Conservative 0; Mismatches 19; Indels 0: Qу 54 CAAGGAGAACTGCTGCGTGCGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113 Db 867 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 926 Qу 114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173 927 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 986 Dh Qу 174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233 987 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 1046 Db Qу 234 GGGCGCGTCGGCGGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293 Db 1047 GGGCGCCTCGGCGGCGCCGTGCTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 1106 294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353 Qу Db 1107 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 1166 354 GTGCAGCTGA 363 QУ 1167 GTGCAGCTGA 1176 Db

Search completed: October 27, 2003, 19:11:03

Job time : 110.057 secs

GenCore version 5.1.6 Copyright (c) 1993 - 2003 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: October 27, 2003, 18:35:27; Search time 107.894 Seconds

(without alignments)

9022.658 Million cell updates/sec

Title: US-10-017-372E-14

Perfect score: 363

Sequence: 1 gccctggataccaactactg.....gttcctgcaagtgcagctga 363

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched: 1792395 seqs, 1340900451 residues

Total number of hits satisfying chosen parameters: 3584790

Minimum DB seq length: 0

Maximum DB seg length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

```
Database :
                 Published Applications NA: *
               1: /cgn2 6/ptodata/2/pubpna/US07 PUBCOMB.seq:*
                   /cgn2 6/ptodata/2/pubpna/PCT NEW PUB.seq:*
                   /cgn2 6/ptodata/2/pubpna/US06 NEW PUB.seq:*
                   /cgn2_6/ptodata/2/pubpna/US06_PUBCOMB.seq:*
                   /cgn2_6/ptodata/2/pubpna/US07_NEW_PUB.seq:*
                   /cgn2 6/ptodata/2/pubpna/PCTUS PUBCOMB.seq:*
               7: /cgn2 6/ptodata/2/pubpna/US08 NEW PUB.seg:*
               8: /cgn2_6/ptodata/2/pubpna/US08_PUBCOMB.seq:*
               9: /cgn2 6/ptodata/2/pubpna/US09A PUBCOMB.seq:*
               10: /cgn2 6/ptodata/2/pubpna/US09B PUBCOMB.seq:*
                    /cgn2 6/ptodata/2/pubpna/US09C PUBCOMB.seq:*
               11:
               12: /cgn2_6/ptodata/2/pubpna/US09 NEW PUB.seq:*
               13: /cgn2 6/ptodata/2/pubpna/US10A PUBCOMB.seq:*
               14: /cqn2 6/ptodata/2/pubpna/US10B PUBCOMB.seg:*
               15: /cqn2 6/ptodata/2/pubpna/US10 NEW PUB.seq:*
               16: /cgn2 6/ptodata/2/pubpna/US60 NEW PUB.seq:*
               17: /cgn2 6/ptodata/2/pubpna/US60 PUBCOMB.seq: *
```

કૃ

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Res	ult No.	Score	Query Match	Length	DB	ID	Description
	1	281.2	77.5	489	11	US-09-911-904-167	Sequence 167, App
	2	279.6	77.0	339	10	US-09-813-271B-1	Sequence 1, Appli
	3	279.6	77.0	1821	14	US-10-087-268-1	Sequence 1, Appli
	4	279.6	77.0	1821	14	US-10-087-268-4	Sequence 4, Appli
	5	279.6	77.0	2742	14	US-10-037-270-220	Sequence 220, App
	6	279.6	77.0	2745	11	US-09-948-002-28	Sequence 28, Appl
	7	257.2	70.9	2094	11	US-09-948-002-1	Sequence 1, Appli
	8	255.6	70.4	1585	11	US-09-948-002-27	Sequence 27, Appl
	9	198.2	54.6	336	10	US-09-813-271B-7	Sequence 7, Appli
	10	191.4	52.7	339	10	US-09-813-271B-5	Sequence 5, Appli
	11	191.4	52.7	2574	11	US-09-906-158-3	Sequence 3, Appli
	12	191.4	52.7	2574	13	US-10-028-158-20	Sequence 20, Appl
	13	188.2	51.8	2879	11	US-09-906-158-10	Sequence 10, Appl
	14	188.2	51.8	4382	12	US-09-957-458B-9	Sequence 9, Appli
	15	169.6	46.7	336	10	US-09-813-271B-9	Sequence 9, Appli
	16	164.4	45.3	336	10	US-09-813-271B-11	Sequence 11, Appl
	17	155	42.7	4267	11	US-09-948-002-47	Sequence 47, Appl
	18	147	40.5	339	10	US-09-813-271B-3	Sequence 3, Appli
	19	147	40.5	2570	12	US-09-960-706-663	Sequence 663, App
	20	147	40.5	2912	13	US-10-044-090-323	Sequence 323, App
С	21	131	36.1	597	9	US-09-864-761-15319	Sequence 15319, A
С	22	130.2	35.9	206	10	US-09-833-381-577	Sequence 577, App
С	23	128.6	35.4	154	9	US-09-864-761-31841	Sequence 31841, A
	24	103.2	28.4	851	13	US-10-027-632-152938	Sequence 152938,
C	25	98.8	27.2	224	10	US-09-833-381-73	Sequence 73, Appl
	26	98.4	27.1	29000	11	US-09-906-158-17	Sequence 17, Appl
	27	73.2	20.2	450	11	US-09-918-995-6145	Sequence 6145, Ap

```
28
        69
            19.0
                    584 12 US-10-029-386-9758
                                                        Sequence 9758, Ap
29
      68.2
            18.8
                    176 12 US-10-029-386-23458
                                                        Sequence 23458, A
     66.2
30
            18.2
                    176 10 US-09-833-381-571
                                                        Sequence 571, App
31
      57.4
                    486 11
                             US-09-918-995-25641
            15.8
                                                        Sequence 25641, A
32
      46.6
            12.8
                    412
                         10 US-09-841-730-28
                                                        Sequence 28, Appl
33
      46.6
            12.8
                    476
                         10 US-09-841-730-26
                                                        Sequence 26, Appl
34
      45.4
            12.5
                    573
                         14 US-10-156-761-3931
                                                        Sequence 3931, Ap
35
      45.4
            12.5 9025608 14 US-10-156-761-1
                                                         Sequence 1, Appli
36
        45
            12.4
                    630 9 US-09-454-540-3
                                                       Sequence 3, Appli
37
        45
            12.4
                    630 10 US-09-859-894A-3
                                                        Sequence 3, Appli
38
        45
            12.4
                    630 12 US-09-871-604-3
                                                        Sequence 3, Appli
39
      44.2
            12.2
                    557 9 US-09-765-527-248
                                                       Sequence 248, App
40
      44.2
            12.2
                    557 9 US-09-760-397-1
                                                       Sequence 1, Appli
      44.2
                    557 12 US-10-324-182-1
41
            12.2
                                                        Sequence 1, Appli
42
      44.2
            12.2
                    610 9 US-09-760-397-7
                                                       Sequence 7, Appli
43
      44.2
            12.2
                    610 12 US-10-324-182-7
                                                       Sequence 7, Appli
      44.2
            12.2
                    613 9 US-09-765-527-256
44
                                                       Sequence 256, App
      44.2
45
            12.2
                    613 9 US-09-765-527-260
                                                       Sequence 260, App
```

ALIGNMENTS

```
RESULT 1
US-09-911-904-167
; Sequence 167, Application US/09911904
; Publication No. US20030096234A1
; GENERAL INFORMATION:
  APPLICANT: Farr, Spencer B.
  APPLICANT: Pickett, Gavin G.
  APPLICANT: Neft, Robin Eileen
  APPLICANT: Dunn, II, Robert Thomas
  TITLE OF INVENTION: CANINE TOXICITY GENES
  FILE REFERENCE: 400742000200
  CURRENT APPLICATION NUMBER: US/09/911,904
  CURRENT FILING DATE: 2002-04-09
  PRIOR APPLICATION NUMBER: US 60/220,057
  PRIOR FILING DATE: 2000-07-21
  NUMBER OF SEQ ID NOS: 386
  SOFTWARE: FastSEQ for Windows Version 4.0
 SEQ ID NO 167
   LENGTH: 489
   TYPE: DNA
   ORGANISM: Canis familiaris
   FEATURE:
   NAME/KEY: misc_feature
   LOCATION: (1)...(489)
   OTHER INFORMATION: n = A, T, C or G
US-09-911-904-167
 Query Match
                        77.5%; Score 281.2; DB 11; Length 489;
 Best Local Similarity
                        94.2%;
                                Pred. No. 9e-74;
 Matches 292; Conservative
                               0; Mismatches
                                               18;
                                                    Indels
                                                             0;
                                                                 Gaps
                                                                         0;
          54 CAAGGAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
Qу
             101 CACGGAGAAGAACTGCTGCGTCCGGCAGCTCTACATTGACTTCCGCAAGGATCTGGGCTG 160
Db
```

```
Qу
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
            Db
        161 GAAGTGGATCCATGAGCCCAAGGGTTACCACGCTAACTTCTGCCTGGGGCCCTGCCCCTA 220
Qу
        174 CATCTGGAGCCTAGACACTCAGTACAACAACGTCCTGGCTCTGTACAACCAGCACAACCC 233
            Db
        221 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCACAACCC 280
        234 GGGCGCGTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
            Db
QУ
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
            Db
        341 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCGAACATGATCGTGCGCTCCTGCAA 400
Qу
        354 GTGCAGCTGA 363
            11111111
Db
        401 GTGCAGCTGA 410
RESULT 2
US-09-813-271B-1
; Sequence 1, Application US/09813271B
 Patent No. US20020115834A1
   GENERAL INFORMATION:
       APPLICANT:
                 (A) Nico Cerletti
       TITLE OF INVENTION: New process for the production of
                        biologically active protein
       NUMBER OF SEQUENCES: 13
       CORRESPONDENCE ADDRESS:
           ADDRESSEE: No. US20020115834Alartis Patent Department
           STREET: 564 Morris Avenue
           CITY: Summit
           STATE: New Jersey
           COUNTRY: USA
           ZIP: 07901
       COMPUTER READABLE FORM:
           MEDIUM TYPE: Floppy disk
           COMPUTER: IBM PC compatible
           OPERATING SYSTEM: PC-DOS/MS-DOS
           SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
       CURRENT APPLICATION DATA:
           APPLICATION NUMBER: US/09/813,271B
           FILING DATE: 20-Mar-2001
       PRIOR APPLICATION DATA:
           APPLICATION NUMBER: PCT/EP95/02719
           FILING DATE: 12-Jul-95
           APPLICATION NUMBER: EPO 94810439.3
           FILING DATE: 25-Jul-94
       ATTORNEY/AGENT INFORMATION:
           NAME: Pfeiffer, Hesna J. .
           REGISTRATION NUMBER: 22640
           REFERENCE/DOCKET NUMBER: 4-20039C/ClC1/USN
       TELECOMMUNICATION INFORMATION:
```

```
TELEPHONE: (908) 522-6940
;
            TELEFAX: (908) 522-6955
   INFORMATION FOR SEQ ID NO: 1:
       SEQUENCE CHARACTERISTICS:
           LENGTH: 339 base pairs
            TYPE: nucleic acid
            STRANDEDNESS: double
           TOPOLOGY: linear
       MOLECULE TYPE: cDNA to mRNA
       HYPOTHETICAL: NO
       IMMEDIATE SOURCE:
            CLONE: E. coli LC137/pPLMu.hTGF-betal (DSM 5656)
       FEATURE:
           NAME/KEY: CDS
           LOCATION: 1..336
           OTHER INFORMATION: /product = "human TGF-beta1"
       SEQUENCE DESCRIPTION: SEQ ID NO: 1:
US-09-813-271B-1
                      77.0%; Score 279.6; DB 10; Length 339;
 Query Match
 Best Local Similarity
                     93.9%; Pred. No. 2.5e-73;
 Matches 291; Conservative 0; Mismatches 19; Indels
                                                      0; Gaps
                                                                 0;
Qу
         54 CAAGGAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
            30 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 89
Db
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
QУ
            Dh
         90 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 149
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
QУ
            Db
        150 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 209
        234 GGGCGCGTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
            Db
        210 GGGCGCCTCGGCGGCGCGTGCTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 269
Qу
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
            Db
        270 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 329
        354 GTGCAGCTGA 363
Qу
           111111111
Db
        330 GTGCAGCTGA 339
RESULT 3
US-10-087-268-1
; Sequence 1, Application US/10087268
; Publication No. US20030119010A1
; GENERAL INFORMATION:
 APPLICANT: Jonsonn, Julie Ruth
 APPLICANT: Powell, Elizabeth Ellen
  TITLE OF INVENTION: Polypeptides and polynucleotides linked to a disease or
condition
```

```
FILE REFERENCE: Fibrosis
  CURRENT APPLICATION NUMBER: US/10/087,268
  CURRENT FILING DATE: 2002-03-01
  NUMBER OF SEO ID NOS: 6
  SOFTWARE: PatentIn version 3.1
 SEQ ID NO 1
   LENGTH: 1821
   TYPE: DNA
   ORGANISM: Human
   FEATURE:
   NAME/KEY: 5'UTR
   LOCATION: (1)..(511)
   OTHER INFORMATION:
   NAME/KEY: CDS
   LOCATION: (512)..(1684)
   OTHER INFORMATION:
   NAME/KEY: sig peptide
   LOCATION: (512)..(598)
   OTHER INFORMATION:
   NAME/KEY: 3'UTR
   LOCATION: (1685)..(1821)
   OTHER INFORMATION:
US-10-087-268-1
 Query Match
                     77.0%; Score 279.6; DB 14; Length 1821;
 Best Local Similarity 93.9%; Pred. No. 3.5e-73;
 Matches 291; Conservative 0; Mismatches 19; Indels
                                                      0; Gaps
                                                                0;
         54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
Qу
            Db
       1375 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 1434
Qу
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
            1435 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 1494
Db
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACCACCC 233
Qу
           Db
       1495 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 1554
        234 GGGCGCGTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
            Db
       1555 GGGCGCCTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 1614
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
            Db
       1615 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 1674
        354 GTGCAGCTGA 363
Qу
            1111111
Db
       1675 GTGCAGCTGA 1684
RESULT 4
US-10-087-268-4
; Sequence 4, Application US/10087268
: Publication No. US20030119010A1
```

```
; GENERAL INFORMATION:
  APPLICANT: Jonsonn, Julie Ruth
  APPLICANT: Powell, Elizabeth Ellen
  TITLE OF INVENTION: Polypeptides and polynucleotides linked to a disease or
condition
  FILE REFERENCE: Fibrosis
  CURRENT APPLICATION NUMBER: US/10/087,268
  CURRENT FILING DATE: 2002-03-01
  NUMBER OF SEQ ID NOS: 6
  SOFTWARE: PatentIn version 3.1
 SEQ ID NO 4
   LENGTH: 1821
   TYPE: DNA
   ORGANISM: Human
   FEATURE:
   NAME/KEY: 5'UTR
   LOCATION: (1)..(511)
   OTHER INFORMATION:
   NAME/KEY: CDS
   LOCATION: (512)..(1684)
   OTHER INFORMATION:
   NAME/KEY: sig peptide
   LOCATION: (512)..(598)
   OTHER INFORMATION:
   NAME/KEY: 3'UTR
   LOCATION: (1685)..(1821)
   OTHER INFORMATION:
US-10-087-268-4
 Query Match
                    77.0%; Score 279.6; DB 14; Length 1821;
 Best Local Similarity 93.9%; Pred. No. 3.5e-73;
 Matches 291; Conservative
                          0; Mismatches 19; Indels
                                                    0; Gaps
                                                              0;
        54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
Qу
           Db
       1375 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 1434
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
QУ
           1435 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 1494
Db
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
           Db
       1495 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 1554
        234 GGGCGCGTCGGCGCCCTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
           Dh
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
           Db
       1615 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 1674
       354 GTGCAGCTGA 363
QУ
           1675 GTGCAGCTGA 1684
Db
```

```
RESULT 5
US-10-037-270-220
; Sequence 220, Application US/10037270
; Publication No. US20030104529A1
; GENERAL INFORMATION:
  APPLICANT: Tang, Y. Tom
  APPLICANT: Liu, Chenghua
  APPLICANT: Asundi, Vinod
  APPLICANT: Zhang, Jie
  APPLICANT: Ren, Feiyan
  APPLICANT: Chen, Rui-hong
  APPLICANT: Zhao, Qing A.
  APPLICANT: Wehrman, Tom
  APPLICANT: Xue, Aidong J.
  APPLICANT: Yang, Yonghong
  APPLICANT: Wang, Jian-Rui
  APPLICANT: Zhou, Ping
  APPLICANT: Ma, Yunqing
  APPLICANT: Wang, Dunrui
  APPLICANT: Wang, Zhiwei
  APPLICANT: Tillinghast, John
  APPLICANT: Drmanac, Radoje T.
  TITLE OF INVENTION: No. US20030104529A1el Nucleic Acids and
  TITLE OF INVENTION: Polypeptides
  FILE REFERENCE: 784CIP2B
  CURRENT APPLICATION NUMBER: US/10/037,270
  CURRENT FILING DATE: 2002-01-04
  PRIOR APPLICATION NUMBER: 09/552,317
  PRIOR FILING DATE: 2000-04-25
  PRIOR APPLICATION NUMBER: 09/488,725
  PRIOR FILING DATE: 2000-01-21
  NUMBER OF SEQ ID NOS: 1104
  SOFTWARE: pt FL genes Version 1.0
; SEQ ID NO 220
   LENGTH: 2742
   TYPE: DNA
   ORGANISM: Homo sapiens
   FEATURE:
   NAME/KEY: CDS
   LOCATION: (842)..(2014)
US-10-037-270-220
 Query Match
                       77.0%; Score 279.6; DB 14; Length 2742;
 Best Local Similarity
                       93.9%; Pred. No. 3.9e-73;
 Matches 291; Conservative
                            0; Mismatches
                                           19; Indels
                                                          0; Gaps
                                                                    0;
Qу
         54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
            Db
        1705 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 1764
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
Qу
            Db
        1765 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 1824
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
```

```
Db
       1825 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 1884
Qу
        234 GGGCGCGTCGGCGGCGCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
            1885 GGGCGCCTCGGCGGCGCCGTGCTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 1944
Db
Qу
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
            1945 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 2004
Dh
        354 GTGCAGCTGA 363
Qу
            111111111
       2005 GTGCAGCTGA 2014
Dh
RESULT 6
US-09-948-002-28
; Sequence 28, Application US/09948002
; Publication No. US20030050265A1
; GENERAL INFORMATION:
  APPLICANT: Nicholas M. Dean
  APPLICANT: Susan F. Murray
  TITLE OF INVENTION: ANTISENSE MODULATION OF TRANSFORMING GROWTH
  TITLE OF INVENTION: FACTOR BETA
                               EXPRESSION
  FILE REFERENCE: ISPH-0607
  CURRENT APPLICATION NUMBER: US/09/948,002
  CURRENT FILING DATE: 2000-09-05
  PRIOR APPLICATION NUMBER: 09/661,753
  PRIOR FILING DATE: 2000-09-14
  PRIOR APPLICATION NUMBER: 60/154,546
  PRIOR FILING DATE: 1999-09-17
  NUMBER OF SEQ ID NOS: 71
; SEQ ID NO 28
   LENGTH: 2745
   TYPE: DNA
   ORGANISM: Homo sapiens
   FEATURE:
   NAME/KEY: CDS
   LOCATION: (842)...(2017)
US-09-948-002-28
 Query Match
                      77.0%; Score 279.6; DB 11; Length 2745;
 Best Local Similarity 93.9%; Pred. No. 3.9e-73;
 Matches 291; Conservative 0; Mismatches 19; Indels
                                                       0; Gaps
                                                                 0;
         54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
Qу
            1708 CACGGAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 1767
Db
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
Qу
            Db
       1768 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 1827
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
QУ
            Db
       1828 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 1887
```

```
Qу
       234 GGGCGCGTCGGCGCCCTGCTGCGCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
          Db
      1888 GGGCGCCTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGCAGCCGCTGCCCATCGTGTA 1947
Qу
       294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
          Db
      1948 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 2007
Qу
       354 GTGCAGCTGA 363
          2008 GTGCAGCTGA 2017
Dh
RESULT 7
US-09-948-002-1
; Sequence 1, Application US/09948002
; Publication No. US20030050265A1
; GENERAL INFORMATION:
 APPLICANT: Nicholas M. Dean
 APPLICANT: Susan F. Murray
 TITLE OF INVENTION: ANTISENSE MODULATION OF TRANSFORMING GROWTH
  TITLE OF INVENTION: FACTOR BETA EXPRESSION
 FILE REFERENCE: ISPH-0607
 CURRENT APPLICATION NUMBER: US/09/948,002
 CURRENT FILING DATE: 2000-09-05
 PRIOR APPLICATION NUMBER: 09/661,753
 PRIOR FILING DATE: 2000-09-14
 PRIOR APPLICATION NUMBER: 60/154,546
  PRIOR FILING DATE: 1999-09-17
 NUMBER OF SEQ ID NOS: 71
SEQ ID NO 1
  LENGTH: 2094
  TYPE: DNA
  ORGANISM: Mus musculus
  FEATURE:
  NAME/KEY: CDS
  LOCATION: (868)...(2040)
US-09-948-002-1
 Query Match
                  70.9%; Score 257.2; DB 11; Length 2094;
 Best Local Similarity 89.4%; Pred. No. 1.6e-66;
 Matches 277; Conservative 0; Mismatches 33; Indels
                                             0; Gaps
                                                      0;
Qу
       54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
            Db
      Qу
       114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
          Db
      174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
          Db
      234 GGGCGCGTCGGCGCGCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
QУ
```

```
Db
      1911 GGGCGCTTCGGCGTCACCGTGCTGCGCGCAGGCTTTGGAGCCACTGCCCATCGTCTA 1970
       294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
QУ
         1971 CTACGTGGGTCGCAAGCCCAAGGTGGAGCAGTTGTCCAACATGATTGTGCGCTCCTGCAA 2030
Dh
Qу
      354 GTGCAGCTGA 363
         Πh
      2031 GTGCAGCTGA 2040
RESULT 8
US-09-948-002-27
; Sequence 27, Application US/09948002
; Publication No. US20030050265A1
; GENERAL INFORMATION:
 APPLICANT: Nicholas M. Dean
 APPLICANT: Susan F. Murray
 TITLE OF INVENTION: ANTISENSE MODULATION OF TRANSFORMING GROWTH
 TITLE OF INVENTION: FACTOR BETA EXPRESSION
 FILE REFERENCE: ISPH-0607
  CURRENT APPLICATION NUMBER: US/09/948,002
  CURRENT FILING DATE: 2000-09-05
  PRIOR APPLICATION NUMBER: 09/661,753
 PRIOR FILING DATE: 2000-09-14
  PRIOR APPLICATION NUMBER: 60/154,546
  PRIOR FILING DATE: 1999-09-17
 NUMBER OF SEQ ID NOS: 71
SEQ ID NO 27
  LENGTH: 1585
  TYPE: DNA
  ORGANISM: Rattus norvegicus
  FEATURE:
  NAME/KEY: CDS
  LOCATION: (413)...(1585)
US-09-948-002-27
 Query Match
                 70.4%; Score 255.6; DB 11; Length 1585;
 Best Local Similarity 89.0%; Pred. No. 4.6e-66;
 Matches 276; Conservative 0; Mismatches 34; Indels
                                            0; Gaps
                                                    0;
Qу
       54 CAAGGAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
         Dh
      Qу
      114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
         Db
Qу
      174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
         Db
      Qу
      Db
```

```
Qу
         294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
             Db
        1516 CTACGTGGGTCGCAAGCCCAAGGTGGAGCAGTTGTCCAACATGATCGTGCGCTCCTGCAA 1575
Qу
         354 GTGCAGCTGA 363
             Db
        1576 GTGCAGCTGA 1585
RESULT 9
US-09-813-271B-7
; Sequence 7, Application US/09813271B
; Patent No. US20020115834A1
   GENERAL INFORMATION:
        APPLICANT:
                   (A) Nico Cerletti
        TITLE OF INVENTION: New process for the production of
                            biologically active protein
        NUMBER OF SEQUENCES: 13
        CORRESPONDENCE ADDRESS:
             ADDRESSEE: No. US20020115834Alartis Patent Department
             STREET: 564 Morris Avenue
             CITY: Summit
             STATE: New Jersey
             COUNTRY: USA
             ZIP: 07901
        COMPUTER READABLE FORM:
             MEDIUM TYPE: Floppy disk
             COMPUTER: IBM PC compatible
             OPERATING SYSTEM: PC-DOS/MS-DOS
             SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
       CURRENT APPLICATION DATA:
             APPLICATION NUMBER: US/09/813,271B
             FILING DATE: 20-Mar-2001
        PRIOR APPLICATION DATA:
             APPLICATION NUMBER: PCT/EP95/02719
             FILING DATE: 12-Jul-95
             APPLICATION NUMBER: EPO 94810439.3
             FILING DATE: 25-Jul-94
        ATTORNEY/AGENT INFORMATION:
             NAME: Pfeiffer, Hesna J. .
             REGISTRATION NUMBER: 22640
             REFERENCE/DOCKET NUMBER: 4-20039C/C1C1/USN
        TELECOMMUNICATION INFORMATION:
             TELEPHONE: (908) 522-6940
             TELEFAX: (908) 522-6955
  INFORMATION FOR SEQ ID NO: 7:
        SEQUENCE CHARACTERISTICS:
             LENGTH: 336 base pairs
             TYPE: nucleic acid
             STRANDEDNESS: double
             TOPOLOGY: linear
        MOLECULE TYPE: other nucleic acid
             DESCRIPTION: /desc = "recombinant hybrid DNA of
        IMMEDIATE SOURCE:
             CLONE: E. coli LC137/pPLMu.TGF-beta1(44/45)beta3
```

FEATURE:

```
NAME/KEY: mat_peptide
           LOCATION: 1..132
           OTHER INFORMATION: /product= "N-terminal 44 amino
           acids of human TGF-betal"
       FEATURE:
           NAME/KEY: mat peptide
           LOCATION: 133..336
            OTHER INFORMATION: /product= "C-terminal 68 amino
           acids of human TGF-beta3"
       FEATURE:
           NAME/KEY: CDS
           LOCATION: 1..336
           OTHER INFORMATION: /product= "hybrid TGF-beta named
            TGF-beta1-3"
       SEQUENCE DESCRIPTION: SEQ ID NO: 7:
US-09-813-271B-7
 Query Match
                      54.6%; Score 198.2; DB 10; Length 336;
 Best Local Similarity 77.9%; Pred. No. 3.7e-49;
 Matches 239; Conservative 0; Mismatches 68; Indels
                                                       0; Gaps
                                                                 0:
QУ
         54 CAAGGAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
            Db
         30 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 89
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
Qу
            90 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCTCAGGCCCTTGCCCATA 149
Db
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
            150 CCTCCGCAGTGCAGACACACCCACAGCACGGTGCTGGGACTGTACAACACTCTGAACCC 209
Db
        234 GGGCGCGTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
               Db
        210 TGAAGCATCTGCCTCGCCTTGCTGCGTGCCCCAGGACCTGGAGCCCCTGACCATCCTGTA 269
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
            270 CTATGTTGGGAGGACCCCCAAAGTGGAGCACCTCTCCAACATGGTGGTGAAGTCTTGTAA 329
Dh
        354 GTGCAGC 360
Qу
             330 ATGTAGC 336
Dh
RESULT 10
US-09-813-271B-5
; Sequence 5, Application US/09813271B
; Patent No. US20020115834A1
   GENERAL INFORMATION:
       APPLICANT:
                 (A) Nico Cerletti
       TITLE OF INVENTION: New process for the production of
                        biologically active protein
       NUMBER OF SEQUENCES: 13
       CORRESPONDENCE ADDRESS:
```

```
STREET: 564 Morris Avenue
            CITY: Summit
            STATE: New Jersey
            COUNTRY: USA
            ZIP: 07901
        COMPUTER READABLE FORM:
            MEDIUM TYPE: Floppy disk
            COMPUTER: IBM PC compatible
            OPERATING SYSTEM: PC-DOS/MS-DOS
            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
        CURRENT APPLICATION DATA:
            APPLICATION NUMBER: US/09/813,271B
            FILING DATE: 20-Mar-2001
        PRIOR APPLICATION DATA:
            APPLICATION NUMBER: PCT/EP95/02719
            FILING DATE: 12-Jul-95
            APPLICATION NUMBER: EPO 94810439.3
            FILING DATE: 25-Jul-94
       ATTORNEY/AGENT INFORMATION:
            NAME: Pfeiffer, Hesna J.
            REGISTRATION NUMBER: 22640
            REFERENCE/DOCKET NUMBER: 4-20039C/C1C1/USN
        TELECOMMUNICATION INFORMATION:
            TELEPHONE: (908) 522-6940
            TELEFAX: (908) 522-6955
  INFORMATION FOR SEQ ID NO: 5:
        SEQUENCE CHARACTERISTICS:
            LENGTH: 339 base pairs
            TYPE: nucleic acid
            STRANDEDNESS: double
            TOPOLOGY: linear
        MOLECULE TYPE: cDNA to mRNA
        IMMEDIATE SOURCE:
            CLONE: E. coli LC137/pPLMu.hTGF-beta3 (DSM 5658)
       FEATURE:
            NAME/KEY: CDS
            LOCATION: 1..336
            OTHER INFORMATION: /product= "human TGF-beta3"
        SEQUENCE DESCRIPTION: SEQ ID NO: 5:
US-09-813-271B-5
 Query Match
                       52.7%; Score 191.4; DB 10; Length 339;
 Best Local Similarity 75.7%; Pred. No. 3.8e-47;
 Matches 237; Conservative 0; Mismatches 76; Indels
                                                                     0;
QУ
         51 CGACAAGGAGAACTGCTGCGTGCGCAGCTCTACATTGACTTCCGGAAGGACCTGGG 110
            Db
         27 CAACTTGGAGGAGAACTGCTGTGTGCGCCCCCTCTACATTGACTTCCGACAGGATCTGGG 86
Qу
         111 CTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCC 170
            Db
         87 CTGGAAGTGGGTCCATGAACCTAAGGGCTACTATGCCAACTTCTGCTCAGGCCCTTGCCC 146
         171 CTACATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAA 230
Qу
             Db
         147 ATACCTCCGCAGTGCAGACACCCACAGCACGGTGCTGGGACTGTACAACACTCTGAA 206
```

ADDRESSEE: No. US20020115834Alartis Patent Department

```
231 CCCGGGCGCGTCGGCGCGCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCATCGT 290
Qу
           Db
        207 CCCTGAAGCATCTGCCTCGCCTTGCTGCGTGCCCAGGACCTGGAGCCCCTGACCATCCT 266
        291 GTACTACGTGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTG 350
Qу
           Db
        267 GTACTATGTTGGGAGGACCCCCAAAGTGGAGCAGCTCTCCAACATGGTGGTGAAGTCTTG 326
        351 CAAGTGCAGCTGA 363
Qу
            Db
        327 TAAATGTAGCTGA 339
RESULT 11
US-09-906-158-3
; Sequence 3, Application US/09906158
; Publication No. US20030078217A1
; GENERAL INFORMATION:
  APPLICANT: Brett P. Monia
  APPLICANT: Susan M. Freier
  TITLE OF INVENTION: ANTISENSE MODULATION OF TRANSFORMING GROWTH FACTOR-BETA 3
EXPRESSION
 FILE REFERENCE: RTS-0257
  CURRENT APPLICATION NUMBER: US/09/906,158
  CURRENT FILING DATE: 2001-07-14
 NUMBER OF SEQ ID NOS: 168
; SEQ ID NO 3
   LENGTH: 2574
   TYPE: DNA
   ORGANISM: Homo sapiens
   FEATURE:
   NAME/KEY: CDS
   LOCATION: (254)...(1492)
US-09-906-158-3
                     52.7%; Score 191.4; DB 11; Length 2574;
 Query Match
 Best Local Similarity 75.7%; Pred. No. 5.9e-47;
 Matches 237; Conservative 0; Mismatches 76; Indels
                                                     0: Gaps
                                                               0:
         51 CGACAAGGAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGG 110
Qу
           1180 CAACTTGGAGGAGAACTGCTGTGTGCGCCCCCTCTACATTGACTTCCGACAGGATCTGGG 1239
Db
        111 CTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCC 170
Qу
           Db
       1240 CTGGAAGTGGGTCCATGAACCTAAGGGCTACTATGCCAACTTCTGCTCAGGCCCTTGCCC 1299
        171 CTACATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAA 230
Qу
                                 Db
       1300 ATACCTCCGCAGTGCAGACACACCCACAGCACGGTGCTGGGACTGTACAACACTCTGAA 1359
        231 CCCGGGCGCTCGGCGCGCCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCATCGT 290
Qу
           Db
       1360 CCCTGAAGCATCTGCCTTGCTTGCTGCGTGCCCCAGGACCTGGAGCCCCTGACCATCCT 1419
        291 GTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTG 350
Qу
```

```
Db
       1420 GTACTATGTTGGGAGGACCCCCAAAGTGGAGCCTCTCCAACATGGTGGTGAAGTCTTG 1479
Qу
       351 CAAGTGCAGCTGA 363
            1480 TAAATGTAGCTGA 1492
Db
RESULT 12
US-10-028-158-20
; Sequence 20, Application US/10028158
; Publication No. US20020110833A1
; GENERAL INFORMATION:
 APPLICANT: Caniggia, Isabella
  APPLICANT: Post, Martin
  APPLICANT: Lye, Stephen
  TITLE OF INVENTION: METHODS TO DIAGNOSE A REQUIRED REGULATION OF
 TITLE OF INVENTION: TROPHOBLAST
 FILE REFERENCE: 11757.38USWO
 CURRENT APPLICATION NUMBER: US/10/028,158
 CURRENT FILING DATE: 2001-12-20
  PRIOR APPLICATION NUMBER: US/09/380,662
  PRIOR FILING DATE: 1999-12-21
 PRIOR APPLICATION NUMBER: PCT/CA98/00180
 PRIOR FILING DATE: 1998-03-05
 PRIOR APPLICATION NUMBER: US 60/039,919
 PRIOR FILING DATE: 1997-03-07
 NUMBER OF SEQ ID NOS: 24
  SOFTWARE: PatentIn version 3.0
 SEO ID NO 20
   LENGTH: 2574
   TYPE: DNA
   ORGANISM: Homo sapiens
  FEATURE:
   NAME/KEY: CDS
   LOCATION: (254)..(1492)
US-10-028-158-20
 Query Match
                     52.7%; Score 191.4; DB 13; Length 2574;
 Best Local Similarity 75.7%; Pred. No. 5.9e-47;
 Matches 237; Conservative 0; Mismatches 76; Indels
                                                    0: Gaps
                                                              0;
         51 CGACAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGG 110
Qу
           1180 CAACTTGGAGGAGAACTGCTGTGTGCGCCCCCTCTACATTGACTTCCGACAGGATCTGGG 1239
Db
Qу
        111 CTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCC 170
           Db
       1240 CTGGAAGTGGGTCCATGAACCTAAGGGCTACTATGCCAACTTCTGCTCAGGCCCTTGCCC 1299
        171 CTACATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAA 230
Qу
            Db
       1300 ATACCTCCGCAGTGCAGACACCCACAGCACGGTGCTGGGACTGTACAACACTCTGAA 1359
        Qу
           Db
       1360 CCCTGAAGCATCTGCCTCGCCTTGCTGCGTGCCCCAGGACCTGGAGCCCCTGACCATCCT 1419
```

```
291 GTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTG 350
Qу
            Db
       1420 GTACTATGTTGGGAGGACCCCCAAAGTGGAGCAGCTCTCCAACATGGTGGTGAAGTCTTG 1479
Qу
       351 CAAGTGCAGCTGA 363
            Db
       1480 TAAATGTAGCTGA 1492
RESULT 13
US-09-906-158-10
; Sequence 10, Application US/09906158
; Publication No. US20030078217A1
; GENERAL INFORMATION:
  APPLICANT: Brett P. Monia
  APPLICANT: Susan M. Freier
 TITLE OF INVENTION: ANTISENSE MODULATION OF TRANSFORMING GROWTH FACTOR-BETA 3
EXPRESSION
 FILE REFERENCE: RTS-0257
  CURRENT APPLICATION NUMBER: US/09/906,158
  CURRENT FILING DATE: 2001-07-14
  NUMBER OF SEO ID NOS: 168
; SEQ ID NO 10
  LENGTH: 2879
   TYPE: DNA
   ORGANISM: Mus musculus
   FEATURE:
   NAME/KEY: CDS
   LOCATION: (611)...(1843)
US-09-906-158-10
 Query Match
                     51.8%; Score 188.2; DB 11; Length 2879;
 Best Local Similarity
                     75.1%; Pred. No. 5.4e-46;
 Matches 235; Conservative
                         0; Mismatches 78; Indels
                                                    0; Gaps
                                                               0:
Qу
         51 CGACAAGGAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGG 110
           Db
       1531 CAACCTGGAGGAGAACTGCTGTGTACGCCCCCTTTATATTGACTTCCGGCAGGATCTAGG 1590
Qу
        111 CTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCC 170
           1591 CTGGAAATGGGTCCACGAACCTAAGGGTTACTATGCCAACTTCTGCTCAGGCCCTTGCCC 1650
Db
        171 CTACATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAA 230
Qу
            Db
       1651 ATACCTCCGCAGCGCAGACACACCCATAGCACGGTGCTTGGACTATACAACACCCTGAA 1710
        231 CCCGGGCGCTCGGCGCGCCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCATCGT 290
Qу
           Db
       1711 CCCAGAGGCGTCTGCCTCGCCATGCTGCGTCCCCCAGGACCTGGAGCCCCTGACCATCTT 1770
Qу
        291 GTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTG 350
           1771 GTACTATGTGGGCAGAACCCCCAAGGTGGAGCAGCTGTCCAACATGGTGGTGAAGTCGTG 1830
Db
Oy
        351 CAAGTGCAGCTGA 363
```

Dh 1831 TAAGTGCAGCTGA 1843 RESULT 14 US-09-957-458B-9 ; Sequence 9, Application US/09957458B ; Publication No. US20030166271A1 ; GENERAL INFORMATION: APPLICANT: Chen, Una TITLE OF INVENTION: Method for growing stem cells FILE REFERENCE: P66567US0 CURRENT APPLICATION NUMBER: US/09/957,458B CURRENT FILING DATE: 2001-09-21 PRIOR APPLICATION NUMBER: PCT/EP00/08247 PRIOR FILING DATE: 2000-08-24 PRIOR APPLICATION NUMBER: EP 99116533 PRIOR FILING DATE: 1999-08-24 NUMBER OF SEQ ID NOS: 10 SOFTWARE: PatentIn version 3.2 ; SEQ ID NO 9 LENGTH: 4382 TYPE: DNA ORGANISM: Artificial Sequence

; OTHER INFORMATION: Vector for transforming supporting cell with a foreign to

; OTHER INFORMATION: a gene product of interest US-09-957-458B-9

Query Match 51.8%; Score 188.2; DB 12; Length 4382; Best Local Similarity 75.1%; Pred. No. 5.9e-46;

Matches 235; Conservative 0; Mismatches 78; Indels 0; Gaps 0;

Qy 111 CTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCC 170

Db 1444 CTGGAAATGGGTCCACGAACCTAAGGGTTACTATGCCAACTTCTGCTCAGGCCCTTGCCC 1503

Qy 171 CTACATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAA 230

Db 1504 ATACCTCCGCAGCGCAGACCCATAGCACGGTGCTTGGACTATACAACACCCTGAA 1563

Qy 231 CCCGGGCGCGCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGT 290

Db 1564 CCCAGAGGCGTCTGCCTCGCCATGCTGCGTCCCCCAGGACCCTGACCCTCTT 1623

Qy 291 GTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTG 350

Db 1624 GTACTATGTGGGCAGAACCCCCAAGGTGGAGCAGCTGTCCAACATGGTGGTGAAGTCGTG 1683

Qy 351 CAAGTGCAGCTGA 363

Db 1684 TAAGTGCAGCTGA 1696

```
RESULT 15
US-09-813-271B-9
; Sequence 9, Application US/09813271B
 Patent No. US20020115834A1
    GENERAL INFORMATION:
         APPLICANT:
                    (A) Nico Cerletti
         TITLE OF INVENTION: New process for the production of
                              biologically active protein
         NUMBER OF SEQUENCES: 13
         CORRESPONDENCE ADDRESS:
              ADDRESSEE: No. US20020115834Alartis Patent Department
              STREET: 564 Morris Avenue
              CITY: Summit
              STATE: New Jersey
              COUNTRY: USA
              ZIP: 07901
         COMPUTER READABLE FORM:
              MEDIUM TYPE: Floppy disk
              COMPUTER: IBM PC compatible
              OPERATING SYSTEM: PC-DOS/MS-DOS
              SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
         CURRENT APPLICATION DATA:
              APPLICATION NUMBER: US/09/813,271B
              FILING DATE: 20-Mar-2001
         PRIOR APPLICATION DATA:
              APPLICATION NUMBER: PCT/EP95/02719
              FILING DATE: 12-Jul-95
              APPLICATION NUMBER: EPO 94810439.3
              FILING DATE: 25-Jul-94
         ATTORNEY/AGENT INFORMATION:
              NAME: Pfeiffer, Hesna J.
              REGISTRATION NUMBER: 22640
              REFERENCE/DOCKET NUMBER: 4-20039C/C1C1/USN
         TELECOMMUNICATION INFORMATION:
              TELEPHONE: (908) 522-6940
              TELEFAX: (908) 522-6955
    INFORMATION FOR SEO ID NO: 9:
         SEQUENCE CHARACTERISTICS:
              LENGTH: 336 base pairs
              TYPE: nucleic acid
              STRANDEDNESS: double
              TOPOLOGY: linear
         MOLECULE TYPE: other nucleic acid
              DESCRIPTION: /desc = "recombinant hybrid DNA
         IMMEDIATE SOURCE:
              CLONE: E. coli LC137/pPLMu.TGF-beta2(44/45)beta3
         FEATURE:
              NAME/KEY: mat_peptide
              LOCATION: 1..132
              OTHER INFORMATION: /product= "N-terminal 44 amino
              acids of human TGF-beta2"
         FEATURE:
              NAME/KEY: mat peptide
              LOCATION: 133..336
```

```
OTHER INFORMATION: /product= "C-terminal 68 amino
            acids of human TGF-beta3"
       FEATURE:
           NAME/KEY: CDS
           LOCATION: 1..336
           OTHER INFORMATION: /product= "hybrid TGF-beta2-3"
       SEQUENCE DESCRIPTION: SEQ ID NO: 9:
US-09-813-271B-9
 Query Match
                      46.7%; Score 169.6; DB 10; Length 336;
 Best Local Similarity 72.4%; Pred. No. 1.1e-40;
 Matches 220; Conservative
                           0; Mismatches
                                        84; Indels
                                                       0; Gaps
                                                                 0;
Qу
         57 GGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTGGAA 116
            Db
         33 GCAGGATAATTGCTGCCTACGTCCACTTTACATTGATTTCAAGAGGGATCTAGGGTGGAA 92
        117 GTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTACAT 176
Qу
             93 ATGGATACACGAACCCAAAGGGTACAATGCCAACTTCTGCTCAGGCCCTTGCCCATACCT 152
Db
        177 CTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCCGGG 236
Qу
                  153 CCGCAGTGCAGACACCCACAGCACGGTGCTGGGACTGTACAACACTCTGAACCCTGA 212
Db
        237 CGCGTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTACTA 296
Qу
             Db
        213 AGCATCTGCCTCGCCTTGCTGCGTGCCCCAGGACCTGGAGCCCTGACCATCCTGTACTA 272
        297 CGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAAGTG 356
Qу
            Db
        273 TGTTGGGAGGACCCCCAAAGTGGAGCAGCTCTCCAACATGGTGGTGAAGTCTTGTAAATG 332
        357 CAGC 360
Qу
            Db
        333 TAGC 336
Search completed: October 28, 2003, 09:04:19
Job time : 113.037 secs
                        GenCore version 5.1.6
               Copyright (c) 1993 - 2003 Compugen Ltd.
OM nucleic - nucleic search, using sw model
             October 27, 2003, 10:47:27; Search time 900.804 Seconds
Run on:
                                    (without alignments)
                                    9794.056 Million cell updates/sec
             US-10-017-372E-14
Title:
Perfect score:
             363
```

1 gccctggataccaactactg.....gttcctgcaagtgcaqctqa 363

Sequence:

Scoring table:

IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched: 22781392 seqs, 12152238056 residues

Total number of hits satisfying chosen parameters: 45562784

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0% Maximum Match 100%

Listing first 45 summaries

Database : EST:*

1: em estba:* 2: em esthum:* 3: em_estin:* 4: em estmu:* 5: em estov:* 6: em estpl:* 7: em estro:* 8: em htc:* 9: gb_est1:* 10: gb_est2:* 11: qb htc:* 12: gb est3:* 13: gb est4:* 14: gb est5:* 15: em_estfun:* 16: em_estom:* 17: em_gss_hum:* 18: em gss inv:* 19: em gss pln:* 20: em gss vrt:* 21: em gss fun:* 22: em_gss_mam:* 23: em_gss_mus:* 24: em_gss_pro:* 25: em gss rod:* 26: em_gss phg: * 27: em_gss_vrl:* 28: gb_gss1:* 29: gb_gss2:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Resi	ult No.	Score	Query Match L	ength	DB	ID	Description
C	1	279.8	77.1	546	9	AI760533	AI760533 wh88b09.x
C	2	279.8	77.1	954	13	BX392116	BX392116 BX392116
	3	279.6	77.0	396	12	BI868266	BI868266 603392221
	4	279.6	77.0	400	12	BI820759	BI820759 603034355
	5	279.6	77.0	431	10	BG180040	BG180040 602329596

	6	279.6	77.0	461	12	BM740537	BM740537 K-EST0011
С	7	279.6	77.0	475	13	BU632941	BU632941 UI-H-DF0-
С	8	279.6	77.0	480	9	AI089904	AI089904 qa16a08.x
	9	279.6	77.0	505	10	AW958056	AW958056 EST370126
	10	279.6	77.0	536	13	BQ222205	BQ222205 AGENCOURT
С	11	279.6	77.0	538	12	BM670402	BM670402 UI-E-DW1-
	12	279.6	77.0	540	12	BI834732	BI834732 603090326
С	13	279.6	77.0	587	12	BQ016027	BQ016027 UI-H-DT1-
С	14	279.6	77.0	593	12	BQ003136	BQ003136 UI-H-EI1-
С	15	279.6	77.0	598	9	AI951831	AI951831 wx38b08.x
	16	279.6	77.0	599	12	BI905963	BI905963 603062849
С	17	279.6	77.0	600	10	BF726995	BF726995 by15c03.y
С	18	279.6	77.0	616	12	BM674987	BM674987 UI-E-EJ0-
С	19	279.6	77.0	625	14	CA426732	CA426732 UI-H-FE1-
С	20	279.6	77.0	649	14	CA423539	CA423539 UI-H-FE1-
C	21	279.6	77.0	654	12	BM681750	BM681750 UI-E-EJ0-
С	22	279.6	77.0	662	13	BQ576225	BQ576225 UI-H-EZ1-
С	23	279.6	77.0	674	14	CA503085	CA503085 UI-CF-FN(
С	24	279.6	77.0	676	13	BU737545	BU737545 UI-E-DW1-
C	25	279.6	77.0	677	14	CA432581	CA432581 UI-H-FL1-
С	26	279.6	77.0	678	12	BQ021537	BQ021537 UI-H-DH1-
C	27	279.6	77.0	690	13	BU625377	BU625377 UI-H-FG1-
C	28	279.6	77.0	695	14	CA425775	CA425775 UI-H-FE1-
С	29	279.6	77.0	697	13	BU633535	BU633535 UI-H-FL1-
C	30	279.6	77.0	697	14	CA426391	CA426391 UI-H-FE1-
C	31	279.6	77.0	700	13	BU633922	BU633922 UI-H-FL1-
C	32	279.6	77.0	722	13	BU632686	BU632686 UI-H-FE1-
С	33	279.6	77.0	757	14	CA309731	CA309731 UI-H-FT1-
С	34	279.6	77.0	888	13	BX434425	BX434425 BX434425
C	35	279.6	77.0	928	13	BX412434	BX412434 BX412434
C	36	279.6	77.0	956	12	BI084718	BI084718 602869722
	37	279.6	77.0	1181	12	BM805377	BM805377 AGENCOURT
	38	278.6	76.7	427	12	BM738551	BM738551 K-EST0006
	39	278.6	76.7	451	12	BM717493	BM717493 UI-E-EJ0-
	40	278.6	76.7	1093	12	BQ054305	BQ054305 AGENCOURT
С	41	278.6	76.7	1201	13	BX355682	BX355682 BX355682
С	42	278	76.6	474	10	BE645704	BE645704 7e74h10.x
С	43	278	76.6	583	13	BU625902	BU625902 UI-H-FG1-
C	44	278	76.6	655	13	BU624264	BU624264 UI-H-FG1-
С	45	278	76.6	659	14	CA423193	CA423193 UI-H-FE1-

ALIGNMENTS

RESULT 1 AI760533/c

LOCUS AI760533 546 bp mRNA linear EST 20-DEC-1999 DEFINITION wh88b09.x1 NCI_CGAP_CLL1 Homo sapiens cDNA clone IMAGE:2387801 3' similar to gb:X02812_cds1 TRANSFORMING GROWTH FACTOR BETA 1

PRECURSOR (HUMAN); contains element TAR1 repetitive element ;, mRNA

sequence.

ACCESSION AI760533

VERSION AI760533.1 GI:5176200

KEYWORDS EST.

SOURCE Homo sapiens (human)

ORGANISM Homo sapiens

```
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
             (bases 1 to 546)
 AUTHORS
          NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
 TITLE
          National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
          Tumor Gene Index
 JOURNAL
          Unpublished
COMMENT
          Contact: Robert Strausberg, Ph.D.
          Email: cgapbs-r@mail.nih.gov
          Tissue Procurement: Ash Alizadeh, John Byrd, M.D., Mike Grever,
          M.D., Louis M. Staudt, M.D., Ph.D.
           cDNA Library Preparation: M. Bento Soares, Ph.D.
           cDNA Library Arrayed by: Greg Lennon, Ph.D.
           DNA Sequencing by: Washington University Genome Sequencing Center
           Clone distribution: NCI-CGAP clone distribution information can be
          found through the I.M.A.G.E. Consortium/LLNL at:
          www-bio.llnl.gov/bbrp/image/image.html
          Insert Length: 714
                           Std Error: 0.00
          Seq primer: -40UP from Gibco
          High quality sequence stop: 465.
FEATURES
                  Location/Qualifiers
    source
                  1. .546
                  /organism="Homo sapiens"
                  /mol type="mRNA"
                  /db xref="taxon:9606"
                  /clone="IMAGE:2387801"
                  /tissue type="B-cell, chronic lymphotic leukemia"
                  /lab host="DH10B"
                  /clone_lib="NCI_CGAP_CLL1"
                  /note="Vector: pT7T3D-Pac (Pharmacia) with a modified
                  polylinker; Site 1: Not I; Site 2: Eco RI; 1st strand cDNA
                  was primed with a Not I - oligo(dT) primer [5'
                  T 3']; double-stranded cDNA was ligated to Eco RI
                  adaptors (Pharmacia), digested with Not I and cloned into
                  the Not I and Eco RI sites of the modified pT7T3 vector.
                  Library is normalized, and was constructed by Bento
                  Soares and M.Fatima Bonaldo."
BASE COUNT
              86 a
                     157 c
                             204 a
                                     98 t
                                              1 others
ORIGIN
 Query Match
                      77.1%; Score 279.8; DB 9; Length 546;
 Best Local Similarity 89.1%; Pred. No. 1.5e-60;
 Matches 302; Conservative 0; Mismatches 37; Indels
                                                       0; Gaps
                                                                  0;
         Qу
                    Db
        85 TACATTGACTTCCGGAAGGACCTGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCAT 144
Qу
            Dh
        416 TACATTGACTTCCGCAAGGACCTCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCAT 357
        145 GCCAATTTCTGCCTGGGGCCCTGTCCCTACATCTGGAGCCTAGACACTCAGTACAACAAG 204
Qу
            Db
        356 GCCAACTTCTGCCTCGGGCCCTGCCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAG 297
```

```
205 GTCCTGGCTCTGTACAACCAGCACAACCCGGGCGCGCGTCGGCGGCGCGCGTGCTGCCG 264
QУ
             Db
         265 CAGGCGCTGGAGCCACTGCCCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAG 324
Qу
             236 CAGGCGCTGGAGCCGCTGCCCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAG 177
Db
         325 CTGTCCAACATGATCGTGCGTTCCTGCAAGTGCAGCTGA 363
Qу
             176 CTGTCCAACATGATCGTGCGCTCCTGCAAGTGCAGCTGA 138
Dh
RESULT 2
BX392116/c
LOCUS
          BX392116
                                  954 bp
                                                  linear
                                           mRNA
                                                          EST 13-MAY-2003
DEFINITION BX392116 Homo sapiens NEUROBLASTOMA COT 25-NORMALIZED Homo sapiens
          cDNA clone CS0DC005YF22 3-PRIME, mRNA sequence.
ACCESSION
           BX392116
VERSION
           BX392116.1 GI:30611808
KEYWORDS
           EST.
SOURCE
          Homo sapiens (human)
 ORGANISM Homo sapiens
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
             (bases 1 to 954)
           Li, W.B., Gruber, C., Jessee, J. and Polayes, D.
 AUTHORS
 TITLE
           Full-length cDNA libraries and normalization
 JOURNAL
           Unpublished
COMMENT
          Contact: Genoscope
           Genoscope - Centre National de Sequencage
           BP 191 91006 EVRY cedex - France
          Email: seqref@genoscope.cns.fr, Web : www.genoscope.cns.fr
          Library was constructed by Life Technologies, a division of
           Invitrogen. This sequence belongs to sequence cluster 9160.r For
           more information about this cluster, see
           http://www.genoscope.cns.fr/
           cgi-bin/cluster.cgi?seq=CS0BAK013CE06NM1&cluster=9160.r. Contact :
          Fenq Lianq Email : fliang@lifetech.com URL :
           http://fulllength.invitrogen.com/ InVitroGen Corporation 1600
          Faraday Avenue Genoscope sequence ID : CS0BAK013CE06NM1.
FEATURES
                   Location/Qualifiers
    source
                   1. .954
                   /organism="Homo sapiens"
                   /mol type="mRNA"
                   /db xref="taxon:9606"
                   /clone="CS0DC005YF22"
                   /tissue_type="NEUROBLASTOMA COT 25-NORMALIZED"
                   /clone lib="Homo sapiens NEUROBLASTOMA COT 25-NORMALIZED"
                   /note="1st strand cDNA was primed with a NotI-oligo(dT)
                   primer. Five prime end enriched, double-strand cDNA was
                   digested with Not I and cloned into the Not I and EcoR V
                   sites of the pCMVSPORT 6 vector. Library was normalized."
BASE COUNT
              187 a
                      258 c
                               307 q
                                       202 t
ORIGIN
 Query Match
                       77.1%; Score 279.8; DB 13; Length 954;
```

```
Best Local Similarity 93.0%; Pred. No. 1.9e-60;
 Matches 293; Conservative
                            0; Mismatches 22; Indels
                                                        0; Gaps
                                                                   0:
Qу
         49 GACGACAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTG 108
                Db
        451 GATTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTC 392
        109 GGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGT 168
Qу
            391 GGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGC 332
Db
        169 CCCTACATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCAC 228
Qу
            331 CCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCAT 272
Db
        229 AACCCGGGCGCGCGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATC 288
Оv
            Db
        271 AACCCGGGCGCCTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCGCTGCCCATC 212
        289 GTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCC 348
Qу
            Dh
        211 GTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCC 152
        349 TGCAAGTGCAGCTGA 363
Qу
            151 TGCAAGTGCAGCTGA 137
Dh
RESULT 3
BI868266
LOCUS
          BI868266
                                396 bp
                                        mRNA
                                               linear
                                                       EST 11-OCT-2001
DEFINITION 603392221F1 NIH MGC 90 Homo sapiens cDNA clone IMAGE:5402212 5',
          mRNA sequence.
ACCESSION
          BI868266
          BI868266.1 GI:16041939
VERSION
KEYWORDS
          EST.
SOURCE
          Homo sapiens (human)
 ORGANISM Homo sapiens
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
             (bases 1 to 396)
 AUTHORS
          NIH-MGC http://mgc.nci.nih.gov/.
 TITLE
          National Institutes of Health, Mammalian Gene Collection (MGC)
 JOURNAL
          Unpublished
          Contact: Robert Strausberg, Ph.D.
COMMENT
          Email: cgapbs-r@mail.nih.gov
          Tissue Procurement: ATCC
           cDNA Library Preparation: Life Technologies, Inc.
           cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
           DNA Sequencing by: Incyte Genomics, Inc.
           Clone distribution: MGC clone distribution information can be
          found through the I.M.A.G.E. Consortium/LLNL at:
          http://image.llnl.gov
          Plate: LLAM12025 row: j column: 05
          High quality sequence stop: 383.
FEATURES
                  Location/Qualifiers
                  1. .396
    source
```

```
/mol type="mRNA"
                  /db xref="taxon:9606"
                  /clone="IMAGE:5402212"
                  /tissue type="adenocarcinoma, cell line"
                  /lab_host="DH10B (phage-resistant)"
                  /clone lib="NIH MGC 90"
                  /note="Organ: liver; Vector: pCMV-SPORT6; Site 1: NotI;
                  Site 2: SalI; Cloned unidirectionally; oligo-dT primed.
                  Average insert size 1.7 kb. Library enriched for
                  full-length clones and constructed by Life Technologies.
                  Note: this is a NIH MGC Library."
BASE COUNT
              75 a
                     135 c
                             121 g
ORIGIN
                      77.0%; Score 279.6; DB 12; Length 396;
                      93.9%; Pred. No. 1.5e-60;
 Best Local Similarity
 Matches 291; Conservative
                            0; Mismatches
                                          19; Indels
                                                        0: Gaps
                                                                  0:
Qу
         54 CAAGGAGAAGACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
            70 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 129
Dh
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
Qу
            130 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 189
Db
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
            Db
        190 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 249
        234 GGGCGCGTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
            250 GGGCGCCTCGGCGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 309
Db
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
            310 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 369
Db
        354 GTGCAGCTGA 363
Qу
            11111111
        370 GTGCAGCTGA 379
Db
RESULT 4
BI820759
LOCUS
          BI820759
                                400 bp
                                        mRNA
                                               linear
                                                       EST 04-OCT-2001
DEFINITION
          603034355F1 NIH MGC 115 Homo sapiens cDNA clone IMAGE:5175732 5',
          mRNA sequence.
ACCESSION
          BI820759
          BI820759.1 GI:15932309
VERSION
KEYWORDS
          EST.
SOURCE
          Homo sapiens (human)
 ORGANISM Homo sapiens
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
          1 (bases 1 to 400)
REFERENCE
```

/organism="Homo sapiens"

```
NIH-MGC http://mgc.nci.nih.gov/.
 TITLE
          National Institutes of Health, Mammalian Gene Collection (MGC)
 JOURNAL
          Unpublished
COMMENT
          Contact: Robert Strausberg, Ph.D.
          Email: cgapbs-r@mail.nih.gov
          Tissue Procurement: Life Technologies, Inc.
           cDNA Library Preparation: Life Technologies, Inc.
           cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
           DNA Sequencing by: Incyte Genomics, Inc.
           Clone distribution: MGC clone distribution information can be
          found through the I.M.A.G.E. Consortium/LLNL at:
          http://image.llnl.gov
          Plate: LLAM11437 row: m column: 13
          High quality sequence stop: 364.
FEATURES
                  Location/Qualifiers
    source
                  1. .400
                  /organism="Homo sapiens"
                  /mol type="mRNA"
                  /db_xref="taxon:9606"
                  /clone="IMAGE:5175732"
                  /lab host="DH10B"
                  /clone lib="NIH MGC 115"
                  /note="Organ: pooled brain, lung, testis; Vector:
                  pCMV-SPORT6; Site_1: NotI; Site 2: EcoRV (destroyed); RNA
                  source anonymous pool of 6 male brains, age range 23-27; 1
                  male lung, age 27; and 1 male testis, age 69. Library is
                  oligo-dT primed and directionally cloned (EcoRV site is
                  destroyed upon cloning). Average insert size 1.8 kb,
                  insert size range 1-3 kb. Library is normalized and
                  enriched for full-length clones and was constructed by C.
                  Gruber (Invitrogen). Research Genetics tracking code
                  021. Note: this is a NIH MGC Library."
BASE COUNT
               73 a
                     131 c
                             131 q
                                      65 t
ORIGIN
                      77.0%; Score 279.6; DB 12; Length 400;
 Query Match
 Best Local Similarity
                      93.9%; Pred. No. 1.5e-60;
 Matches 291; Conservative 0; Mismatches
                                           19; Indels
                                                         0;
                                                            Gaps
                                                                   0:
         54 CAAGGAGAACTGCTGCGTGCGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
Oy
            Db
         49 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 108
Qу
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
            Db
        109 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 168
Qу
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
            Db
        169 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 228
Qу
        234 GGGCGCTCGGCGGCGCGTGCTGCGTGCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
            Db
        229 GGGCGCCTCGGCGGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 288
Qу
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
```

AUTHORS

```
Db
          289 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 348
          354 GTGCAGCTGA 363
QУ
              111111111
Db
          349 GTGCAGCTGA 358
RESULT 5
BG180040
LOCUS
           BG180040
                                    431 bp
                                              mRNA
                                                              EST 06-FEB-2001
                                                     linear
DEFINITION 602329596F1 NIH MGC 91 Homo sapiens cDNA clone IMAGE:4431214 5',
           mRNA sequence.
ACCESSION
           BG180040
VERSION
           BG180040.1 GI:12686743
KEYWORDS
           EST.
SOURCE
           Homo sapiens (human)
  ORGANISM Homo sapiens
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
           1 (bases 1 to 431)
 AUTHORS
           NIH-MGC http://mgc.nci.nih.gov/.
  TITLE
           National Institutes of Health, Mammalian Gene Collection (MGC)
           Unpublished
  JOURNAL
COMMENT
           Contact: Robert Strausberg, Ph.D.
           Email: cgapbs-r@mail.nih.gov
           Tissue Procurement: DCTD/DTP
            cDNA Library Preparation: Life Technologies, Inc.
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Incyte Genomics, Inc.
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
           http://image.llnl.gov
           Plate: LLAM10185 row: o column: 23
           High quality sequence stop: 338.
FEATURES
                    Location/Oualifiers
     source
                    1. .431
                    /organism="Homo sapiens"
                    /mol type="mRNA"
                    /db xref="taxon:9606"
                    /clone="IMAGE:4431214"
                    /tissue type="adenocarcinoma, cell line"
                    /lab host="DH10B (phage-resistant)"
                    /clone lib="NIH MGC 91"
                    /note="Organ: prostate; Vector: pCMV-SPORT6; Site 1: NotI;
                    Site 2: SalI; Cloned unidirectionally; oligo-dT primed.
                    Average insert size 1.4 kb. Library enriched for
                    full-length clones and constructed by Life Technologies.
                    Note: this is a NIH MGC Library."
BASE COUNT
                95 a
                        126 c
                                 148 g
                                           62 t
ORIGIN
 Query Match
                         77.0%; Score 279.6; DB 10; Length 431;
 Best Local Similarity
                         93.9%;
                                 Pred. No. 1.6e-60;
 Matches 291; Conservative 0; Mismatches
                                                19; Indels
                                                               0: Gaps
                                                                           0;
          54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
QУ
```

```
Db
         28 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 87
         114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
Qу
            88 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 147
Db
         174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
            148 CATTTGGAGCCTGGACACGCAGTACAGCTACTGGCCCTGTACAACCAGCATAACCC 207
Db
        234 GGGCGCGTCGCGGCGCCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
             208 GGGCGCCTCGGCGGCGCCTGCTGCGTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 267
Db
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
             268 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 327
Db
        354 GTGCAGCTGA 363
Qу
             Db
        328 GTGCAGCTGA 337
RESULT 6
BM740537
LOCUS
                                                         EST 01-MAR-2002
                                 461 bp
                                          mRNA
                                                 linear
          BM740537
DEFINITION K-EST0011722 S1SNU5 Homo sapiens cDNA clone S1SNU5-5-B09 5', mRNA
          sequence.
ACCESSION
          BM740537
          BM740537.1 GI:19061866
VERSION
KEYWORDS
          EST.
SOURCE
          Homo sapiens (human)
 ORGANISM Homo sapiens
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
             (bases 1 to 461)
 AUTHORS
          Kim, N.S., Hahn, Y., Oh, J.H., Lee, J.Y., Ahn, H.Y., Chu, M.Y., Kim, M.R.,
          Oh, K.J., Cheong, J.E., Sohn, H.Y., Kim, J.M., Park, H.S., Kim, S. and
          Kim, Y.S.
 TITLE
          21C Frontier Korean EST Project 2001
 JOURNAL
          Unpublished
          Contact: Kim YS
COMMENT
          Genome Research Center
          Korea Research Institute of Bioscience & Biotechnology
          52 Eoeun-dong Yuseong-gu, Daejeon 305-333, South Korea
          Tel: +82-42-860-4470
          Fax: +82-42-860-4409
          Email: yongsung@mail.kribb.re.kr
          Plate: 5 row: B column: 09
          High quality sequence stop: 461.
FEATURES
                  Location/Qualifiers
    source
                  1. .461
                  /organism≈"Homo sapiens"
                  /mol_type="mRNA"
                  /db xref="taxon:9606"
                  /clone="S1SNU5-5-B09"
                  /sex="F"
```

```
/cell type="Lymphoblast-like"
                  /cell line="SNU-5"
                  /lab host="Top10F'"
                  /clone lib="S1SNU5"
                  /note="Organ: Stomach; Vector: pCNS; Site_1: EcoRI;
                  Site_2: NotI; The poly (A) + RNA was dephosphorylated with
                  bacterial alkaline phosphatase (BAP) and then decapped
                  with tabacco acid pyrophosphatase (TAP). The decapped
                  intact mRNA was ligated with DNA-RNA linker including EcoR
                  I site by treatment of T4 RNA ligase and the first strand
                  cDNA was synthesized from oligo dT-selected mRNA by
                  priming with dT-tailed vector. The dT-tailed vector was
                  adjusted to have about 60nt. The cDNA vector was
                  circularized with E. coli DNA ligase after digestion of
                  EcoRI which site is also included in vector. An RNA strand
                  converted to a DNA strand by Okayama-Berg method. The
                  obtained cDNA vectors were used for transformation of
                  competent cells E. coli Top10F' by electroporation method.
                  The cDNA libraries constructed by this method are
                  full-length enriched cDNA library."
BASE COUNT
              86 a
                     161 c
                             133 q
                                      81 t
ORIGIN
 Query Match
                      77.0%; Score 279.6; DB 12; Length 461;
 Best Local Similarity
                      93.9%; Pred. No. 1.6e-60;
 Matches 291; Conservative 0; Mismatches
                                          19; Indels
                                                        0; Gaps
                                                                   0;
Qу
         54 CAAGGAGAACTGCTGCGTGCGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
            Db
        148 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 207
Qу
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
            208 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 267
Db
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
            Db
        268 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 327
Qу
        234 GGGCGCGTCGGCGCCCTGCTGCGCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
            328 GGGCGCCTCGGCGGCGCGTGCTGCGTGCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 387
Db
Qу
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
            Db
        388 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 447
        354 GTGCAGCTGA 363
Qу
            Db
        448 GTGCAGCTGA 457
RESULT 7
BU632941/c
LOCUS
                                475 bp
          BU632941
                                        mRNA
                                               linear
                                                       EST 23-SEP-2002
DEFINITION UI-H-DF0-bel-c-18-0-UI.sl NCI_CGAP_DF0 Homo sapiens cDNA clone
```

/tissue type="Ascites"

```
UI-H-DFO-bel-c-18-0-UI 3', mRNA sequence.
ACCESSION
            BU632941
            BU632941.1 GI:23300196
VERSION
KEYWORDS
            EST
SOURCE
            Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
              (bases 1 to 475)
REFERENCE
  AUTHORS
            NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicqap.
  TITLE
            National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
  JOURNAL
            Unpublished
COMMENT
            Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Dr. Jose Mercuende
             cDNA Library preparation: Dr. M. Bento Soares, University of Iowa
             cDNA Library Arrayed by: Dr. M. Bento Soares, University of Iowa
             DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
             Clone Distribution: Clone distribution information can be obtained
            from Dr. M. Bento Soares, bento-soares@uiowa.edu
            The following repetitive elements were found in this cDNA
            sequence: 97-152, >GC rich#Low complexity
            Seq primer: M13 FORWARD
            POLYA=Yes.
FEATURES
                     Location/Qualifiers
     source
                     1. .475
                     /organism="Homo sapiens"
                     /mol_type="mRNA"
                     /db xref="taxon:9606"
                     /clone="UI-H-DF0-bel-c-18-0-UI"
                     /tissue type="Subchondral Bone"
                     /dev stage="Adult"
                     /lab host="DH10B (Life Technologies)"
                     /clone lib="NCI CGAP DF0"
                     /note="Organ: Bone; Vector: pT7T3-Pac (Pharmacia) with a
                     modified polylinker; Site 1: EcoR I; Site 2: Not I;
                     NCI CGAP DF0 is a cDNA library containing the following
                     tissue(s): Subchondral Bone. The library was constructed
                     according to Bonaldo, Lennon and Soares, Genome Research,
                     6:791-806, 1996. First strand cDNA synthesis was primed
                     with an oligo-dT primer containing a Not I site. Double
                     stranded cDNA was ligated to an EcoR I adaptor, digested
                     with Not I, and cloned directionally into pT7T3-Pac
                     vector. The oligonucleotide used to prime the synthesis of
                     first-strand cDNA contains a library tag sequence that is
                     located between the Not I site and the (dT)18 tail. The
                     sequence tag for this library is GTTAAGCGTC.
                     TAG LIB=UI-H-DF0
                     TAG_TISSUE=subchondral bone
                     TAG SEQ=GTTAAGCGTC"
BASE COUNT
                        136 с
                70 a
                                 171 g
                                            98 t
ORIGIN
                          77.0%; Score 279.6; DB 13; Length 475;
 Ouery Match
 Best Local Similarity 93.9%; Pred. No. 1.6e-60;
 Matches 291; Conservative 0; Mismatches 19; Indels
                                                                 0; Gaps
                                                                             0:
```

```
54 CAAGGAGAACACTGCTGCGTGCGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
Qу
            Db
        465 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 406
Qу
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
            Db
        405 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 346
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
            Db
        345 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 286
        234 GGGCGCGTCGCGCGCCCTGCTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
QУ
            Dh
        285 GGGCGCCTCGGCGGCGCCGTGCTGCGTGCCGCAGGCGCTGCGCGCTGCCCATCGTGTA 226
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
            Db
        225 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 166
        354 GTGCAGCTGA 363
Qу
            Db
        165 GTGCAGCTGA 156
RESULT 8
AI089904/c
LOCUS
          AI089904
                                                linear
                                480 bp
                                         mRNA
                                                       EST 01-OCT-1998
DEFINITION qal6a08.x1 NCI CGAP Brn23 Homo sapiens cDNA clone IMAGE:1686902 3'
          similar to gb:X02812 cds1 TRANSFORMING GROWTH FACTOR BETA 1
          PRECURSOR (HUMAN); contains element MER22 repetitive element ;, mRNA
          sequence.
          AI089904
ACCESSION
          AI089904.1 GI:3428963
VERSION
KEYWORDS
          EST.
SOURCE
          Homo sapiens (human)
 ORGANISM Homo sapiens
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
             (bases 1 to 480)
 AUTHORS
          NCI/NINDS-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
 TITLE
          National Cancer Institute / National Institute of Neurological
          Disorders and Stroke, Brain Tumor Genome Anatomy Project
          (CGAP/BTGAP), Tumor Gene Index
 JOURNAL
          Unpublished
          Contact: Robert Strausberg, Ph.D.
COMMENT
          Email: cgapbs-r@mail.nih.gov
          Tissue Procurement: David N. Louis, M.D., Myrna R. Rosenfeld M.D.,
          Ph.D.
           cDNA Library Preparation: M. Bento Soares, Ph.D., M. Fatima
          Bonaldo, Ph.D.
           cDNA Library Arrayed by: Greg Lennon, Ph.D.
           DNA Sequencing by: Washington University Genome Sequencing Center
           Clone distribution: NCI-CGAP clone distribution information can be
          found through the I.M.A.G.E. Consortium/LLNL at:
```

www-bio.llnl.gov/bbrp/image/image.html

```
Insert Length: 895 Std Error: 0.00
          Seg primer: -40ml3 fwd. ET from Amersham
          High quality sequence stop: 414.
                 Location/Qualifiers
FEATURES
                 1. .480
    source
                 /organism="Homo sapiens"
                 /mol type="mRNA"
                 /db xref="taxon:9606"
                 /clone="IMAGE:1686902"
                 /tissue type="glioblastoma (pooled)"
                 /lab host="DH10B"
                 /clone lib="NCI CGAP Brn23"
                 /note="Organ: brain; Vector: pT7T3D-Pac (Pharmacia) with a
                 modified polylinker; Site_1: Not I; Site 2: Eco RI; 1st
                 strand cDNA was primed with a Not I - oligo(dT) primer [5'
                 T 3']; double-stranded cDNA was ligated to Eco RI
                 adaptors (Pharmacia), digested with Not I and cloned into
                 the Not I and Eco RI sites of the modified pT7T3 vector.
                 Library is normalized, and was constructed by Bento
                 Soares and M.Fatima Bonaldo."
BASE COUNT
              74 a
                     140 c
                            179 q
                                    87 t
ORIGIN
 Query Match
                      77.0%; Score 279.6; DB 9; Length 480;
                     93.9%; Pred. No. 1.6e-60;
 Best Local Similarity
 Matches 291; Conservative 0; Mismatches
                                                      0; Gaps
                                        19; Indels
                                                                0;
Qу
         54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
            Db
        448 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 389
Qу
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
            Db
        388 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 329
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
            Db
        328 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 269
        234 GGGCGCGTCGGCGCGCGTGCTGCGCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
            Db
        268 GGGCGCCTCGGCGGCCCGTGCTGCCGCAGGCGCTGCAGCCGCTGCCCATCGTGTA 209
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
            208 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 149
Db
        354 GTGCAGCTGA 363
Qу
            1 | | | | | | | | | |
Db
        148 GTGCAGCTGA 139
RESULT 9
AW958056
```

505 bp

DEFINITION EST370126 MAGE resequences, MAGE Homo sapiens cDNA, mRNA sequence.

mRNA

linear

EST 01-JUN-2000

LOCUS

AW958056

```
VERSION
          AW958056.1 GI:8147739
KEYWORDS
          Homo sapiens (human)
SOURCE
 ORGANISM
          Homo sapiens
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
            (bases 1 to 505)
 AUTHORS
          Hegde, P., Qi, R., Abernathy, K., Dharap, S., Gaspard, R., Gay, C., Holt
          , I.E., Saeed, A.I., Sharov, V., Lee, N.H., Yeatman, T.J. and
          Quackenbush, J.
 TITLE
          Assessment of gene expression patterns in a model of colon tumor
          metastasis using a 19,200 element cDNA microarray
 JOURNAL
          Unpublished
COMMENT
          Contact: John Quackenbush
          The Institute for Genomic Research
          9712 Medical Center Dr., Rockville, MD 20850, USA
          Tel: 301 838 3528
          Fax: 301 838 0208
          Email: johnq@tigr.org
          Plate: 115
          Seg primer: Reverse.
                  Location/Qualifiers
FEATURES
    source
                  1. .505
                  /organism="Homo sapiens"
                  /mol type="mRNA"
                  /db xref="taxon:9606"
                  /clone lib="MAGE resequences, MAGE"
                  /note="Vector: pBluescriptSKm"
BASE COUNT
              115 a
                     137 c
                             106 g
                                     144 t
                                               3 others
ORIGIN
 Query Match
                      77.0%; Score 279.6; DB 10; Length 505;
                      93.9%; Pred. No. 1.7e-60;
 Best Local Similarity
 Matches 291; Conservative
                           0; Mismatches 19; Indels
                                                        0: Gaps
                                                                   0:
         54 CAAGGAGAACTGCTGCGTGCGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
Qу
            38 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 97
Db
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
Qу
            98 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 157
Db
Qу
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
            Db
        158 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 217
        234 GGGCGCGTCGGCGGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
            Db
        218 GGGCGCCTCGGCGGCGCGTGCTGCGTGCCGCAGGCGCTGAGCCGCTGCCCATCGTGTA 277
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
            278 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 337
Db
        354 GTGCAGCTGA 363
Qy
```

ACCESSION

AW958056

```
|||||||||
Db 338 GTGCAGCTGA 347
```

```
RESULT 10
BQ222205
LOCUS
           BQ222205
                                   536 bp
                                            mRNA
                                                    linear
                                                            EST 02-MAY-2002
DEFINITION
          AGENCOURT_7258595 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:5786680
           5', mRNA sequence.
           BQ222205
ACCESSION
           BQ222205.1 GI:20403594
VERSION
KEYWORDS
           EST.
SOURCE
           Homo sapiens (human)
  ORGANISM Homo sapiens
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
              (bases 1 to 536)
 AUTHORS
           NIH-MGC http://mgc.nci.nih.gov/.
  TITLE
           National Institutes of Health, Mammalian Gene Collection (MGC)
 JOURNAL
           Unpublished
           Contact: Robert Strausberg, Ph.D.
COMMENT
           Email: cqapbs-r@mail.nih.gov
           Tissue Procurement: ATCC
            cDNA Library Preparation: Life Technologies, Inc.
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Agencourt Bioscience Corporation
            Clone distribution: MGC clone distribution information can be
           found through the I.M.A.G.E. Consortium/LLNL at:
           http://image.llnl.gov
           Plate: LLAM12875 row: m column: 17
           High quality sequence stop: 535.
FEATURES
                    Location/Qualifiers
    source
                    1. .536
                    /organism="Homo sapiens"
                    /mol type="mRNA"
                    /db xref="taxon:9606"
                    /clone="IMAGE:5786680"
                    /tissue_type="leiomyosarcoma"
                    /lab host="DH10B (phage-resistant)"
                    /clone lib="NIH MGC 71"
                    /note="Organ: uterus; Vector: pCMV-SPORT6; Site 1: NotI;
                    Site 2: SalI; Cloned unidirectionally. Primer: Oligo dT.
                    Average insert size 2.1 kb. "
BASE COUNT
               113 a
                       193 с
                                150 g
                                         77 t
                                                   3 others
ORIGIN
 Query Match
                        77.0%; Score 279.6; DB 13; Length 536;
 Best Local Similarity
                        93.9%; Pred. No. 1.7e-60;
 Matches 291; Conservative
                              0; Mismatches
                                               19; Indels
                                                                         0;
Qу
          54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
             Db
          65 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 124
Qу
         114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
             Db
         125 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 184
```

```
174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
             Db
         185 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 244
         234 GGGCGCGTCGGCGCCCTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
             Db
         245 GGGCGCCTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 304
         294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
             Db
         305 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 364
         354 GTGCAGCTGA 363
QУ
            Db
         365 GTGCAGCTGA 374
RESULT 11
BM670402/c
LOCUS
          BM670402
                                  538 bp
                                           mRNA
                                                  linear EST 27-FEB-2002
DEFINITION UI-E-DW1-ahc-1-03-0-UI.sl UI-E-DW1 Homo sapiens cDNA clone
          UI-E-DW1-ahc-1-03-0-UI 3', mRNA sequence.
ACCESSION
          BM670402
VERSION
          BM670402.1 GI:18980299
KEYWORDS
          EST.
SOURCE
          Homo sapiens (human)
 ORGANISM Homo sapiens
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
              (bases 1 to 538)
 AUTHORS
          Bonaldo, M.F., Lennon, G. and Soares, M.B.
 TITLE
          Normalization and subtraction: two approaches to facilitate gene
          discovery
 JOURNAL
          Genome Res. 6 (9), 791-806 (1996)
           97044477
 MEDLINE
  PUBMED
          8889548
          Contact: Soares, MB
COMMENT
          Coordinated Laboratory for Computational Genomics
          University of Iowa
           375 Newton Road , 4156 MEBRF, Iowa City, IA 52242, USA
          Tel: 319 335 8250
           Fax: 319 335 9565
           Email: bento-soares@uiowa.edu
          Tissue Procurement: Dr. Gregg Hageman
           cDNA Library preparation: Dr. M. Bento Soares, Univeristy of Iowa
            cDNA Library Arrayed by: Dr. M. Bento Soares, Univeristy of Iowa
            DNA Sequencing by: Dr. M. Bento Soares, Univeristy of Iowa
            Clone Distribution: Researchers may obtain clones from Research
          Genetics (www.resgen.com).
            The following repetitive elements were found in this cDNA
           sequence: 97-152, >GC_rich#Low_complexity
           Seq primer: M13 Forward
           POLYA=Yes.
                   Location/Qualifiers
FEATURES
                   1. .538
    source
                   /organism="Homo sapiens"
```

```
/db xref="taxon:9606"
                  /clone="UI-E-DW1-ahc-1-03-0-UI"
                  /tissue type="lens"
                  /dev stage="adult"
                  /lab host="DH10B (Life Technologies) (T1 phage resistant)"
                  /clone lib="UI-E-DW1"
                  /note="Organ: eye; Vector: pT7T3-Pac (Pharmacia) with a
                  modified polylinker; Site 1: EcoR I; Site 2: Not I;
                  UI-E-DW1 is a normalized cDNA library containing the
                  following tissue(s): lens. The library was constructed
                  according to Bonaldo, Lennon and Soares, Genome Research,
                  6:791-806, 1996. First strand cDNA synthesis was primed
                  with an oligo-dT primer containing a Not I site. Double
                  stranded cDNA was ligated to an EcoR I adaptor, digested
                  with Not I, and cloned directionally into pT7T3-Pac
                  vector. The oligonucleotide used to prime the synthesis of
                  first-strand cDNA contains a library tag sequence that is
                  located between the Not I site and the (dT)18 tail. The
                  sequence tag for this library is CGATTAGCGA. This library
                  was created for the program, Gene Discovery in the Visual
                  System, supported by National Eye Institute (NEI).
                  TAG_LIB=UI-E-DW1
                  TAG TISSUE=human lens
                  TAG SEQ=CGATTAGCGA"
                     153 c
BASE COUNT
              78 a
                             195 g
                                     112 t
ORIGIN
                             Score 279.6; DB 12; Length 538;
 Query Match
                      77.0%;
 Best Local Similarity
                      93.9%; Pred. No. 1.7e-60;
 Matches 291; Conservative
                            0; Mismatches 19; Indels
                                                        0; Gaps
                                                                   0;
         54 CAAGGAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
Qу
            465 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 406
Db
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
Qy
            405 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 346
Db
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
            345 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 286
Db
        234 GGGCGCGTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
            Db
        285 GGGCGCCTCGGCGCGCCGTGCTGCGTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 226
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
            Db
        225 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 166
        354 GTGCAGCTGA 363
Qу
            Db
        165 GTGCAGCTGA 156
```

/mol type="mRNA"

```
RESULT 12
BI834732
LOCUS
           BI834732
                                   540 bp
                                            mRNA
                                                    linear
                                                             EST 04-OCT-2001
DEFINITION 603090326F1 NIH MGC 120 Homo sapiens cDNA clone IMAGE:5229246 5',
           mRNA sequence.
ACCESSION
           BI834732
VERSION
           BI834732.1 GI:15946269
KEYWORDS
           EST.
SOURCE
           Homo sapiens (human)
  ORGANISM Homo sapiens
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
              (bases 1 to 540)
           NIH-MGC http://mgc.nci.nih.gov/.
  AUTHORS
  TITLE
           National Institutes of Health, Mammalian Gene Collection (MGC)
  JOURNAL
           Unpublished
COMMENT
           Contact: Robert Strausberg, Ph.D.
           Email: cgapbs-r@mail.nih.gov
           Tissue Procurement: Life Technologies, Inc.
            cDNA Library Preparation: Life Technologies, Inc.
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Incyte Genomics, Inc.
            Clone distribution: MGC clone distribution information can be
           found through the I.M.A.G.E. Consortium/LLNL at:
           http://image.llnl.gov
           Plate: LLAM11577 row: c column: 07
           High quality sequence stop: 535.
FEATURES
                    Location/Qualifiers
    source
                    1. .540
                    /organism="Homo sapiens"
                    /mol type="mRNA"
                    /db xref="taxon:9606"
                    /clone="IMAGE:5229246"
                    /lab host="DH10B"
                    /clone lib="NIH MGC 120"
                    /note="Organ: pooled pancreas and spleen; Vector:
                    pCMV-SPORT6; Site 1: NotI; Site 2: EcoRV (destroyed); RNA
                    source anonymous pool of spleen and pancreas from 28 yo
                    male. Library is oligo-dT primed and directionally cloned
                    (EcoRV site is destroyed upon cloning). Average insert
                    size 1.5 kb, insert size range 1-2.5 kb. Library is
                    normalized and enriched for full-length clones and was
                    constructed by C. Gruber (Invitrogen). Research Genetics
                    tracking code 025. Note: this is a NIH MGC Library."
BASE COUNT
               104 a
                       188 c
                                154 q
                                         94 t
ORIGIN
                        77.0%; Score 279.6; DB 12; Length 540;
 Best Local Similarity
                        93.9%; Pred. No. 1.7e-60;
 Matches 291; Conservative
                              0; Mismatches
                                              19; Indels
                                                              0: Gaps
                                                                         0;
          54 CAAGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
Qу
             Db
         220 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 279
         114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
QУ
```

```
Db
         280 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 339
Qу
         174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
             Db
         340 CATTTGGAGCCTGGACACGCAGTACAGCTCCTGGCCCTGTACAACCAGCATAACCC 399
Qу
         234 GGGCGCGTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
             400 GGGCGCCTCGGCGGCGCCGTGCTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 459
Db
Qу
         294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
             460 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 519
Db
Qу
         354 GTGCAGCTGA 363
             Dh
         520 GTGCAGCTGA 529
RESULT 13
BQ016027/c
LOCUS
           B0016027
                                  587 bp
                                           mRNA
                                                  linear
                                                           EST 17-JUN-2002
DEFINITION UI-H-DT1-avz-h-20-0-UI.sl NCI_CGAP_DT1 Homo sapiens cDNA clone
           IMAGE:5886403 3', mRNA sequence.
          BQ016027
ACCESSION
VERSION
          BQ016027.1 GI:19751304
KEYWORDS
           EST.
SOURCE
          Homo sapiens (human)
 ORGANISM Homo sapiens
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
             (bases 1 to 587)
 AUTHORS
           NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
 TITLE
           National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
           Tumor Gene Index
 JOURNAL
           Unpublished
           Contact: Robert Strausberg, Ph.D.
COMMENT
           Email: cgapbs-r@mail.nih.gov
           Tissue Procurement: Dr. Jose Mercuende
            cDNA Library preparation: Dr. M. Bento Soares, University of Iowa
            cDNA Library Arrayed by: Dr. M. Bento Soares, University of Iowa
           DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
            Clone Distribution: Clone distribution information can be found
           through the I.M.A.G.E. Consortium/LLNL at: http://image.llnl.gov
            The following repetitive elements were found in this cDNA
           sequence: 97-152, >GC rich#Low complexity
           Seq primer: M13 FORWARD
           POLYA=Yes.
FEATURES
                   Location/Qualifiers
    source
                   1. .587
                   /organism="Homo sapiens"
                   /mol_type="mRNA"
                   /db_xref="taxon:9606"
                   /clone="IMAGE:5886403"
                   /tissue_type="Metastatic Chondrosarcoma"
                   /dev stage="Adult"
                   /lab_host="DH10B (Life Technologies)"
```

```
/note="Organ: Lung; Vector: pT7T3-Pac (Pharmacia) with a
                  modified polylinker; Site 1: EcoR I; Site 2: Not I;
                  NCI CGAP DTl is a normalized cDNA library containing the
                  following tissue(s): Metatastic Chondrosarcoma in Lung.
                  The library was constructed according to Bonaldo, Lennon
                  and Soares, Genome Research, 6:791-806, 1996. First strand
                  cDNA synthesis was primed with an oligo-dT primer
                  containing a Not I site. Double stranded cDNA was ligated
                  to an EcoR I adaptor, digested with Not I, and cloned
                  directionally into pT7T3-Pac vector. The oligonucleotide
                  used to prime the synthesis of first-strand cDNA contains
                  a library tag sequence that is located between the Not I
                  site and the (dT)18 tail. The sequence tag for this
                  library is AACTGTTCGG.
                  TAG LIB=UI-H-DT1
                  TAG TISSUE=lung metatastic chondrosarcoma
                  TAG SEQ=AACTGTTCGG"
BASE COUNT
              91 a
                     163 c
                             213 q
                                     120 t
ORIGIN
                      77.0%; Score 279.6; DB 12; Length 587;
 Query Match
 Best Local Similarity
                      93.9%; Pred. No. 1.8e-60;
 Matches 291; Conservative 0; Mismatches
                                          19: Indels
                                                        0; Gaps
                                                                   0;
Qу
         54 CAAGGAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
            Db
        465 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 406
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
QУ
            Db
        405 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 346
        174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
            Db
        345 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 286
        234 GGGCGCGTCGGCGGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
Qу
            285 GGGCGCCTCGGCGGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 226
Db
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
QУ
            225 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 166
Db
        354 GTGCAGCTGA 363
Qу
            Db
        165 GTGCAGCTGA 156
RESULT 14
B0003136/c
LOCUS
          BQ003136
                                593 bp
                                        mRNA
                                               linear
                                                       EST 26-MAR-2002
DEFINITION
         UI-H-EI1-ayx-d-19-0-UI.s1 NCI CGAP EI1 Homo sapiens cDNA clone
          IMAGE:5844834 3', mRNA sequence.
ACCESSION
          B0003136
```

VERSION

BQ003136.1 GI:19728036

/clone lib="NCI CGAP DT1"

```
KEYWORDS
            EST.
            Homo sapiens (human)
SOURCE
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
               (bases 1 to 593)
            NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
  AUTHORS
  TITLE
            National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
  JOURNAL
            Unpublished
COMMENT
            Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Dr. Jose Mercuende
             cDNA Library preparation: Dr. M. Bento Soares, University of Iowa
             cDNA Library Arrayed by: Dr. M. Bento Soares, University of Iowa
             DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
             Clone Distribution: Clone distribution information can be found
            through the I.M.A.G.E. Consortium/LLNL at: http://image.llnl.gov
             The following repetitive elements were found in this cDNA
            sequence: 97-152, >GC rich#Low complexity
            Seg primer: M13 FORWARD
            POLYA=Yes.
FEATURES
                     Location/Qualifiers
                     1. .593
     source
                     /organism="Homo sapiens"
                     /mol type="mRNA"
                     /db xref="taxon:9606"
                     /clone="IMAGE:5844834"
                     /tissue type="Chondrosarcoma"
                     /dev stage="Adult"
                     /lab host="DH10B (Life Technologies)"
                     /clone lib="NCI CGAP EI1"
                     /note="Organ: Left Pelvis; Vector: pT7T3-Pac (Pharmacia)
                     with a modified polylinker; Site 1: EcoR I; Site 2: Not I;
                     NCI CGAP EI1 is a normalized cDNA library containing the
                     following tissue(s): Chondrosarcoma. The library was
                     constructed according to Bonaldo, Lennon and Soares,
                     Genome Research, 6:791-806, 1996. First strand cDNA
                     synthesis was primed with an oliqo-dT primer containing a
                     Not I site. Double stranded cDNA was ligated to an EcoR I
                     adaptor, digested with Not I, and cloned directionally
                     into pT7T3-Pac vector. The oligonucleotide used to prime
                     the synthesis of first-strand cDNA contains a library tag
                     sequence that is located between the Not I site and the
                     (dT)18 tail. The sequence tag for this library is
                     ACACTTGCAC.
                     TAG LIB=UI-H-EI1
                     TAG TISSUE=chondrosarcoma
                     TAG SEQ=ACACTTGCAC"
BASE COUNT
                 91 a
                         164 c
                                  217 q
                                           121 t
ORIGIN
 Query Match
                          77.0%; Score 279.6; DB 12; Length 593;
  Best Local Similarity
                          93.9%;
                                  Pred. No. 1.8e-60;
 Matches 291; Conservative
                                 0; Mismatches
                                                  19; Indels
                                                                 0; Gaps
                                                                              0;
```

Qу

```
Db
        465 CACGGAGAACACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 406
        114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
Qу
            Db
         405 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 346
Qу
         174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
            Db
         345 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 286
Qу
         234 GGGCGCGTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTA 293
            Db
         285 GGGCGCCTCGGCGGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 226
Qу
        294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
            Db
        225 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 166
        354 GTGCAGCTGA 363
Qу
            Db
        165 GTGCAGCTGA 156
RESULT 15
AI951831/c
LOCUS
          AI951831
                                598 bp
                                         mRNA
                                                linear
                                                       EST 06-SEP-1999
DEFINITION wx38b08.x1 NCI CGAP Pitl Homo sapiens cDNA clone IMAGE:2545911 3'
          similar to gb:X02812 cds1 TRANSFORMING GROWTH FACTOR BETA 1
          PRECURSOR (HUMAN); contains PTR7.t3 MER22 repetitive element ;, mRNA
          sequence.
          AI951831
ACCESSION
VERSION
          AI951831.1 GI:5744141
KEYWORDS
SOURCE
          Homo sapiens (human)
 ORGANISM
          Homo sapiens
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
             (bases 1 to 598)
 AUTHORS
          NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
 TITLE
          National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
          Tumor Gene Index
 JOURNAL
          Unpublished
          Contact: Robert Strausberg, Ph.D.
COMMENT
          Email: cgapbs-r@mail.nih.gov
          Tissue Procurement: Chris Moskaluk, M.D., Ph.D., Michael R.
          Emmert-Buck, M.D., cDNA Library Preparation: Life Technologies,
          Inc. cDNA Library Arrayed by: Christa Prange, The I.M.A.G.E.
          Consortium DNA Sequencing by: Washington University Genome
          Sequencing Center
           Clone distribution: NCI-CGAP clone distribution information can be
          found through the I.M.A.G.E. Consortium/LLNL at:
          www-bio.llnl.gov/bbrp/image/image.html
          Seq primer: -40UP from Gibco
          High quality sequence stop: 425.
FEATURES
                  Location/Qualifiers
                  1. .598
    source
```

```
/organism="Homo sapiens"
                /mol type="mRNA"
                /db xref="taxon:9606"
                /clone="IMAGE: 2545911"
                /tissue_type="four pooled pituitary adenomas"
                /lab host="DH10B"
                /clone_lib="NCI_CGAP_Pit1"
                /note="Organ: brain; Vector: pCMV-SPORT6; Site_1: Sall;
                Site 2: NotI; Cloned unidirectionally. Primer: Oligo dT.
                Library constructed by Life Technologies."
BASE COUNT
             95 a
                   173 c
                          222 q
                                107 t
ORIGIN
 Query Match
                    77.0%; Score 279.6; DB 9; Length 598;
 Best Local Similarity 93.9%; Pred. No. 1.8e-60;
 Matches 291; Conservative 0; Mismatches 19; Indels
                                                 0; Gaps
                                                           0;
Qу
        54 CAAGGAGAACACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTG 113
           447 CACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTG 388
Db
       114 GAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTA 173
Qу
           387 GAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTA 328
Db
       174 CATCTGGAGCCTAGACACTCAGTACAACAAGGTCCTGGCTCTGTACAACCAGCACAACCC 233
Qу
           327 CATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC 268
Db
       Qу
           267 GGGCGCCTCGGCGCCCTGCTGCGTGCCGCAGGCGCTGGAGCCGCTGCCCATCGTGTA 208
Db
       294 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAA 353
Qу
           207 CTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAA 148
Db
       354 GTGCAGCTGA 363
Qу
           11111111
Db
       147 GTGCAGCTGA 138
```

Search completed: October 28, 2003, 00:08:15 Job time: 902.804 secs

GenCore version 5.1.6 Copyright (c) 1993 - 2003 Compugen Ltd.

OM protein - protein search, using sw model

Run on: October 27, 2003, 19:11:58; Search time 10.0108 Seconds

(without alignments)

1902.657 Million cell updates/sec

Title: US-10-017-372E-15

Perfect score: 685

Sequence: 1 ALDTNYCFSSTDYKDDDDKE......GRKPKVEQLSNMIVRSCKCS 120

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 1107863 segs, 158726573 residues

Total number of hits satisfying chosen parameters: 1107863

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database: A_Geneseq_19Jun03:*
1: /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1980.DAT:*

21:

22:

2: /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1981.DAT:* 3: /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1982.DAT:* 4: /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1983.DAT:* /SIDS1/qcqdata/geneseq/geneseqp-embl/AA1984.DAT:* /SIDS1/gcgdata/geneseq/geneseqp-emb1/AA1985.DAT:* /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1986.DAT:* /SIDS1/gcgdata/geneseq/geneseqp-emb1/AA1987.DAT:* /SIDS1/gcgdata/geneseg/genesegp-embl/AA1988.DAT:* 10: /SIDS1/qcqdata/geneseq/geneseqp-embl/AA1989.DAT:* 11: /SIDS1/gcqdata/geneseq/geneseqp-embl/AA1990.DAT:* 12: /SIDS1/gcqdata/geneseq/geneseqp-embl/AA1991.DAT:* /SIDS1/gcgdata/geneseq/geneseqp-emb1/AA1992.DAT:* 13: /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1993.DAT:* 14: /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1994.DAT:* 15: /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1995.DAT:* 16: 17: /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1996.DAT:* 18: /SIDS1/qcqdata/geneseq/geneseqp-embl/AA1997.DAT:* 19: /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1998.DAT:* 20: /SIDS1/gcgdata/geneseq/geneseqp-embl/AA1999.DAT:*

/SIDS1/gcgdata/geneseq/geneseqp-embl/AA2000.DAT:*
/SIDS1/gcgdata/geneseq/geneseqp-embl/AA2001.DAT:*

/SIDS1/gcgdata/geneseq/geneseqp-emb1/AA2002.DAT:*
/SIDS1/gcgdata/geneseq/geneseqp-emb1/AA2003.DAT:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed,

and is derived by analysis of the total score distribution.

SUMMARIES

					DOMENT	
		olo Olo				
Result		Query				
No.	Score	Match	Length	DB	ID	Description
1	624	91.1	112	11	AAR04076	Sequence of mature
2	624	91.1	112	11	AAR08142	Platelet-derived h
3	624	91.1	112	14	AAR43263	TGF-beta. Homo sa
4	624	91.1	112	14	AAR42311	Recombinant human
5	624	91.1	112	17	AAR92773	Human TGF-beta 1.
6	624	91.1	112	17	AAR91956	Human transforming
7	624	91.1	112	18	AAW08173	TGF-betal active f
8	624	91.1	112	19	AAW78781	Human transforming
9	624	91.1	112	20	AAY08299	Human growth facto
10	624	91.1	112	20	AAW97091	The mature form of
11	624	91.1	112	20	AAW84207	Transforming growt
12	624	91.1	112	21	AAY92010	Human transforming
13	624	91.1	112	21	AAY67950	Human transforming
14	624	91.1	112	22	AAB35937	TGF-beta 1 amino a
15	624	91.1	112	23	AAM51939	Human TGFbeta prot
16	624	91.1	112	24	ABU08656	Human transforming
17	624	91.1	115	22	AAB73204	TGF-betal C-termin
18	624	91.1	115	24	ABG76033	Human TGF-beta 1 C
19	624	91.1	118	18	AAW08176	TGF-beta fusion pr
20	624	91.1	122	18	AAW08181	TGF-beta fusion pr
21	624	91.1	124	18	AAW08177	TGF-beta fusion pr
22	624	91.1	128	18	AAW08188	TGF-beta fusion pr
23	624	91.1	130	18	AAW08185	TGF-beta fusion pr
24	624	91.1	131	18	AAW08182	TGF-beta fusion pr
25	624	91.1	132	18	AAW08189	TGF-beta fusion pr
26	624	91.1	133	18	AAW08178	TGF-beta fusion pr
27	624	91.1	134	18	AAW08187	TGF-beta fusion pr
28	624	91.1	134	18	AAW08190	TGF-beta fusion pr
29	624	91.1	135	18	AAW08183	TGF-beta fusion pr
30	624	91.1	136	18	AAW08186	TGF-beta fusion pr
31	624	91.1	137	18	AAW08180	TGF-beta fusion pr
32	624	91.1	137	18	AAW08184	TGF-beta fusion pr
33	624	91.1	139	18	AAW08179	TGF-beta fusion pr
34	624	91.1	390	7	AAP61468	PreTGF-beta gene p
35	624	91.1	390	11	AAR04034	Sequence of pre-TG
36	624	91.1	390	11	AAR05258	Human pre-transfor
37	624	91.1	390	12	AAR13813	Human pro-TGF-beta
38	624	91.1	390	13	AAR20124	Sequence of simian
39	624	91.1	390	15	AAR46227	Human pre-TGF-beta
40	624	91.1	390	16	AAR73596	Human TGF-beta 1 p
41	624	91.1	390	17	AAR90827	Pre-transforming g
42	624	91.1	390	19	AAW78785	Human pre-transfor
43	624	91.1	390	22	AAM39186	Human polypeptide
44	624	91.1	390	23	AAU77101	Human transforming
45	624	91.1	390	23	AAE13596	Porcine transformi
			•			

```
RESULT 1
AAR04076
ΙD
     AAR04076 standard; protein; 112 AA.
XX
AC
     AAR04076;
XX
DT
     25-MAR-2003
                  (updated)
DT
     31-OCT-2002
                  (updated)
DT
     31-MAY-1989
                  (first entry)
XX
DE
     Sequence of mature human TGF-beta 1.
XX
KW
     Transforming growth factor beta-3 (TGF beta 3); tumour cells; growth
KW
     inhibition.
XX
OS
     Homo sapiens.
XX
ΡN
     WO8912101-A.
XX
     14-DEC-1989.
PD
XX
PF
     08-JUN-1988;
                    88WO-US01945.
XX
PR
     08-JUN-1988;
                    88WO-US01945.
XX
PΑ
     (GETH ) GENENTECH INC.
XX
PΙ
     Dernyck RMA,
                   Goeddel DV;
XX
DR
     WPI; 1990-007474/01.
XX
PT
     Nucleotide sequence encoding transforming growth factor beta-3 used as a
     probe, or to produce TGF beta 3, for inhibiting growth of certain normal
PΤ
     and neoplastic cells, eg A549.
PT
XX
PS
     Disclosure; Fig. 3; 61pp; English.
XX
CC
     This sequence is that of mature human transforming growth factor-beta 1
CC
     (TGF-beta 1) polypeptide. It differs from human and porcine TGF-beta
CC
     subtype 3 sequences at positions 9-11,13,19,40,45,52,57,58,60,63,67,68,
     71,75,82,87,and 95. In addition porcine TGF-beta 3 has an AA substitution
CC
CC
     at posn. 96. The N-terminal AA sequence of bovine TGF-beta 2 differs from
CC
     that of human TGF-beta 1 at posns.4,5,9-13, and 19.
CC
     The nucleic acid sequence encoding the second subtype of TGF-beta (TGF-
CC
     beta 3) is useful as a probe or to produce TGF-beta 3 for both normal and
CC
     neoplastic cell growth inhibition.
CC
     (Updated on 31-OCT-2002 to add missing OS field.)
     (Updated on 25-MAR-2003 to correct PR field.)
CC
CC
     (Updated on 25-MAR-2003 to correct PI field.)
XX
SO
     Sequence
                112 AA;
  Query Match
                          91.1%;
                                  Score 624; DB 11; Length 112;
  Best Local Similarity
                          93.3%;
                                  Pred. No. 1.9e-59;
 Matches 112; Conservative
                                 0; Mismatches
                                                   0; Indels
                                                                               1;
```

```
Db
           1 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 52
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
          53 SLDTQYSKVLALYNOHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 112
RESULT 2
AAR08142
ID
    AAR08142 standard; protein; 112 AA.
XX
AC
    AAR08142;
XX
DT
    25-MAR-2003 (updated)
DT
    28-FEB-1991 (first entry)
XX
    Platelet-derived human TGF-beta monomer.
DE
XX
KW
    Transforming growth factor; cartilages inducing factor; CIF;
KW
    polycythemia; thrombocytosis; slpenomegaly.
XX
OS
    Homo sapiens.
XX
PN
    US4971952-A.
XX
PD
    20-NOV-1990.
XX
PF
    27-OCT-1988;
                  88US-0263635.
XX
PR
    27-OCT-1988;
                  88US-0263635.
XX
    (CLGE ) COLLAGEN CORP.
PΑ
XX
    Bentze H, Ellingsworth L, Armstrong R;
ΡI
XX
DR
    WPI; 1990-368150/49.
XX
PΤ
    Treating inflammation associated with transplants, etc. - using
PT
    cartilage inducing factor polypeptide homodimer cpd.
XX
PS
    Disclosure; Fig 1; 14pp; English.
XX
CC
    The TGF-beta may be used to derive cartilage inducing factors (CIFs)
CC
    useful for inhibition of acute/chronic inflammation, treatment of red
CC
    blood cell dysfunction associated with polycythemia, thrombocytosis
CC
    or splenomegaly.
CC
    (Updated on 25-MAR-2003 to correct PR field.)
XX
SQ
               112 AA;
    Sequence
  Query Match
                        91.1%; Score 624; DB 11; Length 112;
 Best Local Similarity
                        93.3%; Pred. No. 1.9e-59;
 Matches 112; Conservative
                               0; Mismatches
                                             0; Indels
                                                                Gaps
                                                                        1;
Qу
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
```

```
1 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 52
Db
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
              Db
           53 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 112
RESULT 3
AAR43263
ID
    AAR43263 standard; protein; 112 AA.
XX
AC
     AAR43263;
XX
DT
     25-MAR-2003 (updated)
DT
     27-APR-1994 (first entry)
XX
DE
    TGF-beta.
XX
KW
     TGF; transforming growth factor; scar formation; CNS;
     central nervous system; infusion; antagonist; brain;
KW
KW
     spinal cord; regeneration; decorin; Arg-Gly-Asp.
XX
OS
     Homo sapiens.
XX
PN
     W09319783-A1.
XX
PD
     14-OCT-1993.
XX
PF
     01-APR-1993;
                  93WO-US03068.
XX
PR
     01-APR-1992; 92US-0860704.
XX
     (WHIT-) WHITTIER INST DIABETES & ENDOCRINOLOGY.
PΑ
XX
PΙ
     Baird A, Logan A;
XX
    WPI; 1993-336598/42.
DR
XX
PΤ
     Inhibiting or enhancing scar formation in the CNS - by infusion
PT
     of transforming growth factor-beta antagonists, e.g.
PT
     anti-(TGF-beta)-antibodies, or TGF-beta itself, respectively
XX
PS
     Disclosure; Page 5; 32pp; English.
XX
CC
     The mature form of TGF-beta is comprised of two identical chains,
CC
     each of 112 amino acids. Since TGF-beta is a regulator of scar
CC
     prodn. after a penetrating injury to the brain or spinal cord, which
CC
     scar prodn. can preclude neuronal recovery, TGF-beta antagonists
CC
     have potential use as adjuncts to those therapies designed to
CC
     promote regeneration and reconnection of damaged neural pathways.
CC
     (Updated on 25-MAR-2003 to correct PN field.)
XX
SO
     Sequence
              112 AA;
  Query Match
                         91.1%; Score 624; DB 14; Length 112;
  Best Local Similarity
                         93.3%; Pred. No. 1.9e-59;
  Matches 112; Conservative 0; Mismatches
                                               0; Indels
                                                            8; Gaps
                                                                           1:
```

```
Qу
           1 ALDTNYCFSSTDYKDDDDKEKNCCVROLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
             1 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 52
Db
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             53 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 112
Db
RESULT 4
AAR42311
ΙD
    AAR42311 standard; peptide; 112 AA.
XX
AC
    AAR42311;
XX
DT
    01-APR-1994 (first entry)
XX
    Recombinant human TGF-beta.
DE
XX
KW
    Transforming growth factor beta; stable; treatment; wounds;
KW
    fractures; inflammation; autoimmune disease; tumours.
XX
OS
    Homo sapiens (recombinant).
XX
    JP05252956-A.
PN
XX
    05-OCT-1993.
PD
XX
PF
    11-JUL-1991; 91JP-0171280.
XX
    11-JUL-1991; 91JP-0171280.
PR
XX
PΑ
    (EART ) EARTH SEIYAKU KK.
XX
DR
    WPI; 1993-347572/44.
XX
PT
    Prodn. of recombinant cell for high expression of polypeptide
PT
    such as human TGF-beta - for treatment of e.g. wounds, fractures,
PT
    inflammation, auto-immune diseases or tumours
XX
PS
    Disclosure; Page 15; 18pp; Japanese.
XX
CC
    Human transforming growth factor (TGF) -beta can be produced in
CC
    recombinant cells, and thus produced is stable in the presence of 50
    microg/ml methotrexate. TGF-beta may be produced in large amounts
CC
CC
    via recombinant means and has uses such a wound healing, treatment
CC
    of fractures, inflammation, autoimmune disease or tumours.
XX
SO
    Sequence
               112 AA;
                        91.1%; Score 624; DB 14;
 Query Match
                                                  Length 112;
                        93.3%; Pred. No. 1.9e-59;
 Best Local Similarity
 Matches 112; Conservative
                              0; Mismatches 0; Indels
                                                             8; Gaps
                                                                        1;
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
```

```
1 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 52
Db
          61 SLDTOYSKVLALYNOHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
QУ
              53 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 112
Db
RESULT 5
AAR92773
ID
    AAR92773 standard; Protein; 112 AA.
XX
AC
    AAR92773;
XX
DT
    17-JUL-1996 (first entry)
XX
DE
    Human TGF-beta 1.
XX
KW
    Transforming growth factor type beta; TGF-beta 1;
    protein renaturation; protein folding.
KW
XX
OS
    Homo sapiens.
XX
    WO9603433-A1.
PN
XX
     08-FEB-1996.
PD
XX
PF
    12-JUL-1995;
                   95WO-EP02719.
XX
PR
     25-JUL-1994;
                 94EP-0810439.
XX
PΑ
     (CIBA ) CIBA GEIGY AG.
XX
PΙ
    Cerletti N;
XX
DR
    WPI; 1996-117000/12.
    N-PSDB; AAT17235.
DR
XX
PT
     Prodn. of dimeric biologically active transforming growth factor
PΤ
    by refolding denatured monomer in detergent-free folding buffer
PT
     contq. specific organic solvent to improve yield
XX
PS
     Example 1B; Page 29-30; 54pp; English.
XX
CC
    Non-soluble, monomeric transforming growth factor TGF-beta 1
     (AAR92773) was recovered from E. coli LC 137 (DSM 5658) transformants
CC
CC
     carrying plasmid pPLMu.TGF-beta 1, which includes the coding
CC
     sequence (AAT17235) for TGF-beta 1. A biologically active, dimeric
CC
     form of TGF-beta 1 was obtd. by refolding this monomer in detergent-
CC
     tree buffer contq. DMSO and/or DMF. Dimers of TGF-beta 2 (AAR92774)
CC
    and TGF-beta 3 (AAR92772), and hybrid dimers (see also AAR92775-77),
CC
    were also produced.
XX
SO
    Sequence
              112 AA;
  Query Match
                         91.1%; Score 624; DB 17; Length 112;
  Best Local Similarity
                         93.3%; Pred. No. 1.9e-59;
  Matches 112; Conservative 0; Mismatches 0; Indels
```

```
Qу
           1 ALDTNYCFSSTDYKDDDDKEKNCCVROLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
             1 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 52
Db
          61 SLDTQYSKVLALYNOHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             53 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 112
Dh
RESULT 6
AAR91956
    AAR91956 standard; Protein; 112 AA.
ΙD
XX
AC
    AAR91956;
XX
DŢ
    10-JUN-1996 (first entry)
XX
DE
    Human transforming growth factor beta 1.
XX
KW
    Transforming growth factor beta; TGF; regulator; method;
KW
    proliferation; differentiation; wound healing; solvent.
XX
OS
    Homo sapiens.
XX
PN
    W09603432-A1.
XX
    08-FEB-1996.
PD
XX
PF
    12-JUL-1995; 95WO-EP02718.
XX
PR
    25-JUL-1994; 94EP-0810438.
XX
    (CIBA ) CIBA GEIGY AG.
PA
XX
PΙ
    Cerletti N;
XX
DR
    WPI; 1996-116999/12.
DR
    N-PSDB; AAT15462.
XX
    Prodn. of dimeric, biologically active transforming growth factor
PT
PT
    beta - by refolding denatured monomer in buffer contg. mild
PT
    detergent and specific organic solvents to improve yields
XX
PS
    Example 1; Page 33; 59pp; English.
XX
CC
    AAR91956-R91958 are the amino acid sequences of human transforming
CC
    growth factor (TGF) beta-1, TGF beta-2 and TGF beta-3 which are used to
CC
    produce TGF beta-like proteins in dimeric form. The TGF beta-like
CC
    proteins produced are hybrids of 2 different types of TGF beta e.g.
    TGF beta-1-3, TGF beta-2-3, etc, or bone morphogenic proteins e.g.
CC
CC
    BMP-2. The TGF beta hybrids were made using a new process of producing
CC
    dimeric, biologically active TGF beta-like proteins. The new process
CC
    involves treating denatured TGF beta monomers with folding buffer contg.
CC
    a mild detergent (CHAPS, CHAPSO or digitonin) and at least one of the
CC
    solvents DMSO (dimethyl sulphoxide), DMSO2 (dimethylsulphone) and DMF
CC
     (dimethyl formamide). The detergent allows folding of the monomer such
```

```
CC
    that, after dimerisation, the TGF beta-like protein retains biological
    activity and remains in soluble form. The method allows relatively high
CC
CC
    yields of biologically active TGF beta-like proteins in their native
CC
    dimeric form. TGF-beta like proteins are multifunctional regulators of
CC
    cellular activity and a typical use is to stimulate wound healing.
XX
SQ
    Sequence
               112 AA;
 Query Match
                        91.1%; Score 624; DB 17; Length 112;
 Best Local Similarity 93.3%; Pred. No. 1.9e-59;
                             0; Mismatches
 Matches 112; Conservative
                                              0; Indels
                                                             8; Gaps
                                                                         1;
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                               Db
           1 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 52
          61 SLDTOYSKVLALYNOHNPGASAAPCCVPOALEPLPIVYYVGRKPKVEOLSNMIVRSCKCS 120
Oy
             53 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 112
Db
RESULT 7
AAW08173
ID
    AAW08173 standard; Peptide; 112 AA.
XX
AC
    AAW08173;
XX
    26-AUG-1997 (first entry)
DT
XX
DΕ
    TGF-betal active fragment of a TGF-beta fusion protein.
XX
KW
    Transforming growth factor-beta fusion protein; wound healing;
    artificial skin; surgery recovery time.
KW
XX
OS
    Homo sapiens.
XX
    WO9639430-A1.
PN
XX
PD
    12-DEC-1996.
XX
PF
    05-JUN-1996; 96WO-US08973.
XX
PR
    06-JUN-1995; 95US-0470837.
XX
    (CHEU/) CHEUNG D T.
PA
     (HALL/) HALL F L.
PA
PΑ
     (NIMN/) NIMNI M E.
PA
     (TUAN/) TUAN T.
PΑ
     (WULL/) WU L.
XX
ΡI
    Cheung DT, Hall FL, Nimni ME,
                                   Tuan T, Wu L;
XX
    WPI; 1997-043065/04.
DR
    N-PSDB; AAT42771.
DR
XX
PT
    Prepn. of transforming growth factor-beta fusion protein - useful to
PT
    reduce surgery recovery time and to prepare artificial skin
```

```
XX
PS
     Claim 12; Page 45-46; 59pp; English.
XX
CC
     A novel transforming growth factor-beta (TGF-beta) fusion protein
CC
     comprises a purification tag and a TGF active fragment. The present
CC
     sequence represents a specifically claimed TGF-betal active fragment.
CC
     Additionally, the fusion protein may comprise proteinase-sensitive
CC
     linker sites and binding domain so the protein sequence may contain
CC
     some or all of the following elements: purification tag:proteinase
CC
     site: ECM binding site: proteinase site: TGF-beta. TGF-beta promotes
CC
     wound healing, and the fusion protein can be used to reduce surgery
CC
     recovery time and in the preparation of artificial skin. The inclusion
CC
     of a purification tag facilitates purification of the fusion protein.
CC
     The proteinase site is included to permit cleavage and release of the
CC
     purification tag after purification if desired. The extracellular
CC
     matrix binding site facilitates delivery of the fusion protein to the
CC
     desired site of action. Delivery of the TGF-beta to the site to be
CC
     treated reduces the amount of TGF-beta required to be administered to
CC
     be effective and reduces the concentration of circulating TGF-beta
CC
     which may result in undesirable effects.
XX
SO
     Sequence
               112 AA;
  Query Match
                         91.1%; Score 624; DB 18; Length 112;
  Best Local Similarity
                         93.3%; Pred. No. 1.9e-59;
  Matches 112; Conservative
                             0; Mismatches
                                                0; Indels
                                                              8; Gaps
                                                                          1;
Qу
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
                                Db
           1 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 52
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
              Db
          53 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 112
RESULT 8
AAW78781
ID
    AAW78781 standard; Protein: 112 AA.
XX
AC
    AAW78781;
XX
DT
     25-MAR-2003
                 (updated)
DT
     21-DEC-1998
                 (first entry)
XX
DE
    Human transforming growth factor-beta 1 N-terminal sequence.
XX
    Transforming growth factor-beta 1; TGF-beta 1; human.
KW
XX
OS
    Homo sapiens.
XX
PN
    US5801231-A.
XX
PD
    01-SEP-1998.
XX
PF
    30-MAY-1995;
                 95US-0454468.
XX
```

```
PR
    13-MAR-1987;
                   87US-0025423.
PR
    22-MAR-1985;
                   85US-0715142.
PR
    04-AUG-1989;
                   89US-0389929.
PR
    04-MAR-1992;
                   92US-0845893.
PR
     05-NOV-1993;
                   93US-0147364.
PR
    30-MAY-1995;
                   95US-0454468.
XX
PA
     (GETH ) GENENTECH INC.
XX
    Derynck RMA, Goeddel DV;
PΙ
XX
    WPI; 1998-494840/42.
DR
XX
PT
    DNA encoding transforming growth factor-beta precursor sequence -
PT
    useful for analysis to perform manipulations to increase yield of
PΤ
    recombinant production of the protein
XX
    Disclosure; Fig 3; 26pp; English.
PS
XX
CC
    This is the amino acid sequence of human transforming growth factor
CC
    beta-1 (TGF-beta 1, see also AAW78785). The sequence shows homology
CC
    to human TGF-beta 3 (see AAW78782), porcine TGF-beta 3 (see AAW78783)
    and bovine TGF-beta 2 (see AAW78784) N-terminal sequences. The
CC
CC
    invention relates to the recombinant production of TGF-beta. DNA
CC
    encoding TGF-beta has been isolated and cloned into vectors which
CC
    are replicated in bacteria and expressed in eukaryotic cells.
CC
    TGF-beta recovered from transformed cells can be used in known
CC
     therapeutic applications.
CC
     (Updated on 25-MAR-2003 to correct PF field.)
XX
SQ
    Sequence
               112 AA;
 Query Match
                         91.1%; Score 624; DB 19; Length 112;
                         93.3%; Pred. No. 1.9e-59;
 Best Local Similarity
 Matches 112; Conservative
                              0; Mismatches
                                              0; Indels
                                                              8;
                                                                  Gaps
                                                                          1;
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                                Db
           1 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 52
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
              53 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEOLSNMIVRSCKCS 112
Db
RESULT 9
AAY08299
ID
    AAY08299 standard; Protein; 112 AA.
XX
AC
    AAY08299;
XX
DT
    14-JUL-1999 (first entry)
XX
    Human growth factor protein fragment TGF-Betal.
DE
XX
KW
    Growth factor; human; dimer; cysteine knot; cellular inclusion body;
KW
    pharmaceutical.
```

```
XX
OS
    Homo sapiens.
XX
PN
    DE19748734-A1.
XX
PD
    06-MAY-1999.
XX
PF
    05-NOV-1997;
                   97DE-1048734.
XX
PR
    05-NOV-1997;
                   97DE-1048734.
XX
     (GBFB ) GES BIOTECHNOLOGISCHE FORSCHUNG MBH.
PA
XX
ΡI
    Erdmann H, Kaerst U, Mueller C, Rinas U, Weich H;
XX
DR
    WPI; 1999-278785/24.
XX
PT
    Preparing active growth factor dimers from inclusion bodies in high
PT
    yield
XX
    Claim 14; Page 12; 14pp; German.
PS
XX
CC
    This invention describes the novel preparation of biologically active
    dimers of recombinant human growth factors of the cysteine knot family
CC
    starting from cellular inclusion bodies. Such dimers are are useful in
CC
    pharmaceutical compositions and the method provides yields of 31-39.7%,
CC
CC
    in examples, compared with about 10% for the conventional method (see
CC
    Biochemistry, 28 (1989) 2956). AAY08278-Y08301 are human growth factor
CC
    protein fragments used in the method of the invention.
XX
SQ
    Sequence
               112 AA;
  Query Match
                         91.1%; Score 624; DB 20; Length 112;
 Best Local Similarity
                        93.3%; Pred. No. 1.9e-59;
 Matches 112; Conservative
                              0; Mismatches 0; Indels
                                                              8; Gaps
                                                                          1;
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
             111111111
                               1 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 52
Db
          61 SLDTQYSKVLALYNOHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEOLSNMIVRSCKCS 120
Qу
             53 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 112
Db
RESULT 10
AAW97091
ΙD
    AAW97091 standard; Protein; 112 AA.
XX
AC
    AAW97091;
XX
\mathsf{DT}
    20-MAR-2003
                 (updated)
DT
    28-APR-1999
                 (first entry)
XX
DΕ
    The mature form of transforming growth factor-beta-1.
XX
KW
    Transforming growth factor-beta-1; TGF-beta-like protein;
```

```
KW
    bone repair; tissue repair; bone marrow protective agent;
KW
    cardioprotection; anti-inflammatory; immunosuppressive;
KW
    ulcer; bed sore.
XX
OS
    Homo sapiens.
XX
PN
    EP891985-A1.
XX
    20-JAN-1999.
PD
XX
PF
    27-NOV-1990;
                   98EP-0113487.
XX
     06-DEC-1989;
                   89GB-0027546.
PR
PR
    27-NOV-1990; 90EP-0810922.
XX
     (NOVS ) NOVARTIS AG.
PA
XX
ΡI
    Cerletti N, Cox D, McMaster GK, Meyhack B, Schmitz A;
XX
DR
    WPI; 1999-083520/08.
    N-PSDB; AAX15245.
DR
ХX
PT
     Producing biologically active dimeric Transforming Growth
PT
    Factor-beta - by refolding new monomeric Transforming Growth
    Factor-beta, useful for treatment of wounds and cancer
PT
XX
PS
    Example 1; Page 28; 32pp; English.
XX
CC
    The present sequence represents the mature form of transforming growth
CC
     factor-beta-1. Dimeric, biologically active TGF-beta-like protein
CC
    can be produced by subjecting the denatured monomeric form to refolding
CC
    conditions. The new monomeric S-sulphonated TGF-beta-like protein is
CC
    useful for the production of the dimeric, biologically active
CC
    TGF-beta-like protein, which is useful for the treatment of wounds
     (surface or internal) and cancer in a mammal, in bone and tissue
CC
CC
    repair, as a bone marrow protective agent, a mediator of
CC
    cardioprotection, for the production of an anti-inflammatory or
CC
     immunosuppressive preparation. Treatment is useful for animals,
CC
     especially humans, and wound treatment (e.g. ulcers, bed sores etc.) is
CC
    particularly useful for the elderly.
CC
     (Updated on 20-MAR-2003 to correct PF field.)
CC
     (Updated on 20-MAR-2003 to correct PR field.)
XX
SO
    Sequence 112 AA;
 Query Match
                         91.1%; Score 624; DB 20; Length 112;
 Best Local Similarity
                         93.3%; Pred. No. 1.9e-59;
 Matches 112; Conservative
                               0; Mismatches
                                                0; Indels
                                                              8; Gaps
                                                                          1;
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
             111111111
                                Db
           1 ALDTNYCFSST-----EKNCCVROLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 52
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
QУ
             Db
          53 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 112
```

S-sulphonated TGF-beta-like protein; wound treatment; cancer;

KW

```
RESULT 11
AAW84207
ID
     AAW84207 standard; Protein; 112 AA.
XX
AC
     AAW84207;
XX
DT
     25-MAR-1999
                 (first entry)
XX
DE
     Transforming growth factor beta active fragment.
XX
KW
     Proteinase site; bone morphogenetic fusion protein; bone binding site;
KW
     bone morphogenetic protein; transforming growth factor beta;
KW
     active fragment; wound healing; bone growth; purification tag.
XX
OS
     Homo sapiens.
XX
     WO9855137-A1.
PN
XX
     10-DEC-1998.
PD
XX
PF
     02-JUN-1998;
                    98WO-US11189.
XX
PR
     03-JUN-1997;
                  97US-0868452.
XX
PΑ
     (HALL/) HALL F L.
     (HANB/) HAN B.
PA
     (NIMN/) NIMNI M E.
PΑ
PΑ
     (SHOR/) SHORS E C.
PΑ
     (WULL/) WU L.
XX
PΙ
     Hall FL, Han B, Nimni ME, Shors EC, Wu L;
XX
DR
     WPI; 1999-059875/05.
     N-PSDB; AAV99375.
DR
XX
PT
     New bone morphogenetic fusion proteins - comprising a purification
PT
     tag and a bone morphogenetic active fragment, used for enhancing
PT
     wound healing or bone growth
XX
PS
     Example 1; Page 41; 64pp; English.
XX
CC
     The present sequence represents a transforming growth factor beta active
CC
     fragment. The protein can be used in place of a bone morphogenetic
CC
     active fragment to create the fusion proteins of the invention. When a
CC
     bone morphogenetic active fragment is used, the fusion proteins are
CC
     designated bone morphogenetic fusion proteins. The bone morphogenetic
CC
     fusion protein may contain some or all of the following elements: a
CC
     purification tag, a proteinase site, an ECM/bone binding site, a second
CC
     proteinase site, and a bone morphogenetic protein active fragment.
CC
     The bone morphogenetic fusion proteins can be used for enhancing wound
CC
     healing or bone growth.
XX
SQ
     Sequence
                112 AA;
  Query Match
                          91.1%; Score 624; DB 20; Length 112;
```

```
Best Local Similarity
                        93.3%; Pred. No. 1.9e-59;
 Matches 112; Conservative
                               0; Mismatches 0; Indels
                                                              8; Gaps
                                                                         1;
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                               Db
           1 ALDTNYCFSST--
                          ----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 52
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
          53 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 112
RESULT 12
AAY92010
ID
    AAY92010 standard; Protein; 112 AA.
XX
AC
    AAY92010;
XX
DT
    19-JUL-2000 (first entry)
XX
    Human transforming growth factor beta 1 monomer.
DE
XX
KW
    human transforming growth factor beta 1 monomer; CKGF; mutant;
KW
    cystine knot growth factor; hairpin loop; infertility.
XX
OS
    Homo sapiens.
XX
FH
    Key
                    Location/Qualifiers
FT
    Misc-difference 1..20
FT
                    /note= "optionally mutated to increase electrostatic
FT
                           interaction between beta hairpin structure and
FT
                           a receptor"
FT
    Domain
                    21..40
FT
                    /label= beta_hairpin_loop_1
FΤ
                    /note= "mutant optionally comprises one or more
FT
                           substitutions in these residues"
FT
    Misc-difference 41..81
FT
                    /note= "optionally mutated to increase electrostatic
FT
                           interaction between beta hairpin structure and
FT
                           a receptor"
FT
    Domain
                    82..102
FT
                    /label= beta hairpin loop 3
FT
                    /note= "mutant optionally comprises one or more
FT
                           substitutions in these residues"
    Misc-difference 103..112
FT
FT
                    /note= "optionally mutated to increase electrostatic
FT
                           interaction between beta hairpin structure and
FT
                           a receptor"
XX
PN
    WO200017360-A1.
XX
PD
    30-MAR-2000.
XX
PF
    19-MAR-1999; 99WO-US05908.
XX
PR
    22-SEP-1998;
                   98WO-US19772.
XX
```

```
PΑ
     (UYMA-) UNIV MARYLAND BALTIMORE.
XX
PΙ
    Weintraub BD, Szkudlinski MW;
XX
DR
    WPI; 2000-283585/24.
XX
PT
    New mutant cystine knot growth factor proteins comprising one or more
PΤ
    mutant subunits, useful for treating or preventing diseases e.g.
PT
    hypothyroidism and thyroid cancer
XX
PS
    Claim 193; Page 300; 320pp; English.
XX
CC
    This is the wild type human transforming growth factor beta 1 monomer.
CC
    Mutants comprise at least one electrostatic charge altering mutation in a
CC
    beta hairpin loop, resulting in increased bioactivity.
CC
    Mutant cystine knot growth factor (CKGF) proteins comprising one or more
CC
    mutant subunits and having novel properties or improved pharmacological
CC
    properties, compared to wild type CKGFs, are claimed. The CKGF
CC
    superfamily comprises at least four families of growth factors: the
CC
    glycoprotein hormones, the platelet-derived growth factor (PDGF) family,
CC
    the neurotrophins and the transforming growth factor-beta family; the
CC
    families are known to be structurally similar (especially comprising the
    cystine knot topology) and it was shown that mutations at certain
CC
CC
    positions in the CKGF hairpin loops of family members and other members
CC
    of the CKGF superfamily could significantly alter the biological
CC
    activities of the CKGF.
CC
    Mutant transforming growth factor family proteins or analogues are useful
CC
    for treatment of ovulatory dysfunction, luteal phase defect, unexplained
CC
    infertility, time-limited conception and in assisted reproduction.
XX
SQ
    Sequence
               112 AA;
  Query Match
                         91.1%; Score 624; DB 21; Length 112;
                         93.3%; Pred. No. 1.9e-59;
 Best Local Similarity
 Matches 112; Conservative
                              0; Mismatches
                                               0; Indels
                                                              8; Gaps
                                                                          1:
Qу
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
                                Db
           1 ALDTNYCFSST-----EKNCCVROLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 52
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
              Db
          53 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 112
RESULT 13
AAY67950
ΙD
    AAY67950 standard; protein; 112 AA.
XX
AC
    AAY67950;
XX
DT
    03-APR-2000 (first entry)
XX
DΕ
    Human transforming growth factor SEQ ID NO:2.
XX
KW
    Human; transforming growth factor; Pax4 gene; expression; potentiator;
KW
    insulin; pancreatic beta cell; diabetes.
```

```
XX
OS
    Homo sapiens.
XX
PN
    WO9966073-A1.
XX
PD
    23-DEC-1999.
XX
PF
    15-JUN-1999;
                   99WO-JP03182.
XX
PR
    16-JUN-1998;
                  98JP-0167976.
XX
PΑ
     (YAMA ) YAMANOUCHI PHARM CO LTD.
XX
ΡI
    Ueda Y;
XX
DR
    WPI; 2000-097752/08.
XX
PΤ
    Screening potential Pax4 gene potentiators, used in treatment of, e.g.
PT
    diabetes -
XX
PS
    Disclosure; Page 29; 38pp; Japanese.
XX
CC
    The present invention describes the a method for screening potential
CC
    inhibitors of the expression of the Pax4 gene by contacting the
CC
    potential inhibitor with pancreatic beta cells and measuring the
CC
    expression of the gene in these cells is new. Substances identified
CC
    by the screening method potentiate the expression of the Pax4 gene in
CC
    pancreatic beta cells and accelerate the expression of insulin gene in
CC
    those cells. The method can be used in the treatment of disorders in
CC
    which the exhaustion of pancreatic beta cells is involved, such as
CC
    diabetes. The present sequence represents the human transforming growth
CC
    factor protein which is used in the exemplification of the present
CC
    invention.
XX
SO
    Sequence
               112 AA;
  Query Match
                         91.1%; Score 624; DB 21; Length 112;
 Best Local Similarity
                         93.3%; Pred. No. 1.9e-59;
 Matches 112; Conservative
                             0; Mismatches
                                              0; Indels
                                                              8; Gaps
                                                                         1:
           1 ALDTNYCFSSTDYKDDDDKEKNCCVROLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                               Db
           1 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 52
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
ОУ
             Db
          53 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 112
RESULT 14
AAB35937
    AAB35937 standard; protein; 112 AA.
ΙD
XX
AC
    AAB35937;
XX
DT
    26-FEB-2001 (first entry)
XX
```

```
TGF-beta 1 amino acid sequence.
DE
XX
KW
     Heparin binding; vascular graft; matrix; cell adhesion; growth factor;
     wound healing; dermal wound; wound healing; TGF-beta 1.
KW
XX
OS
     Unidentified.
XX
PN
     WO200064481-A1.
XX
PD
     02-NOV-2000.
XX
PF
     22-APR-1999;
                   99WO-IB00800.
XX
PR
     22-APR-1999;
                 99WO-IB00800.
XX
     (ETHZ-) ETH ZURICH & UNIV ZURICH.
PA
XX
PΙ
     Sakiyama SE, Hubbell JA;
XX
    WPI; 2001-024627/03.
DR
XX
     Matrix for controlled release of growth factor for wound healing, has
PT
     substrate that attaches heparin binding peptide, protein growth factor
PT
PT
     that bind heparin with low affinity, and heparin or heparin-like
PT
     polymer
XX
     Example 5; Page 21; 48pp; English.
PS
XX
CC
     This invention relates to a matrix comprising a substrate capable of
     providing attachment of a heparin binding peptide (HBP), a peptide
CC
     comprising a binding domain which binds heparin with high affinity,
CC
     heparin or heparin-like polymer, and a protein growth factor or peptide
CC
CC
     fragment which has a domain that binds heparin with low affinity.
CC
     Included in the invention is a vascular graft comprising the matrix,
     which is capable of supporting cell adhesion. The matrix is used for
CC
CC
     delivering low heparin binding affinity growth factor proteins or
     peptides in a controlled manner suitable for wound healing. The matrix
CC
CC
     can be used in an article for treating dermal wounds, and in an
     implantable sterilized composition capable of supporting cell adhesion.
CC
CC
     The present sequence represents a growth factor protein. The protein is
     used in an example illustrating that non-heparin-binding growth factors
CC
CC
     can be released in a controlled manner from heparin-based drug delivery
CC
     systems based on their low affinity for heparin.
XX
SO
     Sequence
               112 AA;
                         91.1%; Score 624; DB 22; Length 112;
  Query Match
  Best Local Similarity
                         93.3%; Pred. No. 1.9e-59;
  Matches 112; Conservative
                                0; Mismatches
                                                0; Indels
                                                                  Gaps
                                                                          1;
            1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
              1 ALDTNYCFSST-----EKNCCVROLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 52
Db
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
              Db
           53 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 112
```

```
RESULT 15
AAM51939
ID
     AAM51939 standard; protein; 112 AA.
XX
AC
     AAM51939;
XX
DT
     01-FEB-2002 (first entry)
XX
DE
     Human TGFbeta protein superfamily protein TGFbetal.
XX
KW
     Human; TGFbeta; transforming growth factor beta; mutant; antagonist;
KW
     agonist; ectopic bone formation; psoriasis; muscular atrophy; scar;
KW
     formation; fibrosis; cirrhosis; osteopathic; antipsoriatic;
KW
     antifibrotic; hepatotropic; vulnerary; TGFbetal.
XX
OS
     Homo sapiens.
XX
PN
     DE10026713-A1.
XX
PD
     06-DEC-2001.
XX
ΡF
     30-MAY-2000; 2000DE-1026713.
XX
PR
     30-MAY-2000; 2000DE-1026713.
XX
PA
     (SEBA/) SEBALD W.
XX
     Sebald W, Nickel J;
PΙ
XX
DR
     WPI; 2002-042559/06.
XX
PT
     New mutein of transforming growth factor-beta superfamily protein,
PT
     useful for treating or preventing e.g. ectopic bone formation, competes
PT
     for receptor binding
XX
PS
     Disclosure; Fig 6; 54pp; German.
XX
CC
     The present invention relates to muteins of a chain of a protein which,
     when in the form of a homodimer, has antagonistic or partial agonistic
CC
CC
     activity, and where the mutation results in the protein binding with low
CC
     affinity to its receptor. The protein is a member of the transforming
CC
     growth factor beta (TGFbeta) superfamily. The mutant sequences of the
CC
     invention can be used in the treatment of diseases associated with the
     overexpression of TGFbeta family proteins, including ectopic bone
CC
CC
     formation, psoriasis, muscular atrophy, scar formation, fibrosis and
CC
     cirrhosis. The present sequence is the human TGFbetal protein.
XX
SO
     Sequence
                112 AA;
  Query Match
                          91.1%; Score 624; DB 23;
                                                       Length 112;
  Best Local Similarity
                          93.3%; Pred. No. 1.9e-59;
  Matches 112; Conservative
                                0; Mismatches
                                                  0; Indels
                                                                  8;
                                                                      Gaps
                                                                              1;
            1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
```

```
Db
           1 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 52
Qу
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
             Db
          53 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 112
Search completed: October 28, 2003, 09:06:47
Job time : 10.0108 secs
                            GenCore version 5.1.6
                 Copyright (c) 1993 - 2003 Compugen Ltd.
OM protein - protein search, using sw model
Run on:
               October 28, 2003, 09:09:54; Search time 7.28061 Seconds
                                         (without alignments)
                                         2760.110 Million cell updates/sec
Title:
               US-10-017-372E-15
Perfect score: 685
Sequence:
               1 ALDTNYCFSSTDYKDDDDKE.....GRKPKVEQLSNMIVRSCKCS 120
Scoring table: BLOSUM62
               Gapop 10.0 , Gapext 0.5
Searched:
               629382 segs, 167460630 residues
Total number of hits satisfying chosen parameters: 629382
Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
                Maximum Match 100%
                Listing first 45 summaries
Database :
                Published Applications AA:*
               1: /cgn2 6/ptodata/2/pubpaa/US07_PUBCOMB.pep:*
               2: /cgn2 6/ptodata/2/pubpaa/PCT NEW PUB.pep:*
               3: /cgn2 6/ptodata/2/pubpaa/US06 NEW PUB.pep:*
                  /cgn2_6/ptodata/2/pubpaa/US06 PUBCOMB.pep:*
                  /cgn2_6/ptodata/2/pubpaa/US07 NEW_PUB.pep:*
               6: /cgn2 6/ptodata/2/pubpaa/PCTUS PUBCOMB.pep:*
               7: /cgn2 6/ptodata/2/pubpaa/US08 NEW PUB.pep:*
               8: /cgn2 6/ptodata/2/pubpaa/US08 PUBCOMB.pep:*
               9: /cgn2_6/ptodata/2/pubpaa/US09A PUBCOMB.pep:*
               10: /cgn2 6/ptodata/2/pubpaa/US09B PUBCOMB.pep:*
               11: /cgn2 6/ptodata/2/pubpaa/US09C_PUBCOMB.pep:*
               12:
                    /cgn2_6/ptodata/2/pubpaa/US09_NEW_PUB.pep:*
               13:
                   /cgn2_6/ptodata/2/pubpaa/US10A_PUBCOMB.pep:*
               14: /cgn2_6/ptodata/2/pubpaa/US10B_PUBCOMB.pep:*
               15: /cgn2 6/ptodata/2/pubpaa/US10C PUBCOMB.pep:*
               16: /cgn2 6/ptodata/2/pubpaa/US10 NEW PUB.pep:*
               17: /cgn2_6/ptodata/2/pubpaa/US60_NEW_PUB.pep:*
```

18: /cgn2_6/ptodata/2/pubpaa/US60_PUBCOMB.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

		૪				
Result		Query			_	
No.	Score		Length	DB	ID	Description
1	624	91.1	112	10	US-09-813-271B-2	Sequence 2, Appli
2	624	91.1	113	10	US-09-813-398-13	Sequence 13, Appl
3	624	91.1	114	10	US-09-813-459-22	Sequence 22, Appl
4	624	91.1	114	14	US-10-115-406-21	Sequence 21, Appl
5	624	91.1	114	15	US-10-154-333-23	Sequence 23, Appl
6	624	91.1	115	10	US-09-859-211-47	Sequence 47, Appl
7	624	91.1	115	10	US-09-880-708-25	Sequence 25, Appl
8	624	91.1	115	11	US-09-872-856-47	Sequence 47, Appl
9	624	91.1	115	15	US-10-335-483-29	Sequence 29, Appl
10	624	91.1	139	14	US-10-002-278-8	Sequence 8, Appli
11	624	91.1	315	11	US-09-214-592-25	Sequence 25, Appl
12	624	91.1	390	10	US-09-756-283A-23	Sequence 23, Appl
13	624	91.1	390	11	US-09-214-592-26	Sequence 26, Appl
14	624	91.1	390	11	US-09-214-592-28	Sequence 28, Appl
15	624	91.1	390	11	US-09-214-592-29	Sequence 29, Appl
16	624	91.1	390	11	US-09-214-592-33	Sequence 33, Appl
17	624	91.1	390	12	US-10-276-947-1	Sequence 1, Appli
18	624	91.1	390	15	US-10-087-268-2	Sequence 2, Appli
19	624	91.1	390	15	US-10-087-268-5	Sequence 5, Appli
20	624	91.1	391	11	US-09-214-592-17	Sequence 17, Appl
21	621	90.7	390	11	US-09-214-592-20	Sequence 20, Appl
22	621	90.7	390	11	US-09-214-592-23	Sequence 23, Appl
23	562	82.0	98	12	US-10-187-394-1	Sequence 1, Appli
24	540	78.8	116	14	US-10-115-406-24	Sequence 24, Appl
25 26	540	78.8	116	15	US-10-154-333-26	Sequence 26, Appl
26 27	540 529	78.8 77.2	373	11	US-09-214-592-32	Sequence 32, Appl
28	529	76.1	304 112	10 10	US-09-756-283A-26 US-09-813-271B-8	Sequence 26, Appl
29	499	72.8	98	12	US-10-187-394-4	Sequence 8, Appli Sequence 4, Appli
30	491	72.8	114	14	US-10-115-406-25	Sequence 25, Appl
31	491	71.7	114	15		Sequence 27, Appl
32	491	71.7	382	11	US-09-214-592-34	Sequence 34, Appl
33	490	71.5	112	10	US-09-813-271B-12	Sequence 12, Appl
34	489	71.4	383	10	US-09-756-283A-27	Sequence 27, Appl
35	486	70.9	112	10	US-09-813-271B-6	Sequence 6, Appli
36	486	70.9	113	10	US-09-813-398-15	Sequence 15, Appl
37	486	70.9	114	10	US-09-813-459-24	Sequence 24, Appl
38	486	70.9	114	14	US-10-115-406-23	Sequence 23, Appl
39	486	70.9	114	15	US-10-154-333-25	Sequence 25, Appl
40	486	70.9	115	10	US-09-880-708-27	Sequence 27, Appl
41	486	70.9	410	11	US-09-214-592-22	Sequence 22, Appl
42	486	70.9	412	11	US-09-214-592-19	Sequence 19, Appl
43	486	70.9	412	14	US-10-028-158-21	Sequence 21, Appl
44	485	70.8	412	11	US-09-214-592-24	Sequence 24, Appl
45	483	70.5	412	11	US-09-214-592-31	Sequence 31, Appl

ALIGNMENTS

```
RESULT 1
US-09-813-271B-2
; Sequence 2, Application US/09813271B
; Patent No. US20020115834A1
   GENERAL INFORMATION:
        APPLICANT:
                   (A) Nico Cerletti
        TITLE OF INVENTION: New process for the production of
                            biologically active protein
        NUMBER OF SEQUENCES: 13
        CORRESPONDENCE ADDRESS:
             ADDRESSEE: No. US20020115834A1artis Patent Department
             STREET: 564 Morris Avenue
             CITY: Summit
             STATE: New Jersey
             COUNTRY: USA
             ZIP: 07901
        COMPUTER READABLE FORM:
             MEDIUM TYPE: Floppy disk
             COMPUTER: IBM PC compatible
             OPERATING SYSTEM: PC-DOS/MS-DOS
             SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
         CURRENT APPLICATION DATA:
             APPLICATION NUMBER: US/09/813,271B
             FILING DATE: 20-Mar-2001
         PRIOR APPLICATION DATA:
             APPLICATION NUMBER: PCT/EP95/02719
             FILING DATE: 12-Jul-95
             APPLICATION NUMBER: EPO 94810439.3
             FILING DATE: 25-Jul-94
        ATTORNEY/AGENT INFORMATION:
             NAME: Pfeiffer, Hesna J.
             REGISTRATION NUMBER: 22640
             REFERENCE/DOCKET NUMBER: 4-20039C/C1C1/USN
         TELECOMMUNICATION INFORMATION:
             TELEPHONE: (908) 522-6940
             TELEFAX: (908) 522-6955
    INFORMATION FOR SEQ ID NO: 2:
         SEQUENCE CHARACTERISTICS:
             LENGTH: 112 amino acids
             TYPE: amino acid
             TOPOLOGY: linear
        MOLECULE TYPE: protein
        SEQUENCE DESCRIPTION: SEQ ID NO: 2:
US-09-813-271B-2
 Query Match
                         91.1%; Score 624; DB 10; Length 112;
 Best Local Similarity 93.3%; Pred. No. 1.5e-57;
 Matches 112; Conservative
                              0; Mismatches 0; Indels
                                                               8; Gaps
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
             1 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 52
Db
```

```
61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
            Db
          53 SLDTOYSKVLALYNOHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 112
RESULT 2
US-09-813-398-13
; Sequence 13, Application US/09813398
; Patent No. US20020169292A1
; GENERAL INFORMATION:
 APPLICANT: Bruce D. Weintraub
  APPLICANT: Mariusz W. Szkudlinski
  APPLICANT: University of Maryland
  TITLE OF INVENTION: CYSTINE KNOT GROWTH FACTOR MUTANTS
 FILE REFERENCE: UOFMD.003C1
 CURRENT APPLICATION NUMBER: US/09/813,398
; CURRENT FILING DATE: 2001-03-20
 PRIOR APPLICATION NUMBER: PCT/US99/05908
 PRIOR FILING DATE: 1999-03-19
  PRIOR APPLICATION NUMBER: PCT/US98/19772
  PRIOR FILING DATE: 1998-09-22
 NUMBER OF SEQ ID NOS: 41
  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 13
   LENGTH: 113
   TYPE: PRT
   ORGANISM: HOMO SAPIEN
US-09-813-398-13
 Query Match
                       91.1%; Score 624; DB 10; Length 113;
 Best Local Similarity 93.3%; Pred. No. 1.5e-57;
 Matches 112; Conservative
                             0; Mismatches
                                                          8; Gaps
                                            0; Indels
                                                                     1:
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                             2 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 53
Db
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
QУ
             Db
          54 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 113
RESULT 3
US-09-813-459-22
; Sequence 22, Application US/09813459
; Patent No. US20020107369A1
   GENERAL INFORMATION:
        APPLICANT: Lee, Se-Jin
                  Cunningham, No. US20020107369Aleen
        TITLE OF INVENTION: GROWTH DIFFERENTIATION FACTOR-10
        NUMBER OF SEQUENCES: 26
        CORRESPONDENCE ADDRESS:
            ADDRESSEE: Spensley Horn Jubas & Lubitz
            STREET: 1880 Century Park East, Suite 500
            CITY: Los Angeles
            STATE: California
            COUNTRY: USA
```

```
ZIP: 90067
        COMPUTER READABLE FORM:
             MEDIUM TYPE: Floppy disk
             COMPUTER: IBM PC compatible
             OPERATING SYSTEM: PC-DOS/MS-DOS
             SOFTWARE: PatentIn Release #1.0, Version #1.25
        CURRENT APPLICATION DATA:
             APPLICATION NUMBER: US/09/813,459
             FILING DATE: 20-Mar-2001
             CLASSIFICATION: <Unknown>
        PRIOR APPLICATION DATA:
             APPLICATION NUMBER: 08/624,635
             FILING DATE: <Unknown>
        ATTORNEY/AGENT INFORMATION:
             NAME: Wetherell, Jr., Ph.D., John R.,
             REGISTRATION NUMBER: 31,678
             REFERENCE/DOCKET NUMBER: PD-3054
        TELECOMMUNICATION INFORMATION:
             TELEPHONE: (619) 455-5100
             TELEFAX: (619) 455-5110
   INFORMATION FOR SEQ ID NO: 22:
        SEQUENCE CHARACTERISTICS:
             LENGTH: 114 amino acids
             TYPE: amino acid
             STRANDEDNESS: single
             TOPOLOGY: linear
        MOLECULE TYPE: protein
        IMMEDIATE SOURCE:
             CLONE: TGF-beta-1
        FEATURE:
             NAME/KEY: Protein
             LOCATION: 1..114
        SEQUENCE DESCRIPTION: SEQ ID NO: 22:
US-09-813-459-22
                        91.1%; Score 624; DB 10; Length 114;
 Query Match
                        93.3%; Pred. No. 1.5e-57;
 Best Local Similarity
                                              0;
 Matches 112; Conservative
                               0; Mismatches
                                                   Indels
                                                             8; Gaps
                                                                         1;
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
             1111111111
                               Db
           3 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 54
Qу
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEOLSNMIVRSCKCS 120
             55 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 114
Db
RESULT 4
US-10-115-406-21
; Sequence 21, Application US/10115406
; Publication No. US20020127612A1
; GENERAL INFORMATION:
; APPLICANT: THE JOHNS HOPKINS UNIVERSITY SCHOOL OF MEDICINE
; APPLICANT: LEE, Se-Jin
 TITLE OF INVENTION: GROWTH DIFFERENTIATION FACTOR-9
; FILE REFERENCE: JHU1190-3
```

```
CURRENT APPLICATION NUMBER: US/10/115,406
  CURRENT FILING DATE: 2002-04-02
  PRIOR APPLICATION NUMBER: 09/301,520
  PRIOR FILING DATE: 1999-04-28
  PRIOR APPLICATION NUMBER: US 09/172,062
  PRIOR FILING DATE: 1998-10-13
  PRIOR APPLICATION NUMBER: US 08/491,835
  PRIOR FILING DATE: 1995-10-23
  PRIOR APPLICATION NUMBER: PCT/US94/00685
  PRIOR FILING DATE: 1994-01-12
  PRIOR APPLICATION NUMBER: US 08/003,303
  PRIOR FILING DATE: 1993-01-12
  NUMBER OF SEQ ID NOS: 28
  SOFTWARE: PatentIn version 3.0
: SEO ID NO 21
   LENGTH: 114
   TYPE: PRT
   ORGANISM: Homo sapiens
US-10-115-406-21
                        91.1%; Score 624; DB 14; Length 114;
 Query Match
 Best Local Similarity 93.3%; Pred. No. 1.5e-57;
 Matches 112; Conservative 0; Mismatches
                                              0;
                                                   Indels
                                                             8; Gaps
                                                                        1:
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                               11111111
Db
           3 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 54
Qу
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
             Db
          55 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 114
RESULT 5
US-10-154-333-23
; Sequence 23, Application US/10154333
; Publication No. US20030109684A1
   GENERAL INFORMATION:
        APPLICANT: JOHNS HOPKINS UNIVERSITY
        TITLE OF INVENTION: GROWTH DIFFERENTIATION FACTOR-3
        NUMBER OF SEQUENCES: 29
        CORRESPONDENCE ADDRESS:
             ADDRESSEE: SPENSLEY HORN JUBAS & LUBITZ
             STREET: 1880 CENTURY PARK EAST, FIFTH FLOOR
             CITY: LOS ANGELES
             STATE: CALIFORNIA
             COUNTRY: US
             ZIP: 90067
        COMPUTER READABLE FORM:
             MEDIUM TYPE: Floppy disk
             COMPUTER: IBM PC compatible
             OPERATING SYSTEM: PC-DOS/MS-DOS
             SOFTWARE: PatentIn Release #1.0, Version #1.25
        CURRENT APPLICATION DATA:
             APPLICATION NUMBER: US/10/154,333
             FILING DATE: 21-May-2002
             CLASSIFICATION: <Unknown>
```

```
PRIOR APPLICATION DATA:
             APPLICATION NUMBER: US/09/389,705
             FILING DATE: 03-Sep-1999
             APPLICATION NUMBER: 09/153,733
             FILING DATE: <Unknown>
        ATTORNEY/AGENT INFORMATION:
             NAME: WETHERELL, JR. Ph.D., JOHN R.
             REGISTRATION NUMBER: 31,678
             REFERENCE/DOCKET NUMBER: FD2279 PCT
        TELECOMMUNICATION INFORMATION:
             TELEPHONE: (619) 455-5100
             TELEFAX: (619) 455-5110
   INFORMATION FOR SEQ ID NO: 23:
        SEQUENCE CHARACTERISTICS:
             LENGTH: 114 amino acids
             TYPE: amino acid
             STRANDEDNESS: single
             TOPOLOGY: linear
        MOLECULE TYPE: protein
        IMMEDIATE SOURCE:
             CLONE: TGF-beta 1
        FEATURE:
             NAME/KEY: Protein
             LOCATION: 1..114
        SEQUENCE DESCRIPTION: SEQ ID NO: 23:
US-10-154-333-23
 Query Match
                        91.1%; Score 624; DB 15; Length 114;
 Best Local Similarity
                        93.3%; Pred. No. 1.5e-57;
                               0; Mismatches
 Matches 112; Conservative
                                             0; Indels
                                                             8; Gaps
                                                                        1;
Qу
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
             11111111
                               Db
           3 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 54
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
          55 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 114
RESULT 6
US-09-859-211-47
; Sequence 47, Application US/09859211
; Patent No. US20020157125A1
; GENERAL INFORMATION:
; APPLICANT: Lee, Se-Jin
  APPLICANT: McPherron, Alexandra C.
  TITLE OF INVENTION: GROWTH DIFFERENTIATION FACTOR-8
  FILE REFERENCE: 07265/144001
  CURRENT APPLICATION NUMBER: US/09/859,211
  CURRENT FILING DATE: 2001-05-15
  PRIOR APPLICATION NUMBER: 09/019,070
  PRIOR FILING DATE: 1998-02-05
  PRIOR APPLICATION NUMBER: 08/862,445
  PRIOR FILING DATE: 1997-05-23
  PRIOR APPLICATION NUMBER: 08/847,910
  PRIOR FILING DATE: 1997-04-28
```

```
PRIOR FILING DATE: 1997-02-05
  PRIOR APPLICATION NUMBER: 08/525,596
  PRIOR FILING DATE: 1995-10-26
  PRIOR APPLICATION NUMBER: PCT/US94/03019
  PRIOR FILING DATE: 1994-03-18
  PRIOR APPLICATION NUMBER: 08/033,923
  PRIOR FILING DATE: 1993-03-19
  NUMBER OF SEQ ID NOS: 51
  SOFTWARE: FastSEQ for Windows Version 4.0
; SEO ID NO 47
   LENGTH: 115
   TYPE: PRT
   ORGANISM: Homo sapiens
US-09-859-211-47
 Query Match
                        91.1%; Score 624; DB 10; Length 115;
 Best Local Similarity
                        93.3%; Pred. No. 1.5e-57;
 Matches 112; Conservative
                               0; Mismatches
                                               0; Indels
                                                             8; Gaps
                                                                        1;
Qу
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
                               Db
           4 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 55
Qу
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
             Db
          56 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 115
RESULT 7
US-09-880-708-25
; Sequence 25, Application US/09880708
; Patent No. US20020165361A1
   GENERAL INFORMATION:
        APPLICANT: Lee, Se-Jin
                  Huynh, Thanh
        TITLE OF INVENTION: GROWTH DIFFERENTIATION FACTOR-5
        NUMBER OF SEQUENCES: 28
        CORRESPONDENCE ADDRESS:
             ADDRESSEE: Gray Cary Ware & Freidenrich LLP
             STREET: 4365 Executive Drive, Suite 1600
             CITY: San Diego
             STATE: CA
             COUNTRY: USA
             ZIP: 92121-2189
        COMPUTER READABLE FORM:
             MEDIUM TYPE: Diskette
             COMPUTER: IBM Compatible
             OPERATING SYSTEM: Windows95
             SOFTWARE: FastSEQ for Windows Version 2.0
        CURRENT APPLICATION DATA:
             APPLICATION NUMBER: US/09/880,708
             FILING DATE: 12-Jun-2001
        PRIOR APPLICATION DATA:
             APPLICATION NUMBER: 09/145,060
             FILING DATE: <Unknown>
             APPLICATION NUMBER: 08/003,144
```

PRIOR APPLICATION NUMBER: 08/795,071

```
ATTORNEY/AGENT INFORMATION:
             NAME: Lisa A. Haile, Ph.D.
             REGISTRATION NUMBER: 38,347
             REFERENCE/DOCKET NUMBER: 07265/057002
        TELECOMMUNICATION INFORMATION:
             TELEPHONE: 858/677-1456
             TELEFAX: 619/677-1465
   INFORMATION FOR SEQ ID NO: 25:
        SEQUENCE CHARACTERISTICS:
             LENGTH: 115 amino acids
             TYPE: amino acid
             TOPOLOGY: linear
        MOLECULE TYPE: protein
        IMMEDIATE SOURCE:
             CLONE: TGF-beta-1
        SEQUENCE DESCRIPTION: SEQ ID NO: 25:
US-09-880-708-25
                        91.1%; Score 624; DB 10; Length 115;
 Query Match
 Best Local Similarity
                        93.3%; Pred. No. 1.5e-57;
 Matches 112; Conservative
                               0; Mismatches
                                               0; Indels
                                                             8; Gaps
                                                                         1:
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                               1111111111
Db
           4 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 55
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
          56 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 115
RESULT 8
US-09-872-856-47
; Sequence 47, Application US/09872856
; Publication No. US20030074680A1
; GENERAL INFORMATION:
 APPLICANT: Johns Hopkins University School of Medicine
  APPLICANT: Lee, Se-Jin
  APPLICANT: McPherron, Alexandra
  TITLE OF INVENTION: Growth Differentiation Factor-8
  FILE REFERENCE: JHU1120-17
  CURRENT APPLICATION NUMBER: US/09/872,856
  CURRENT FILING DATE: 2001-06-01
  PRIOR APPLICATION NUMBER: US 09/124,180
  PRIOR FILING DATE: 1998-07-28
  PRIOR APPLICATION NUMBER: US 09/019,070
  PRIOR FILING DATE: 1998-02-05
  PRIOR APPLICATION NUMBER: US 08/862,445
   PRIOR FILING DATE: 1997-05-23
   PRIOR APPLICATION NUMBER: US 08/847,910
  PRIOR FILING DATE: 1997-04-28
  PRIOR APPLICATION NUMBER: US 08/795,071
  PRIOR FILING DATE: 1997-02-05
  PRIOR APPLICATION NUMBER: US 08/525,596
  PRIOR FILING DATE: 1995-10-25
  PRIOR APPLICATION NUMBER: PCT/US 94/03019
```

FILING DATE: 12-JAN-1993

```
PRIOR FILING DATE: 1994-03-18
  PRIOR APPLICATION NUMBER: US 08/033,923
  PRIOR FILING DATE: 1993-03-19
  NUMBER OF SEQ ID NOS: 53
  SOFTWARE: PatentIn version 3.1
; SEQ ID NO 47
   LENGTH: 115
   TYPE: PRT
   ORGANISM: Homo sapiens
US-09-872-856-47
 Query Match
                        91.1%; Score 624; DB 11; Length 115;
 Best Local Similarity 93.3%; Pred. No. 1.5e-57;
 Matches 112; Conservative
                            0; Mismatches
                                              0; Indels
                                                            8; Gaps
                                                                        1;
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
             Db
           4 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 55
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
          56 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 115
RESULT 9
US-10-335-483-29
; Sequence 29, Application US/10335483
; Publication No. US20030120058A1
   GENERAL INFORMATION:
        APPLICANT: Huynh, Thanh
                  Lee, Se-Jin
        TITLE OF INVENTION: GROWTH DIFFERENTIATION FACTOR-8
        NUMBER OF SEQUENCES: 32
        CORRESPONDENCE ADDRESS:
             ADDRESSEE: Fish & Richardson P.C.
             STREET: 4225 Executive Square, Suite 1400
             CITY: La Jolla
             STATE: CA
             COUNTRY: US
             ZIP: 92037
        COMPUTER READABLE FORM:
            MEDIUM TYPE: Diskette
             COMPUTER: IBM Compatible
             OPERATING SYSTEM: Windows95
             SOFTWARE: FastSEQ for Windows Version 2.0
        CURRENT APPLICATION DATA:
            APPLICATION NUMBER: US/10/335,483
             FILING DATE: 31-Dec-2002
             CLASSIFICATION: <Unknown>
        PRIOR APPLICATION DATA:
             APPLICATION NUMBER: US/09/177,860
             FILING DATE: <Unknown>
            APPLICATION NUMBER: 08/525,596
             FILING DATE: 19-SEP-1995
            APPLICATION NUMBER: PCT/US94/07762
             FILING DATE: 08-JUL-1994
        ATTORNEY/AGENT INFORMATION:
```

```
NAME: Wetherell, Jr., Ph.D, John R.
            REGISTRATION NUMBER: 31,678
            REFERENCE/DOCKET NUMBER: 07265/075001
        TELECOMMUNICATION INFORMATION:
            TELEPHONE: 619-678-5070
            TELEFAX: 619-678-5099
   INFORMATION FOR SEQ ID NO: 29:
        SEQUENCE CHARACTERISTICS:
            LENGTH: 115 amino acids
            TYPE: amino acid
            TOPOLOGY: linear
        MOLECULE TYPE: protein
        IMMEDIATE SOURCE:
            CLONE: TGF-beta-1
        FEATURE:
            NAME/KEY: Protein
            LOCATION: 1..115
        SEQUENCE DESCRIPTION: SEQ ID NO: 29:
US-10-335-483-29
 Query Match
                        91.1%; Score 624; DB 15; Length 115;
 Best Local Similarity
                        93.3%; Pred. No. 1.5e-57;
 Matches 112; Conservative
                              0; Mismatches
                                             0; Indels
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                              Db
           4 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 55
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
          56 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 115
RESULT 10
US-10-002-278-8
; Sequence 8, Application US/10002278
; Publication No. US20020132334A1
; GENERAL INFORMATION:
  APPLICANT: Jessell, Thomas M.
 APPLICANT: Basler, Konard
  APPLICANT: Yamada, Toshiya
  TITLE OF INVENTION: CLONING, EXPRESSION AND USES OF DORSALIN-1
  FILE REFERENCE: 0575/40314-A
  CURRENT APPLICATION NUMBER: US/10/002,278
  CURRENT FILING DATE: 2001-11-02
  NUMBER OF SEQ ID NOS: 18
  SOFTWARE: PatentIn version 3.1
; SEQ ID NO 8
  LENGTH: 139
   TYPE: PRT
   ORGANISM: Artificial Sequence
   FEATURE:
   OTHER INFORMATION: COOH-terminus of TGF-Beta 1
  NAME/KEY: DOMAIN
   LOCATION: (1)..(139)
   OTHER INFORMATION:
US-10-002-278-8
```

```
Query Match
                       91.1%; Score 624; DB 14; Length 139;
 Best Local Similarity 93.3%; Pred. No. 1.9e-57;
 Matches 112; Conservative
                            0; Mismatches
                                           0;
                                               Indels
                                                         8; Gaps
                                                                   1;
          1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                             1111111111
         28 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 79
Dh
         61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
            80 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 139
Dh
RESULT 11
US-09-214-592-25
; Sequence 25, Application US/09214592A
; Publication No. US20030027218A1
; GENERAL INFORMATION:
  APPLICANT: Yamasaki, CMotoo
  APPLICANT: Shibata, CKenji
; APPLICANT: Sato, CYasufumi
  TITLE OF INVENTION: PEPTIDES WHICH PROMOTE ACTIVATION OF LATENT TGF- AND
METHOD
  TITLE OF INVENTION: OF SCREENING TGF- ACTIVITY-REGULATING COMPOUNDS
  FILE REFERENCE: 11060
  CURRENT APPLICATION NUMBER: US/09/214,592A
  CURRENT FILING DATE: 1999-01-18
  NUMBER OF SEQ ID NOS: 34
  SOFTWARE:
; SEQ ID NO 25
   LENGTH: 315
   TYPE: PRT
   ORGANISM: bovine
US-09-214-592-25
 Query Match
                       91.1%; Score 624; DB 11; Length 315;
 Best Local Similarity 93.3%; Pred. No. 4.5e-57;
 Matches 112; Conservative
                           0; Mismatches 0; Indels
                                                         8; Gaps
                                                                   1;
          1 ALDTNYCFSSTDYKDDDDKEKNCCVROLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
QУ
                             Db
        204 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 255
         61 SLDTQYSKVLALYNOHNPGASAAPCCVPOALEPLPIVYYVGRKPKVEOLSNMIVRSCKCS 120
Qу
            Db
         256 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 315
RESULT 12
US-09-756-283A-23
; Sequence 23, Application US/09756283A
; Patent No. US20020151478A1
; GENERAL INFORMATION:
; APPLICANT: Chernajovsky, Yuti
; APPLICANT: Dreja, Hanna Stina
; APPLICANT: Adams, Gillian
```

```
FILE REFERENCE: 0623.1000000
  CURRENT APPLICATION NUMBER: US/09/756,283A
  CURRENT FILING DATE: 2001-01-09
  NUMBER OF SEQ ID NOS: 100
  SOFTWARE: PatentIn version 3.0
; SEQ ID NO 23
   LENGTH: 390
   TYPE: PRT
   ORGANISM: Homo sapiens
US-09-756-283A-23
 Query Match
                      91.1%; Score 624; DB 10; Length 390;
 Best Local Similarity 93.3%; Pred. No. 5.6e-57;
 Matches 112; Conservative 0; Mismatches 0; Indels
                                                         8: Gaps
          1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Oy
            1111111
                            279 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 330
Db
Qу
         61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
            Db
         331 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 390
RESULT 13
US-09-214-592-26
; Sequence 26, Application US/09214592A
; Publication No. US20030027218A1
; GENERAL INFORMATION:
; APPLICANT: Yamasaki, CMotoo
 APPLICANT: Shibata, CKenji
 APPLICANT: Sato, CYasufumi
  TITLE OF INVENTION: PEPTIDES WHICH PROMOTE ACTIVATION OF LATENT TGF- AND
METHOD
  TITLE OF INVENTION: OF SCREENING TGF- ACTIVITY-REGULATING COMPOUNDS
 FILE REFERENCE: 11060
 CURRENT APPLICATION NUMBER: US/09/214,592A
  CURRENT FILING DATE: 1999-01-18
 NUMBER OF SEQ ID NOS: 34
  SOFTWARE:
; SEO ID NO 26
   LENGTH: 390
   TYPE: PRT
   ORGANISM: porcine
US-09-214-592-26
 Query Match
                      91.1%; Score 624; DB 11; Length 390;
 Best Local Similarity 93.3%; Pred. No. 5.6e-57;
 Matches 112; Conservative 0; Mismatches 0; Indels
                                                        8; Gaps
                                                                   1;
Qу
          1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
                            Db
        279 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 330
Qу
         61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
```

TITLE OF INVENTION: Latent Fusion Protein

```
RESULT 14
US-09-214-592-28
; Sequence 28, Application US/09214592A
; Publication No. US20030027218A1
; GENERAL INFORMATION:
; APPLICANT: Yamasaki, CMotoo
 APPLICANT: Shibata, CKenji
  APPLICANT: Sato, CYasufumi
  TITLE OF INVENTION: PEPTIDES WHICH PROMOTE ACTIVATION OF LATENT TGF- AND
METHOD
 TITLE OF INVENTION: OF SCREENING TGF- ACTIVITY-REGULATING COMPOUNDS
  FILE REFERENCE: 11060
 CURRENT APPLICATION NUMBER: US/09/214,592A
  CURRENT FILING DATE: 1999-01-18
; NUMBER OF SEQ ID NOS: 34
  SOFTWARE:
; SEQ ID NO 28
   LENGTH: 390
   TYPE: PRT
   ORGANISM: canine
US-09-214-592-28
  Query Match
                        91.1%; Score 624; DB 11; Length 390;
  Best Local Similarity 93.3%; Pred. No. 5.6e-57;
 Matches 112; Conservative
                             0; Mismatches 0; Indels
                                                            8; Gaps
                                                                       1;
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                               Dh
         279 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 330
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
         331 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 390
RESULT 15
US-09-214-592-29
; Sequence 29, Application US/09214592A
; Publication No. US20030027218A1
; GENERAL INFORMATION:
  APPLICANT: Yamasaki, CMotoo
; APPLICANT: Shibata, CKenji
 APPLICANT: Sato, CYasufumi
  TITLE OF INVENTION: PEPTIDES WHICH PROMOTE ACTIVATION OF LATENT TGF- AND
METHOD
  TITLE OF INVENTION: OF SCREENING TGF- ACTIVITY-REGULATING COMPOUNDS
  FILE REFERENCE: 11060
  CURRENT APPLICATION NUMBER: US/09/214,592A
  CURRENT FILING DATE: 1999-01-18
; NUMBER OF SEQ ID NOS: 34
; SOFTWARE:
; SEQ ID NO 29
   LENGTH: 390
   TYPE: PRT
```

; ORGANISM: ovine US-09-214-592-29

Query Match 91.1%; Score 624; DB 11; Length 390;

Best Local Similarity 93.3%; Pred. No. 5.6e-57;

Matches 112; Conservative 0; Mismatches 0; Indels 8; Gaps 1;

Qy 1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60

Db 279 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 330

Qy 61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120

Db 331 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 390

Search completed: October 28, 2003, 09:28:01

Job time : 8.28061 secs

GenCore version 5.1.6

Copyright (c) 1993 - 2003 Compugen Ltd.

OM protein - protein search, using sw model

Run on: October 28, 2003, 00:37:16; Search time 3.96533 Seconds

(without alignments)

2910.285 Million cell updates/sec

Title: US-10-017-372E-15

Perfect score: 685

Sequence: 1 ALDTNYCFSSTDYKDDDDKE......GRKPKVEQLSNMIVRSCKCS 120

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 283308 segs, 96168682 residues

Total number of hits satisfying chosen parameters: 283308

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : PIR 76:*

1: pir1:*
2: pir2:*
3: pir3:*
4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

					SUMMARI	IES
		&				
Result		Query				
No.	Score	Match	Length I	DΒ	ID	Description
				-		
1	624	91.1	315	2	A40057	transforming growt
2	624	91.1	390	1	WFHU2	transforming growt
3	624	91.1	390	2	JC4023	transforming growt
4	624	91.1	390	2	A26960	transforming growt
5	624	91.1	390	2	A27512	transforming growt
6	624	91.1	390	2	146463	transforming growt
7	624	91.1	391	2	S01413	transforming growt
8	621	90.7	390	1	WFMS2	transforming growt
9	621	90.7	390	2	S10219	transforming growt
10	609	88.9	130	2	I48196	transforming growt
11	540	78.8	373	2	A41918	transforming growt
12	491	71.7	382	2	B61036	transforming growt
13	486	70.9	410	2	A41397	transforming growt
14	486	70.9	412	2	A36169	transforming growt
15	485	70.8	410	2	A55706	transforming growt
16	483	70.5	412	2	A34939	transforming growt
17	479	69.9	409	2	S01825	transforming growt
18	475	69.3	412	2	A39489	transforming growt
19	468	68.3	112	2	A61439	transforming growt
20	468	68.3	414	1	WFMKB2	transforming growt
21	468	68.3	414	2	A31249	transforming growt
22	468	68.3	442	2	B31249	transforming growt
23	466	68.0	414	1	WFMSB2	transforming growt
24	464	67.7	413	1	WFXLB2	transforming growt
25	209	30.5	425	2	I47072	inhibin beta-A cha
26	205	29.9	424	1	WFPGBA	inhibin beta-A cha
27	205	29.9	424	1	S31440	inhibin beta-A cha
28	205	29.9	425	ī	S50898	inhibin beta-A cha
29	205	29.9	426	1	B24248	inhibin beta-A cha
30	201	29.3	424	1	B40905	inhibin beta-A cha
31	186	27.2	413	2	JC4862	activin beta-A cha
32	185	27.0	115	2	PN0504	activin beta A cha
33	185	27.0	350	2	JC5241	activin beta E cha
34	178.5	26.1	207	2	S37618	vgr protein - rat
35	178.5	26.1	513	1	BMHU6	bone morphogenetic
36	178	26.0	455	2	A43918	TGF-beta-related p
37	177	25.8	367	2	JC4151	activin beta D cha
38	176.5	25.8	510	2	A54798	Vg-1-related prote
39	169	24.7	352	2	JC2466	inhibin beta-C cha
40	169	24.7	372	2	C39364	GDF-1 embryonic gr
41	169	24.7	430	2	JQ1184	osteogenic protein
42	168.5	24.7	349	1	WFPGBB	inhibin beta-B cha
43	168.5	24.6	407	1	A40150	inhibin beta-B cha
44	168.5	24.6	407	2	S50899	betaB inhibin prec
45	167.5	24.5	370	2	I51199	activin beta B sub
4.0	107.5	4 . J	370	٢	101100	activin beta B Sub

```
transforming growth factor beta-1 precursor - bovine (fragment)
N;Alternate names: beta-TGF; cartilage-inducing factor-A; EGF-dependent TGF or
dEGF; MGF-b; milk growth factor b; TGF-type II
C; Species: Bos primigenius taurus (cattle)
C;Date: 28-Feb-1992 #sequence revision 28-Feb-1992 #text change 16-Jul-1999
C; Accession: A40057; A42320; A05284; A24322; B61439
R; Van Obberghen-Schilling, E.; Kondaiah, P.; Ludwig, R.L.; Sporn, M.B.; Baker,
C.C.
Mol. Endocrinol. 1, 693-698, 1987
A; Title: Complementary deoxyribonucleic acid cloning of bovine transforming
growth factor-betal.
A; Reference number: A40057; MUID: 91042552; PMID: 3153459
A; Accession: A40057
A; Molecule type: mRNA
A; Residues: 1-315 < VAN>
A;Cross-references: GB:M36271; NID:g163747; PIDN:AAA30778.1; PID:g163748
R; Ogawa, Y.; Schmidt, D.K.; Dasch, J.R.; Chang, R.J.; Glaser, C.B.
J. Biol. Chem. 267, 2325-2328, 1992
A; Title: Purification and characterization of transforming growth factor-beta2.3
and -betal.2 heterodimers from bovine bone.
A; Reference number: A42320; MUID: 92129307; PMID: 1733936
A; Accession: A42320
A; Molecule type: protein
A; Residues: 204-209, 'X', 211-217 < OGA>
R; Roberts, A.B.; Anzano, M.A.; Meyers, C.A.; Wideman, J.; Blacher, R.; Pan,
Y.C.E.; Stein, S.; Lehrman, S.R.; Smith, J.M.; Lamb, L.C.; Sporn, M.B.
Biochemistry 22, 5692-5698, 1983
A; Title: Purification and properties of a type beta transforming growth factor
from bovine kidney.
A; Reference number: A05284; MUID: 84104793; PMID: 6607069
A; Accession: A05284
A; Molecule type: protein
A; Residues: 204-218 < ROB>
R; Seyedin, S.M.; Thompson, A.Y.; Bentz, H.; Rosen, D.M.; McPherson, J.M.; Conti,
A.; Siegel, N.R.; Galluppi, G.R.; Piez, K.A.
J. Biol. Chem. 261, 5693-5695, 1986
A; Title: Cartilage-inducing factor-A. Apparent identity to transforming growth
factor-beta.
A; Reference number: A24322; MUID: 86195954; PMID: 3754555
A; Accession: A24322
A; Molecule type: protein
A; Residues: 204-233 <SEY>
R; Jin, Y.; Cox, D.A.; Knecht, R.; Raschdorf, F.; Cerletti, N.
J. Protein Chem. 10, 565-575, 1991
A; Title: Separation, purification, and sequence identification of TGF-beta1 and
TGF-beta2 from bovine milk.
A; Reference number: A61439; MUID: 92189724; PMID: 1799413
A: Accession: B61439
A; Molecule type: protein
A; Residues: 204-209, 'X', 211-217, 'XX', 220-232 <JIN>
C; Comment: This polypeptide is composed of two polypeptide chains cross-linked
by disulfide bonds. It has been found in neoplastic and non-neoplastic tissues.
C; Comment: Type II TGF does not bind to the EGF receptor and lacks intrinsic
mitogenic activity, but in soft agar, it reacts synergistically with either type
I TFG or EGF, and induces cell proliferation. Cells grown in monolayer do not
respond in a similar manner to these growth factors, but morphologically do
acquire a transformed phenotype.
```

```
C; Superfamily: inhibin
C; Keywords: glycoprotein; growth factor; heterodimer
F;204-315/Product: transforming growth factor beta-1 #status experimental <MAT>
F;7,61,101/Binding site: carbohydrate (Asn) (covalent) #status predicted
                         91.1%; Score 624; DB 2; Length 315;
  Query Match
  Best Local Similarity
                         93.3%; Pred. No. 5.9e-58;
  Matches 112; Conservative
                              0; Mismatches
                                                0; Indels
                                                               8; Gaps
                                                                           1;
            1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                                Db
          204 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 255
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
          256 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 315
RESULT 2
WFHU2
transforming growth factor beta-1 precursor [validated] - human
N; Alternate names: growth-inhibitory factor; TGF type 2; TGF-beta
C; Species: Homo sapiens (man)
C;Date: 28-Feb-1986 #sequence revision 19-Oct-1995 #text change 08-Dec-2000
C; Accession: A27513; A01395; A22290; I59664; S53444
R; Derynck, R.; Rhee, L.; Chen, E.Y.; Van Tilburg, A.
Nucleic Acids Res. 15, 3188-3189, 1987
A; Title: Intron-exon structure of the human transforming growth factor-beta
precursor gene.
A; Reference number: A27513; MUID: 87174845; PMID: 3470709
A; Accession: A27513
A; Molecule type: DNA
A; Residues: 1-390 < DER>
A; Cross-references: GB: X05839; GB: Y00112; NID: q37097; PIDN: CAA29283.1;
PID: 91212989
R; Derynck, R.; Jarrett, J.A.; Chen, E.Y.; Eaton, D.H.; Bell, J.R.; Assoian,
R.K.; Roberts, A.B.; Sporn, M.B.; Goeddel, D.V.
Nature 316, 701-705, 1985
A; Title: Human transforming growth factor-beta complementary DNA sequence and
expression in normal and transformed cells.
A; Reference number: A01395; MUID: 85296301; PMID: 3861940
A; Accession: A01395
A; Molecule type: mRNA
A; Residues: 1-9, 'P', 11-24, 'P', 26-159, 'R', 160-390 < DE2>
A; Cross-references: GB:X02812; GB:J05114; NID:g37092; PIDN:CAA26580.1;
PID:q37093
A; Note: the authors suggest that residues 8-23 could represent the hydrophobic
core of an amino-terminal signal peptide
R; Massague, J.; Like, B.
J. Biol. Chem. 260, 2636-2645, 1985
A; Title: Cellular receptors for type beta transforming growth factor. Ligand
binding and affinity labeling in human and rodent cell lines.
A; Reference number: A22290; MUID: 85131019; PMID: 2982829
A; Accession: A22290
A; Molecule type: protein
A; Residues: 279-295, 'XX', 298-301 < MAS>
```

```
R; Urushizaki, Y.; Niitsu, Y.; Terui, T.; Koshida, Y.; Mahara, K.; Kohgo, Y.;
Urushizaki, I.; Takahashi, Y.; Ito, H.
Tumor Res. 22, 41-55, 1987
A; Title: Cloning and expression of the gene for human transforming growth
factor-beta in Escherichia coli.
A; Reference number: 159664
A; Accession: I59664
A; Status: preliminary; translated from GB/EMBL/DDBJ
A; Molecule type: mRNA
A; Residues: 279-390 < RES>
A; Cross-references: GB: M38449; NID: g339557; PIDN: AAA36735.1; PID: g339558
R;Stam, K.; Stewart, A.A.; Qu, G.Y.; Iwata, K.K.; Fenyoe, D.; Chait, B.T.;
Marshak, D.R.; Haley, J.D.
Biochem. J. 305, 87-92, 1995
A; Title: Physical and biological characterization of a growth-inhibitory
activity purified from the neuroepithelioma cell line A673.
A; Reference number: S53444; MUID: 95126934; PMID: 7826358
A; Accession: S53444
A; Status: preliminary
A; Molecule type: protein
A; Residues: 279-297 <STA>
C; Comment: The mature protein is the carboxyl-terminal segment of a precursor
polypeptide; the active molecule is a dimer of identical polypeptide chains
linked by an interchain disulfide bond.
C; Genetics:
A; Gene: GDB: TGFB1; TGFB
A; Cross-references: GDB:120729; OMIM:190180
A; Map position: 19q13.2-19q13.2
C; Superfamily: inhibin
C; Keywords: glycoprotein; growth factor; homodimer; mitogen; transformation
F;1-18/Domain: signal sequence #status predicted <SIG>
F;19-278/Domain: propeptide #status predicted <PRO>
F;244-246/Region: cell attachment (R-G-D) motif
F;279-390/Product: transforming growth factor beta-1 #status experimental <MAT>
F;82,136,176/Binding site: carbohydrate (Asn) (covalent) #status predicted
                         91.1%; Score 624; DB 1; Length 390;
 Query Match
 Best Local Similarity
                        93.3%; Pred. No. 7.4e-58;
 Matches 112; Conservative
                              0; Mismatches
                                              0; Indels
                                                               8; Gaps
Qу
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
                                279 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 330
Db
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Dh
         331 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 390
RESULT 3
JC4023
transforming growth factor beta-1 - dog
C; Species: Canis lupus familiaris (dog)
C;Date: 13-Jun-1995 #sequence revision 14-Jul-1995 #text change 24-Nov-1999
C; Accession: JC4023
R; Manning, A.M.; Auchampach, J.A.; Drong, R.F.; Slightom, J.L.
Gene 155, 307-308, 1995
```

```
factor-beta 1-encoding gene.
A; Reference number: JC4023; MUID: 95237630; PMID: 7721110
A; Accession: JC4023
A; Molecule type: mRNA
A; Residues: 1-390 < MAN>
A; Cross-references: GB:L34956; NID:g516071; PIDN:AAA51458.1; PID:g516072
C; Comment: This factor plays a multifunctional role as a regulator of mammalian
cell growth and as a modulator of immune responses.
C:Genetics:
A;Gene: tgf-betal
C; Superfamily: inhibin
C; Keywords: growth factor; transforming protein
F;288-390/Product: transforming growth factor beta 1 #status predicted <MAT>
  Ouery Match
                        91.1%; Score 624; DB 2; Length 390;
  Best Local Similarity
                        93.3%; Pred. No. 7.4e-58;
 Matches 112; Conservative
                              0; Mismatches
                                                0: Indels
                                                             8 · Gang
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
             1111111
                               Db
         279 ALDTNYCFSST-----EKNCCVROLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 330
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             331 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 390
Db
RESULT 4
A26960
transforming growth factor beta-1 precursor - green monkey
C; Species: Cercopithecus aethiops (green monkey, grivet)
C; Date: 05-Oct-1988 #sequence revision 05-Oct-1988 #text change 24-Nov-1999
C; Accession: A26960
R; Sharples, K.; Plowman, G.D.; Rose, T.M.; Twardzik, D.R.; Purchio, A.F.
DNA 6, 239-244, 1987
A; Title: Cloning and sequence analysis of simian transforming growth factor-beta
A; Reference number: A26960; MUID: 87246074; PMID: 3474130
A; Accession: A26960
A; Molecule type: mRNA
A; Residues: 1-390 <SHA>
A; Cross-references: GB: M16658; NID: g176552; PIDN: AAA35369.1; PID: g176553
C; Superfamily: inhibin
C; Keywords: growth factor
F;1-16/Domain: signal sequence #status predicted <SIG>
F;17-390/Product: transforming growth factor beta #status predicted <MAT>
 Query Match
                        91.1%; Score 624; DB 2; Length 390;
 Best Local Similarity
                        93.3%; Pred. No. 7.4e-58;
 Matches 112; Conservative
                               0; Mismatches
                                               0; Indels
                                                             8; Gaps
                                                                         1;
Qу
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
             111111111
                               Db
         279 ALDTNYCFSST----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 330
QУ
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
```

A; Title: Cloning of a canine cDNA homologous to the human transforming growth

```
RESULT 5
A27512
transforming growth factor beta-1 precursor - pig
N; Alternate names: TGF-beta
C; Species: Sus scrofa domestica (domestic pig)
C;Date: 05-Jun-1988 #sequence revision 05-Jun-1988 #text change 16-Jul-1999
C; Accession: A27512; A26356; I46657
R; Derynck, R.; Rhee, L.
Nucleic Acids Res. 15, 3187, 1987
A; Title: Sequence of the porcine transforming growth factor-beta precursor.
A; Reference number: A27512; MUID: 87174844; PMID: 3470708
A: Accession: A27512
A; Molecule type: mRNA
A; Residues: 1-390 < DER >
R; Cheifetz, S.; Weatherbee, J.A.; Tsang, M.L.S.; Anderson, J.K.; Mole, J.E.;
Lucas, R.; Massaque, J.
Cell 48, 409-415, 1987
A; Title: The transforming growth factor-beta system, a complex pattern of cross-
reactive ligands and receptors.
A; Reference number: A90890; MUID: 87102890; PMID: 2879635
A; Accession: A26356
A; Molecule type: protein
A; Residues: 279-322 < CHE>
R; Kondaiah, P.; Van Obberghen-Schilling, E.; Ludwig, R.L.; Dhar, R.; Sporn,
M.B.; Roberts, A.B.
J. Biol. Chem. 263, 18313-18317, 1988
A; Title: cDNA cloning of porcine transforming growth factor-beta 1 mRNAs.
Evidence for alternate splicing and polyadenylation.
A; Reference number: I46657; MUID: 89054010; PMID: 2461367
A; Accession: I46657
A; Status: preliminary; translated from GB/EMBL/DDBJ
A; Molecule type: mRNA
A; Residues: 1-390 < KON>
A; Cross-references: GB: M23703; NID: q755044; PIDN: AAA64616.1; PID: q755045
C:Genetics:
A:Gene: TGFB: TGF-beta-1
C; Superfamily: inhibin
C; Keywords: growth factor
  Query Match
                         91.1%; Score 624; DB 2; Length 390;
  Best Local Similarity 93.3%; Pred. No. 7.4e-58;
 Matches 112; Conservative
                              0; Mismatches
                                               0; Indels
Qу
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
                                Db
         279 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 330
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             331 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 390
Db
```

```
I46463
transforming growth factor beta-1 - sheep
C; Species: Ovis orientalis aries, Ovis ammon aries (domestic sheep)
C;Date: 19-Dec-1997 #sequence revision 19-Dec-1997 #text change 24-Nov-1999
C; Accession: I46463; S45115
R; Woodall, C.J.; McLaren, L.J.; Watt, N.J.
Gene 150, 371-373, 1994
A; Title: Sequence and chromosomal localisation of the gene encoding ovine latent
transforming growth factor-beta 1.
A; Reference number: I46463; MUID: 95121932; PMID: 7821809
A:Accession: I46463
A; Status: preliminary; translated from GB/EMBL/DDBJ
A; Molecule type: mRNA
A; Residues: 1-390 < WOO>
A; Cross-references: EMBL: X76916; NID: q496648; PIDN: CAA54242.1; PID: q496649
A; Note: submitted to the EMBL Data Library, December 1993
C; Superfamily: inhibin
 Query Match
                        91.1%; Score 624; DB 2; Length 390;
 Best Local Similarity
                        93.3%; Pred. No. 7.4e-58;
 Matches 112; Conservative
                             0; Mismatches
                                              0; Indels
                                                             8; Gaps
                                                                        1;
           1 ALDTNYCFSSTDYKDDDDKEKNCCVROLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Oy
                               279 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 330
Db
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
         331 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 390
RESULT 7
S01413
transforming growth factor beta-1 precursor - chicken
C; Species: Gallus gallus (chicken)
C;Date: 30-Jun-1989 #sequence revision 30-Jun-1989 #text change 24-Nov-1999
C; Accession: S01413
R; Jakowlew, S.B.; Dillard, P.J.; Sporn, M.B.; Roberts, A.B.
Nucleic Acids Res. 16, 8730, 1988
A; Title: Nucleotide sequence of chicken transforming growth factor-beta 1 (TGF-
beta 1).
A; Reference number: S01413; MUID: 88335639; PMID: 3166520
A; Accession: S01413
A; Molecule type: DNA
A; Residues: 1-391 < JAK>
A; Cross-references: EMBL: X12373; NID: q63808; PIDN: CAA30933.1; PID: q63809
C; Superfamily: inhibin
C; Keywords: growth factor
 Query Match
                        91.1%; Score 624; DB 2; Length 391;
 Best Local Similarity
                        93.3%; Pred. No. 7.4e-58;
 Matches 112; Conservative 0; Mismatches 0; Indels
                                                             8; Gaps
                                                                        1;
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                               280 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 331
Db
```

```
61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
         332 SLDTOYSKVLALYNOHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 391
RESULT 8
WFMS2
transforming growth factor beta-1 precursor - mouse
N; Alternate names: TGF type 2; TGF-beta
C; Species: Mus musculus (house mouse)
C;Date: 04-Dec-1986 #sequence revision 04-Dec-1986 #text change 24-Nov-1999
C; Accession: A01396
R; Derynck, R.; Jarrett, J.A.; Chen, E.Y.; Goeddel, D.V.
J. Biol. Chem. 261, 4377-4379, 1986
A; Title: The murine transforming growth factor-beta precursor.
A; Reference number: A01396; MUID: 86168129; PMID: 3007454
A; Accession: A01396
A; Molecule type: mRNA
A; Residues: 1-390 < DER>
A; Cross-references: GB: M13177; NID: g201952; PIDN: AAA40423.1; PID: g201953
A; Note: the authors suggest that residues 8-23 could represent the hydrophobic
core of an amino-terminal signal peptide
C; Comment: The mature protein is the carboxyl-terminal segment of a precursor
polypeptide; the active molecule is a dimer of identical polypeptide chains
linked by an interchain disulfide bond.
C; Superfamily: inhibin
C; Keywords: glycoprotein; growth factor; growth regulation; homodimer; mitogen;
transformation
F;1-23/Domain: signal sequence #status predicted <SIG>
F;24-278/Domain: propeptide #status predicted <PRO>
F;244-246/Region: cell attachment (R-G-D) motif
F;279-390/Product: transforming growth factor beta-1 #status predicted <MAT>
F;82,136,176/Binding site: carbohydrate (Asn) (covalent) #status predicted
  Ouery Match
                        90.7%; Score 621; DB 1; Length 390;
  Best Local Similarity
                        92.5%; Pred. No. 1.5e-57;
 Matches 111; Conservative 1; Mismatches 0; Indels
                                                             8; Gaps
                                                                         1;
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                               Db
         279 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 330
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
         331 SLDTQYSKVLALYNQHNPGASASPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 390
RESULT 9
S10219
transforming growth factor beta-1 precursor - rat
N; Alternate names: TGF type 2; TGF-beta
C; Species: Rattus norvegicus (Norway rat)
C;Date: 12-Feb-1993 #sequence revision 12-Feb-1993 #text change 24-Nov-1999
C; Accession: S10219; PT0023; S02267
R; Qian, S.W.; Kondaiah, P.; Roberts, A.B.; Sporn, M.B.
Nucleic Acids Res. 18, 3059, 1990
A; Title: cDNA cloning by PCR of rat transforming growth factor beta-1.
```

```
A; Reference number: S10219; MUID: 90272425; PMID: 2349108
A; Accession: S10219
A; Molecule type: mRNA
A; Residues: 1-390 <QIA>
A;Cross-references: EMBL:X52498; NID:g57341; PIDN:CAA36741.1; PID:g57342
R; Okada, F.; Yamaguchi, K.; Ichihara, A.; Nakamura, T.
J. Biochem. 106, 304-310, 1989
A; Title: Purification and structural analysis of a latent form of transforming
growth factor-beta from rat platelets.
A; Reference number: PT0023; MUID: 90036779; PMID: 2478527
A; Accession: PT0023
A; Molecule type: protein
A; Residues: 30-32, 'X', 34-38, 'Q', 40-42, 'X', 44 < OKA>
R; Okada, F.; Yamaquchi, K.; Ichihara, A.; Nakamura, T.
FEBS Lett. 242, 240-244, 1989
A; Title: One of two subunits of masking protein in latent TGF-beta is a part of
pro-TGF-beta.
A; Reference number: S02267; MUID: 89121078; PMID: 2914605
A; Accession: S02267
A; Molecule type: protein
A; Residues: 30-32, 'X', 34-38, 'Q', 40-42, 'X', 44 < OK2>
C; Superfamily: inhibin
C; Keywords: glycoprotein; growth factor; integrin binding
F;1-29/Domain: signal sequence #status predicted <SIG>
F;30-278/Domain: propeptide #status experimental <PRO>
F;244-246/Region: cell attachment (R-G-D) motif
F;279-390/Product: transforming growth factor beta-1 #status predicted <MAT>
F;82,136,176/Binding site: carbohydrate (Asn) (covalent) #status predicted
  Query Match
                         90.7%; Score 621; DB 2; Length 390;
  Best Local Similarity
                         92.5%; Pred. No. 1.5e-57;
  Matches 111; Conservative
                                1; Mismatches
                                                 0; Indels
                                                                8; Gaps
                                                                           1;
Qу
            1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
                                11111
Db
          279 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 330
           61 SLDTQYSKVLALYNOHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
              Db
          331 SLDTQYSKVLALYNQHNPGASASPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 390
RESULT 10
I48196
transforming growth factor beta-1 precursor - golden hamster (fragment)
C; Species: Mesocricetus auratus (golden hamster)
C; Date: 02-Jul-1996 #sequence revision 04-Oct-1996 #text change 24-Nov-1999
C; Accession: I48196
R; Wong, D.T.; Donoff, R.B.; Yang, J.; Song, B.Z.; Matossian, K.; Nagura, N.;
Elovic, A.; McBride, J.; Gallagher, G.; Todd, R.; Chiang, T.; Chou, L.S.S.;
Yung, C.M.; Galli, S.J.; Weller, P.F.
Am. J. Pathol. 143, 130-142, 1993
A; Title: Sequential expression of transforming growth factors alpha and beta 1
by eosinophils during cutaneous wound healing in the hamster.
A; Reference number: I48196; MUID: 93304479; PMID: 8317544
A; Accession: I48196
A; Status: preliminary; translated from GB/EMBL/DDBJ
```

```
A; Molecule type: mRNA
A; Residues: 1-130 < RES>
A; Cross-references: EMBL: X60296; NID: g396177; PIDN: CAA42838.1; PID: g396178
C; Superfamily: inhibin
 Query Match
                         88.9%; Score 609; DB 2; Length 130;
 Best Local Similarity 91.7%; Pred. No. 8.7e-57;
 Matches 110; Conservative 0; Mismatches
                                                2; Indels
                                                            8; Gaps
                                                                          1;
QУ
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
              Db
          19 ALDTNYCFSST-----EKNCCVROLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 70
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
QУ
             71 SLDTQYSKVLALYNQHNPGASAGPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSYKCS 130
Db
RESULT 11
A41918
transforming growth factor beta-4 precursor - chicken (fragment)
N; Alternate names: TGF-beta 4
C; Species: Gallus gallus (chicken)
C;Date: 31-Dec-1993 #sequence revision 31-Dec-1993 #text change 16-Jul-1999
C; Accession: A41918; A34941; S03110
R; Burt, D.W.; Jakowlew, S.B.
Mol. Endocrinol. 6, 989-992, 1992
A; Title: Correction: a new interpretation of a chicken transforming growth
factor-beta 4 complementary DNA.
A; Reference number: A41918; MUID: 92357039; PMID: 1353860
A; Accession: A41918
A; Molecule type: mRNA
A; Residues: 1-373 <BUR>
A; Cross-references: GB: M31160; GB: X08012; GB: S41706; NID: q1262437;
PIDN: AAB05637.1; PID: 91262438
A; Note: sequence extracted from NCBI backbone (NCBIN:110186, NCBIP:110187)
A; Note: this report corrects and reinterprets the sequence from reference A34941
R; Jakowlew, S.B.; Dillard, P.J.; Sporn, M.B.; Roberts, A.B.
Mol. Endocrinol. 2, 1186-1195, 1988
A; Title: Complementary deoxyribonucleic acid cloning of a messenger ribonucleic
acid encoding transforming growth factor beta-4 from chicken embryo
chondrocytes.
A; Reference number: A34941; MUID: 89112198; PMID: 2464131
A:Accession: A34941
A; Molecule type: mRNA
A; Residues: 'MDPMSIGPKSCGGSPWRPPGTAPWSIGSRRATASSSCSTSSRVRAEVGGRAL', 122-
209, 'D', 211-373 <JAK>
A; Cross-references: EMBL: X08012
A; Note: this sequence has been corrected in A41918
C; Superfamily: inhibin
C; Keywords: glycoprotein; growth factor
F;1/Domain: signal sequence (fragment) #status predicted <SIG>
F;223-225/Region: cell attachment (R-G-D) motif
F;260-373/Product: transforming growth factor beta-4 #status predicted <MAT>
F;54,109,153/Binding site: carbohydrate (Asn) (covalent) #status predicted
                         78.8%; Score 540; DB 2; Length 373;
 Query Match
```

```
Best Local Similarity 79.2%; Pred. No. 4.7e-49;
 Matches
         95; Conservative 8; Mismatches 9; Indels
                                                           8; Gaps
                                                                      2;
           2 LDTNYCFS-STDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
             Db
         261 LDTDYCFGPGTD-----EKNCCVRPLYIDFRKDLQWKWIHEPKGYMANFCMGPCPYIW 313
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
         314 SADTQYTKVLALYNQHNPGASAAPCCVPQTLDPLPIIYYVGRNVRVEQLSNMVVRACKCS 373
RESULT 12
B61036
transforming growth factor beta-5 precursor - African clawed frog
C; Species: Xenopus laevis (African clawed frog)
C;Date: 31-Dec-1993 #sequence revision 03-Feb-1994 #text change 16-Jul-1999
C; Accession: A34929; B61036
R; Kondaiah, P.; Sands, M.J.; Smith, J.M.; Fields, A.; Roberts, A.B.; Sporn,
M.B.; Melton, D.A.
J. Biol. Chem. 265, 1089-1093, 1990
A; Title: Identification of a novel transforming growth factor-beta (TGF-beta5)
mRNA in Xenopus laevis.
A; Reference number: A34929; MUID: 90110090; PMID: 2295601
A; Accession: A34929
A; Molecule type: mRNA
A; Residues: 1-382 < KON>
A; Cross-references: GB: J05180; NID: g214821; PIDN: AAA49968.1; PID: g214822
R; Roberts, A.B.; Rosa, F.; Roche, N.S.; Coligan, J.E.; Garfield, M.; Rebbert,
M.L.; Kondaiah, P.; Danielpour, D.; Kehrl, J.H.; Wahl, S.M.; Dawid, I.B.; Sporn,
Growth Factors 2, 135-147, 1990
A; Title: Isolation and characterization of TGF-beta2 and TGF-beta5 from medium
conditioned by Xenopus XTC cells.
A; Reference number: A61036; MUID: 90253806; PMID: 2340184
A; Accession: B61036
A; Molecule type: protein
A; Residues: 271-276, 'X', 278-284, 'XX', 287-299 < ROB>
C; Superfamily: inhibin
C: Keywords: growth factor
F;271-382/Product: transforming growth factor beta-5 #status experimental <MAT>
 Query Match
                       71.7%; Score 491; DB 2; Length 382;
                       73.0%; Pred. No. 6.8e-44;
 Best Local Similarity
          84; Conservative 10; Mismatches 13; Indels 8; Gaps
                                                                      1;
QУ
           6 YCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDTQ 65
                          מע
         276 YCFGNNG-----PNCCVKPLYINFRKDLGWKWIHEPKGYEANYCLGNCPYIWSMDTQ 327
          66 YSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
         328 YSKVLSLYNQNNPGASISPCCVPDVLEPLPIIYYVGRTAKVEOLSNMVVRSCNCS 382
```

```
transforming growth factor beta-3 precursor - mouse
C; Species: Mus musculus (house mouse)
C;Date: 03-Apr-1992 #sequence revision 03-Apr-1992 #text change 16-Jul-1999
C; Accession: A41397; A61039; A61225
R; Miller, D.A.; Lee, A.; Matsui, Y.; Chen, E.Y.; Moses, H.L.; Derynck, R.
Mol. Endocrinol. 3, 1926-1934, 1989
A; Title: Complementary DNA cloning of the murine transforming growth factor-
beta3 (TGFbeta3) precursor and the comparative expression of TGFbeta3 and
TGFbetal messenger RNA in murine embryos and adult tissues.
A; Reference number: A41397; MUID: 90190650; PMID: 2628730
A:Accession: A41397
A; Molecule type: mRNA
A; Residues: 1-410 <MIL>
A; Cross-references: GB: M32745; NID: q201949; PIDN: AAA40422.1; PID: q201950
R; Denhez, F.; Lafyatis, R.; Kondaiah, P.; Roberts, A.B.; Sporn, M.B.
Growth Factors 3, 139-146, 1990
A; Title: Cloning by polymerase chain reaction of a new mouse TGF-beta, mTGF-
beta3.
A; Reference number: A61039; MUID: 91000714; PMID: 2206556
A; Accession: A61039
A; Molecule type: mRNA
A; Residues: 1-410 < DEN>
R; Watrin, F.; Scotto, L.; Assoian, R.K.; Wolgemuth, D.J.
Cell Growth Differ. 2, 77-83, 1991
A; Title: Cell lineage specificity of expression of the murine transforming
growth factor beta-3 and transforming growth factor beta-1 genes.
A; Reference number: A61225; MUID: 91299576; PMID: 2069871
A; Accession: A61225
A; Status: translation not shown
A; Molecule type: mRNA
A; Residues: 285-410 <WAT>
C; Superfamily: inhibin
C; Keywords: qlycoprotein; growth factor; growth regulation
F;1-21/Domain: signal sequence #status predicted <SIG>
F;22-298/Domain: propeptide #status predicted <PRO>
F;259-261/Region: cell attachment (R-G-D) motif
F;299-410/Product: transforming growth factor beta-3 #status predicted <MAT>
F;72,133,140/Binding site: carbohydrate (Asn) (covalent) #status predicted
                         70.9%; Score 486; DB 2; Length 410;
  Ouery Match
  Best Local Similarity 71.7%; Pred. No. 2.5e-43;
  Matches
           86; Conservative 11; Mismatches 15; Indels
                                                               8; Gaps
            1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
             1111111 :
                                Db
         299 ALDTNYCFRNL-----EENCCVRPLYIDFRQDLGWKWVHEPKGYYANFCSGPCPYLR 350
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
              Db
         351 SADTTHSTVLGLYNTLNPEASASPCCVPQDLEPLTILYYVGRTPKVEQLSNMVVKSCKCS 410
RESULT 14
A36169
transforming growth factor beta-3 precursor - human
C; Species: Homo sapiens (man)
C;Date: 14-Dec-1990 #sequence_revision 14-Dec-1990 #text_change 20-Jun-2000
```

```
C; Accession: A36169; A41262; S01824
R; ten Dijke, P.; Hansen, P.; Iwata, K.K.; Pieler, C.; Foulkes, J.G.
Proc. Natl. Acad. Sci. U.S.A. 85, 4715-4719, 1988
A; Title: Identification of another member of the transforming growth factor type
beta gene family.
A; Reference number: A36169; MUID: 88263019; PMID: 3164476
A; Accession: A36169
A; Status: preliminary; not compared with conceptual translation
A; Molecule type: mRNA
A; Residues: 1-412 <TEN>
A; Cross-references: GB: J03241; NID: g339551; PIDN: AAA61161.1; PID: g339552
R; Arrick, B.A.; Lee, A.L.; Grendell, R.L.; Derynck, R.
Mol. Cell. Biol. 11, 4306-4313, 1991
A; Title: Inhibition of translation of transforming growth factor-beta3 mRNA by
its 5' untranslated region.
A; Reference number: A41262; MUID: 91342629; PMID: 1875922
A; Accession: A41262
A; Molecule type: DNA
A; Residues: 1-48 < ARR>
A; Cross-references: GB: M58524
R; Derynck, R.; Lindquist, P.B.; Lee, A.; Wen, D.; Tamm, J.; Graycar, J.L.; Rhee,
L.; Mason, A.J.; Miller, D.A.; Coffey, R.J.; Moses, H.L.; Chen, E.Y.
EMBO J. 7, 3737-3743, 1988
A; Title: A new type of transforming growth factor-beta, TGF-beta3.
A; Reference number: S01824; MUID: 89091120; PMID: 3208746
A; Accession: S01824
A; Molecule type: mRNA
A; Residues: 3-412 < DER>
A; Cross-references: EMBL: X14885; NID: g37075; PIDN: CAA33024.1; PID: g1200236
C; Genetics:
A;Gene: GDB:TGFB3
A; Cross-references: GDB:120437; OMIM:190230
A; Map position: 14q24-14q24
A; Introns: 118/1; 172/3; 216/1; 252/1; 309/2; 360/3
C; Superfamily: inhibin
C; Keywords: growth factor; homodimer
F;1-27/Domain: signal sequence #status predicted <SIG>
F;28-300/Domain: propeptide #status predicted <PRO>
F;301-412/Product: transforming growth factor beta-3 #status predicted <MAT>
  Query Match
                         70.9%; Score 486; DB 2; Length 412;
 Best Local Similarity 71.7%; Pred. No. 2.5e-43;
 Matches 86; Conservative 11; Mismatches 15; Indels
                                                             8; Gaps
Qу
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
                                Db
         301 ALDTNYCFRNL-----EENCCVRPLYIDFRQDLGWKWVHEPKGYYANFCSGPCPYLR 352
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
              Db
         353 SADTTHSTVLGLYNTLNPEASASPCCVPQDLEPLTILYYVGRTPKVEQLSNMVVKSCKCS 412
RESULT 15
```

A55706

transforming growth factor beta-3 precursor - rat

C; Species: Rattus norvegicus (Norway rat)

```
C;Date: 03-Mar-1995 #sequence revision 03-Mar-1995 #text_change 16-Jul-1999
C; Accession: A55706; B40699; S36042
R; Wang, J.; Kuliszewski, M.; Yee, W.; Sedlackova, L.; Xu, J.; Tseu, I.; Post, M.
J. Biol. Chem. 270, 2722-2728, 1995
A; Title: Cloning and expression of glucocorticoid-induced genes in fetal rat
lung fibroblasts. Transforming growth factor-beta-3.
A; Reference number: A55706; MUID: 95155340; PMID: 7852342
A; Accession: A55706
A; Molecule type: mRNA
A; Residues: 1-410 <WAN>
A; Cross-references: GB:U03491
A; Note: it is uncertain whether Met-1 is the initiator
R;McKinnon, R.D.; Piras, G.; Ida Jr., J.A.; Dubois-Dalcq, M.
J. Cell Biol. 121, 1397-1407, 1993
A; Title: A role for TGF-beta in oligodendrocyte differentiation.
A; Reference number: A40699; MUID: 93286190; PMID: 8509457
A; Accession: B40699
A; Status: preliminary
A; Molecule type: mRNA
A; Residues: 157-211 <MCK>
A; Cross-references: EMBL: X71903; NID: g311326; PIDN: CAA50722.1; PID: g311327
C; Superfamily: inhibin
 Query Match
                         70.8%; Score 485; DB 2; Length 410;
 Best Local Similarity 71.7%; Pred. No. 3.1e-43;
 Matches 86; Conservative 11; Mismatches 15; Indels
                                                              8; Gaps
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                              Db
         299 ALDTNYCFRNL-----EENCCVRPLYIDFRQDLGWKWVHEPKGYYANFCSGPCPYLR 350
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEOLSNMIVRSCKCS 120
Qу
             Db
         351 SSDTTHSTVLGLYNTLNPEASASPCCVPQDLEPLTILYYVGRTPKVEQLSNMVVKSCKCS 410
Search completed: October 28, 2003, 09:09:48
Job time : 3.96533 secs
                           GenCore version 5.1.6
                 Copyright (c) 1993 - 2003 Compugen Ltd.
OM protein - protein search, using sw model
Run on:
               October 28, 2003, 00:08:41; Search time 2.4052 Seconds
                                         (without alignments)
                                         2346.251 Million cell updates/sec
Title:
               US-10-017-372E-15
Perfect score: 685
Sequence:
               1 ALDTNYCFSSTDYKDDDDKE......GRKPKVEQLSNMIVRSCKCS 120
Scoring table: BLOSUM62
               Gapop 10.0 , Gapext 0.5
```

127863 segs, 47026705 residues

Searched:

Total number of hits satisfying chosen parameters: 127863

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_41:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

D 1 .		*					
Result	0	Query	T 1-	DD	1 D	D = = = = 1	
No.	Score	Match	Length	DB	טו	Descrip	ption
1	624	91.1	315	1	TGF1 BOVIN	P18341	bos taurus
2	624		390		TGF1 CANFA		canis famil
3		91.1	390	1	TGF1 CERAE		cercopithec
4		91.1	390	1	TGF1 HUMAN		homo sapien
5		91.1	390	1	TGF1 PIG		sus scrofa
6	624	91.1	390	1	TGF1 SHEEP		ovis aries
7	621	90.7	390	1	TGF1 MOUSE		mus musculu
8	621	90.7	390	1	TGF1 RAT		rattus norv
9	620	90.5	390	1	TGF1 HORSE		equus cabal
10	612	89.3	390	1	TGF1 CAVPO		cavia porce
11	540	78.8	373	1	TGF1 CHICK		gallus gall
12	491	71.7	382	1	TGF1 XENLA		xenopus lae
13	486	70.9	410	1	TGF3 MOUSE		mus musculu
14	486	70.9	412	1	TGF3 HUMAN		homo sapien
15	485	70.8	412	1	TGF3 RAT		rattus norv
16	479	69.9	409	1	TGF3 PIG	P15203	sus scrofa
17	475	69.3	412	1	TGF2_CHICK	P30371	gallus gall
18	468	68.3	112	1	TGF2_BOVIN	P21214	bos taurus
19	468	68.3	414	1	TGF2_HUMAN	P08112	homo sapien
20	468	68.3	435	1	TGF2_PIG	P09858	sus scrofa
21	466	68.0	414	1	TGF2_MOUSE	P27090	mus musculu
22	466	68.0	442	1	TGF2_RAT	Q07257	rattus norv
23	464	67.7	412	1	TGF3_CHICK		gallus gall
24	464	67.7	413	1	TGF2_XENLA	P17247	xenopus lae
25	209	30.5	425	1	IHBA_SHEEP	P43032	ovis aries
26	209	30.5	426	1	IHBA_HORSE		equus cabal
27	205	29.9	424	1	IHBA MOUSE	Q04998	mus musculu
28	205	29.9	424	1	IHBA_PIG	P03970	sus scrofa
29	205	29.9	424	1	IHBA_RAT		rattus norv
30	205	29.9	425	1	IHBA_BOVIN		bos taurus
31	205	29.9	426	1	IHBA_HUMAN		homo sapien
32	202.5	29.6	374	1	GDF8_BRARE		brachydanio
33	196.5	28.7	375	1	GDF8_PAPHA		papio hamad
34		28.6	424	1	IHBA_CHICK		gallus gall
35		28.2	375	1	GDF8_SHEEP		ovis aries
36	192.5	28.1	375	1	GDF8_CHICK	042220	gallus gall

```
37 192.5 28.1 375 1 GDF8_HUMAN
38 192.5 28.1 375 1 GDF8_MELGA
39 192.5 28.1 375 1 GDF8_PIG
40 192.5 28.1 376 1 GDF8_MOUSE
                                                                                                014793 homo sapien
                                                                                       O14793 homo sapien
O42221 meleagris g
O18831 sus scrofa
O08689 mus musculu
O35312 rattus norv
Q9z1w4 mus musculu
O95390 homo sapien
O18836 bos taurus
P35621 brachydanio
41 192.5 28.1 376 1 GDF8 RAT
42 190.5 27.8 405 1 GDFB MOUSE
43 190.5 27.8 407 1 GDFB HUMAN
      187.5 27.4 375 1 GDF8_BOVIN
186 27.2 355 1 DVR1_BRARE
44
45
```

ALIGNMENTS

```
RESULT 1
TGF1 BOVIN
ID TGF1 BOVIN
                 STANDARD;
                               PRT; 315 AA.
   P18341;
AC
    01-NOV-1990 (Rel. 16, Created)
DT
    01-NOV-1990 (Rel. 16, Last sequence update)
DT
    28-FEB-2003 (Rel. 41, Last annotation update)
DT
DE
    Transforming growth factor beta 1 precursor (TGF-beta 1) (Fragment).
GN
    TGFB1.
OS
    Bos taurus (Bovine).
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC
OC
    Bovidae; Bovinae; Bos.
    NCBI_TaxID=9913;
OX
RN
    [1]
RP
    SEQUENCE FROM N.A.
    MEDLINE=91042552; PubMed=3153459;
RX
    van Obberghen-Schilling E., Kondaiah P., Ludwig R.L., Sporn M.B.,
RA
RA
    Baker C.C.;
    "Complementary deoxyribonucleic acid cloning of bovine transforming
RT
    growth factor-beta 1.";
RT
RL
    Mol. Endocrinol. 1:693-698(1987).
RN
    [2]
    SUBUNITS.
RP
    TISSUE=Bone:
RC
RX
    MEDLINE=92129307; PubMed=1733936;
    Ogawa Y., Schmidt D.K., Dasch J.R., Chang R.J., Glaser C.B.;
RA
RT
    "Purification and characterization of transforming growth factor-beta
RT
    2.3 and -beta 1.2 heterodimers from bovine bone.";
    J. Biol. Chem. 267:2325-2328(1992).
RL
    -!- FUNCTION: TGF-BETA IS A MULTIFUNCTIONAL PEPTIDE THAT CONTROL
CC
CC
        PROLIFERATION, DIFFERENTIATION, AND OTHER FUNCTIONS IN MANY CELL
CC
        TYPES. MANY CELLS SYNTHESIZE TGF-BETA AND ESSENTIALLY ALL OF THEM
CC
        HAVE SPECIFIC RECEPTORS FOR THIS PEPTIDE. TGF-BETA REGULATES THE
CC
        ACTIONS OF MANY OTHER PEPTIDE GROWTH FACTORS AND DETERMINES
CC
        A POSITIVE OR NEGATIVE DIRECTION OF THEIR EFFECTS.
CC
    -!- SUBUNIT: Homodimer; disulfide-linked. Heterodimers of TGF-beta 1/2
CC
       have been found in bone.
CC
    -!- SUBCELLULAR LOCATION: Secreted.
    -!- SIMILARITY: Belongs to the TGF-beta family.
CC
CC
    CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
```

CC

```
CC
     the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
CC
     entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
CC
DR
    EMBL; M36271; AAA30778.1; -.
DR
    PIR; A40057; A40057.
    HSSP; P01137; 1KLA.
DR
    InterPro; IPR002400; GF_cysknot.
DR
    InterPro; IPR003911; TGF TGFb.
DR
    InterPro; IPR001839; TGFb.
DR
DR
    InterPro; IPR001111; TGFb N.
    Pfam; PF00019; TGF-beta; 1.
DR
DR
    Pfam; PF00688; TGFb propeptide; 1.
    PRINTS; PR00438; GFCYSKNOT.
DR
DR
    PRINTS; PR01423; TGFBETA.
    ProDom; PD000357; TGFb; 1.
DR
    SMART; SM00204; TGFB; 1.
DR
DR
    PROSITE; PS00250; TGF BETA 1; 1.
KW
    Growth factor; Mitogen; Glycoprotein.
FT
    NON TER
               1
                       1
FT
    PROPEP
                < 1
                      203
FT
    CHAIN
                204
                      315
                               TRANSFORMING GROWTH FACTOR BETA 1.
FT
    DISULFID
                      219
                              BY SIMILARITY.
               210
                              BY SIMILARITY.
    DISULFID
                     281
FT
               218
                              BY SIMILARITY.
FT
    DISULFID
               247
                      312
                              BY SIMILARITY.
FT
               251
                     314
    DISULFID
    DISULFID
FT
                      280
                              INTERCHAIN (BY SIMILARITY).
               280
FT
               7
                      7
    CARBOHYD
                               N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
    CARBOHYD
               61
                      61
                               N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
                              N-LINKED (GLCNAC. . .) (POTENTIAL).
    CARBOHYD
               101
                     101
FT
              169 171
                              CELL ATTACHMENT SITE (POTENTIAL).
    SITE
    SEQUENCE 315 AA; 36269 MW; C2717A23D994E00E CRC64;
SQ
  Query Match
                        91.1%; Score 624; DB 1; Length 315;
 Best Local Similarity 93.3%; Pred. No. 1.9e-59;
 Matches 112; Conservative 0; Mismatches
                                             0; Indels
Qу
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
                              Db
         204 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 255
Qу
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
             Db
         256 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 315
RESULT 2
TGF1 CANFA
    TGF1 CANFA
ΙD
                  STANDARD;
                                PRT;
                                       390 AA.
AC
    P54831;
    01-OCT-1996 (Rel. 34, Created)
DT
DT
    01-OCT-1996 (Rel. 34, Last sequence update)
DT
    28-FEB-2003 (Rel. 41, Last annotation update)
DE
    Transforming growth factor beta 1 precursor (TGF-beta 1).
GN
    TGFB1.
```

```
OS
    Canis familiaris (Dog).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Carnivora; Fissipedia; Canidae; Canis.
ΟX
    NCBI TaxID=9615;
RN
    [1]
RP
    SEQUENCE FROM N.A.
RC
    TISSUE=Jugular vein endothelial;
RX
    MEDLINE=95237630; PubMed=7721110;
RA
    Manning A.M., Auchampach J.A., Drong R.F., Slightom J.L.;
RT
    "Cloning of a canine cDNA homologous to the human transforming growth
RT
     factor-beta 1-encoding gene.";
RL
    Gene 155:307-308(1995).
CC
     -!- FUNCTION: TGF-BETA IS A MULTIFUNCTIONAL PEPTIDE THAT CONTROL
CC
        PROLIFERATION, DIFFERENTIATION, AND OTHER FUNCTIONS IN MANY CELL
CC
        TYPES. MANY CELLS SYNTHESIZE TGF-BETA AND ESSENTIALLY ALL OF THEM
CC
        HAVE SPECIFIC RECEPTORS FOR THIS PEPTIDE. TGF-BETA REGULATES THE
CC
        ACTIONS OF MANY OTHER PEPTIDE GROWTH FACTORS AND DETERMINES
CC
        A POSITIVE OR NEGATIVE DIRECTION OF THEIR EFFECTS
CC
    -!- SUBUNIT: Homodimer; disulfide-linked.
CC
    -!- SUBCELLULAR LOCATION: Secreted.
CC
    -!- SIMILARITY: Belongs to the TGF-beta family.
CC
    CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
CC
    ______
DR
    EMBL; L34956; AAA51458.1; -.
DR
    PIR; JC4023; JC4023.
DR
    HSSP; P01137; 1KLA.
    InterPro; IPR002400; GF cysknot.
DR
    InterPro; IPR003911; TGF TGFb.
DR
    InterPro; IPR001839; TGFb.
DR
DR
    InterPro; IPR001111; TGFb N.
DR
    Pfam; PF00019; TGF-beta; 1.
DR
    Pfam; PF00688; TGFb propeptide; 1.
DR
    PRINTS; PR00438; GFCYSKNOT.
DR
    PRINTS; PR01423; TGFBETA.
    ProDom; PD000357; TGFb; 1.
DR
    SMART; SM00204; TGFB; 1.
DR
    PROSITE; PS00250; TGF_BETA_1; 1.
DR
KW
    Growth factor; Mitogen; Glycoprotein; Signal.
FT
    SIGNAL
                1
                       23
                                POTENTIAL.
FT
    PROPEP
                24
                       278
                                BY SIMILARITY.
FT
    CHAIN
                279
                       390
                                TRANSFORMING GROWTH FACTOR BETA 1
FT
    DISULFID
                285
                       294
                               BY SIMILARITY.
FT
                       356
                               BY SIMILARITY.
    DISULFID
                293
                                BY SIMILARITY.
FT
    DISULFID
                322
                       387
FT
    DISULFID
                326
                       389
                                BY SIMILARITY.
                     355
FT
    DISULFID 355
                                INTERCHAIN.
FT
    CARBOHYD
                82
                      82
                               N-LINKED (GLCNAC. . .) (POTENTIAL).
    CARBOHYD 136 136 N-LINKED (GLCNAC. . .) (POTENTIAL).
CARBOHYD 176 176 N-LINKED (GLCNAC. . .) (POTENTIAL).
SITE 244 246 CELL ATTACHMENT SITE (POTENTIAL).
FT
FT
FT
```

```
SO
    SEQUENCE 390 AA; 44185 MW; EB4780E88B7B590E CRC64;
  Query Match
                        91.1%; Score 624; DB 1; Length 390;
 Best Local Similarity 93.3%; Pred. No. 2.4e-59;
  Matches 112; Conservative
                             0; Mismatches 0; Indels
                                                            8; Gaps
                                                                        1;
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                             Db
         279 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 330
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
         331 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 390
RESULT 3
TGF1 CERAE
    TGF1 CERAE
ΙD
                  STANDARD;
                               PRT: 390 AA.
AC
    P09533;
DT
    01-MAR-1989 (Rel. 10, Created)
DT
    01-MAR-1989 (Rel. 10, Last sequence update)
DT
    28-FEB-2003 (Rel. 41, Last annotation update)
DE
    Transforming growth factor beta 1 precursor (TGF-beta 1).
GN
    TGFB1.
OS
    Cercopithecus aethiops (Green monkey) (Grivet).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Primates; Catarrhini; Cercopithecidae;
OC
    Cercopithecinae; Cercopithecus.
OX
    NCBI TaxID=9534;
RN
    [1]
RP
    SEQUENCE FROM N.A.
RX
    MEDLINE=87246074; PubMed=3474130;
RA
    Sharples K., Plowman G.D., Rose T.M., Twardzik D.R., Purchio A.F.;
RT
    "Cloning and sequence analysis of simian transforming growth
RT
    factor-beta cDNA.";
RL
    DNA 6:239-244(1987).
CC
    -!- FUNCTION: MULTIFUNCTIONAL PEPTIDE THAT CONTROL PROLIFERATION,
CC
        DIFFERENTIATION, AND OTHER FUNCTIONS IN MANY CELL TYPES. MANY
CC
        CELLS SYNTHESIZE TGF-BETA AND ESSENTIALLY ALL OF THEM HAVE
        SPECIFIC RECEPTORS FOR THIS PEPTIDE. TGF-BETA REGULATES THE
CC
CC
        ACTIONS OF MANY OTHER PEPTIDE GROWTH FACTORS AND DETERMINES A
CC
        POSITIVE OR NEGATIVE DIRECTION OF THEIR EFFECTS.
CC
    -!- SUBUNIT: Homodimer; disulfide-linked.
CC
    -!- SUBCELLULAR LOCATION: Secreted.
CC
    -!- SIMILARITY: Belongs to the TGF-beta family.
    ------
CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
    modified and this statement is not removed. Usage by and for commercial
CC
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
CC
DR
    EMBL; M16658; AAA35369.1; -.
DR
    PIR; A26960; A26960.
    HSSP; P01137; 1KLA.
DR
```

```
InterPro; IPR003911; TGF TGFb.
DR
    InterPro; IPR001839; TGFb.
DR
    InterPro; IPR001111; TGFb N.
DR
DR
    Pfam; PF00019; TGF-beta; 1.
DR
    Pfam; PF00688; TGFb propeptide; 1.
DR
    PRINTS; PR00438; GFCYSKNOT.
DR
    PRINTS; PR01423; TGFBETA.
    ProDom; PD000357; TGFb; 1.
DR
DR
    SMART; SM00204; TGFB; 1.
    PROSITE; PS00250; TGF_BETA_1; 1.
DR
KW
    Growth factor; Mitogen; Glycoprotein; Signal.
FT
    SIGNAL
                                POTENTIAL.
                 1
                       16
FT
    PROPEP
                17
                      278
FT
    CHAIN
                      390
                                TRANSFORMING GROWTH FACTOR BETA 1.
                279
FT
    DISULFID
                285
                      294
                                BY SIMILARITY.
                                BY SIMILARITY.
FΤ
    DISULFID
                293
                      356
FT
                               BY SIMILARITY.
    DISULFID
                322
                      387
FT
                                BY SIMILARITY.
    DISULFID
                326
                      389
              355
                     355
FT
    DISULFID
                                INTERCHAIN (BY SIMILARITY).
FT
    CARBOHYD
                82
                      82
                                N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
    CARBOHYD
              136
                     136
                                N-LINKED (GLCNAC. . .) (POTENTIAL).
    CARBOHYD
                                N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
               176
                     176
FT
    SITE
               244
                     246
                               CELL ATTACHMENT SITE (POTENTIAL).
SO
    SEQUENCE 390 AA; 44356 MW; DFF63E2BAB44320E CRC64;
  Query Match
                        91.1%; Score 624; DB 1; Length 390;
 Best Local Similarity 93.3%; Pred. No. 2.4e-59;
                               0; Mismatches
 Matches 112; Conservative
                                              0; Indels
                                                           8; Gaps
Qу
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
             Db
         279 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 330
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
         331 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 390
RESULT 4
TGF1 HUMAN
ID
    TGF1 HUMAN
                   STANDARD;
                                 PRT;
                                       390 AA.
AC
    P01137; Q9UCG4;
DT
    21-JUL-1986 (Rel. 01, Created)
DT
    01-FEB-1991 (Rel. 17, Last sequence update)
DT
    15-SEP-2003 (Rel. 42, Last annotation update)
DE
    Transforming growth factor beta 1 precursor (TGF-beta 1).
GN
    TGFB1 OR TGFB.
OS
    Homo sapiens (Human).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
    Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OC
OX
    NCBI TaxID=9606;
RN
    [1]
    SEQUENCE FROM N.A.
RP
RX
    MEDLINE=87174845; PubMed=3470709;
RA
    Derynck R., Rhee L., Chen E.Y., van Tilburg A.;
RT
    "Intron-exon structure of the human transforming growth factor-beta
```

DR

InterPro; IPR002400; GF cysknot.

```
RT
     precursor gene.";
RL
     Nucleic Acids Res. 15:3188-3189(1987).
RN
RΡ
     SEQUENCE FROM N.A.
     MEDLINE=85296301; PubMed=3861940;
RX
     Derynck R., Jarrett J.A., Chen E.Y., Eaton D.H., Bell J.R.,
RA
RA
     Assoian R.K., Roberts A.B., Sporn M.B., Goeddel D.V.;
     "Human transforming growth factor-beta complementary DNA sequence and
RT
RT
     expression in normal and transformed cells.";
RL
     Nature 316:701-705(1985).
     [3]
RN
RP
     SEQUENCE FROM N.A.
RC
     TISSUE=Duodenum, and Eye;
RX
     MEDLINE=22388257; PubMed=12477932;
RA
     Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA
     Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA
     Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
     Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA
     Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA
     Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA
     Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA
     Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA
     Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA
RA
     Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA
     Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA
     Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA
     Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
     Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA
RA
     Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA
     Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA
     Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
     "Generation and initial analysis of more than 15,000 full-length
RT
RT
     human and mouse cDNA sequences.";
RL
     Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN
     [4]
     SEQUENCE OF 279-390 FROM N.A.
RΡ
RC
     TISSUE=Carcinoma;
RA
     Urushizaki Y., Niitsu Y., Terui T., Koshida Y., Mahara K., Kohqo Y.,
RA
     Urushizaki I., Takahashi Y., Ito H.;
RT
     "Cloning and expression of the gene for human transforming growth
RT
     factor-beta in Escherichia coli.";
RL
     Tumor Res. 22:41-55(1987).
RN
     [5]
RΡ
     SEQUENCE OF 279-329.
RC
     TISSUE=Bladder carcinoma;
RX
     MEDLINE=93229900; PubMed=8471846;
RA
     Bourdrel L., Lin C.-H., Lauren S.L., Elmore R.H., Sugarman B.J.,
RA
     Hu S., Westcott K.R.;
RT
     "Recombinant human transforming growth factor-beta 1: expression by
RT
     Chinese hamster ovary cells, isolation, and characterization.";
RL
     Protein Expr. Purif. 4:130-140(1993).
RN
     [6]
RΡ
     SEQUENCE OF 279-301.
     MEDLINE=85131019; PubMed=2982829;
RX
RA
     Massague J., Like B.;
RT
     "Cellular receptors for type beta transforming growth factor. Ligand
RT
     binding and affinity labeling in human and rodent cell lines.";
```

```
RL
    J. Biol. Chem. 260:2636-2645(1985).
RN
    [7]
RΡ
    STRUCTURE BY NMR OF 279-390.
RX
    MEDLINE=93144319; PubMed=8424942;
    Archer S.J., Bax A., Roberts A.B., Sporn M.B., Ogawa Y., Piez K.A.,
RA
    Weatherbee J.A., Tsang M.L.-S., Lucas R., Zheng B.-L., Wenker J.,
RA
RA
    Torchia D.A.;
    "Transforming growth factor beta 1: NMR signal assignments of the
RT
    recombinant protein expressed and isotopically enriched using Chinese
RT
RT
    hamster ovary cells.";
RL
     Biochemistry 32:1152-1163(1993).
RN
RP
    STRUCTURE BY NMR OF 279-390.
RX
    MEDLINE=93144320; PubMed=8424943;
RA
    Archer S.J., Bax A., Roberts A.B., Sporn M.B., Ogawa Y., Piez K.A.,
    Weatherbee J.A., Tsang M.L.-S., Lucas R., Zheng B.-L., Wenker J.,
RA
RA
    Torchia D.A.;
    "Transforming growth factor beta 1: secondary structure as determined
RT
RT
    by heteronuclear magnetic resonance spectroscopy.";
    Biochemistry 32:1164-1171(1993).
RL
RN
RP
    STRUCTURE BY NMR OF 279-390.
RX
    MEDLINE=96266150; PubMed=8679613;
RA
    Hinck A.P., Archer S.J., Qian S.W., Roberts A.B., Sporn M.B.,
    Weatherbee J.A., Tsang M.L.-S., Lucas R., Zheng B.-L., Wenker J.,
RA
RA
    Torchia D.A.;
     "Transforming growth factor beta 1: three-dimensional structure in
RT
    solution and comparison with the X-ray structure of transforming
RT
RT
    growth factor beta 2.";
RL
    Biochemistry 35:8517-8534(1996).
    -!- FUNCTION: MULTIFUNCTIONAL PEPTIDE THAT CONTROLS PROLIFERATION,
CC
CC
        DIFFERENTIATION, AND OTHER FUNCTIONS IN MANY CELL TYPES. MANY
CC
        CELLS SYNTHESIZE TGF-BETA 1 AND ESSENTIALLY ALL OF THEM HAVE
        SPECIFIC RECEPTORS FOR THIS PEPTIDE. TGF-BETA 1 REGULATES THE
CC
CC
        ACTIONS OF MANY OTHER PEPTIDE GROWTH FACTORS AND DETERMINES A
CC
        POSITIVE OR NEGATIVE DIRECTION OF THEIR EFFECTS.
CC
     -!- SUBUNIT: Homodimer; disulfide-linked.
CC
     -!- SUBCELLULAR LOCATION: Secreted.
CC
     -!- SIMILARITY: Belongs to the TGF-beta family.
     _____
CC
CC
     This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
     the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
CC
    or send an email to license@isb-sib.ch).
CC
     DR
    EMBL; X05839; CAA29283.1; -.
     EMBL; X05840; CAA29283.1; JOINED.
DR
     EMBL; X05843; CAA29283.1; JOINED.
DR
DR
     EMBL; X05844; CAA29283.1; JOINED.
DR
     EMBL; X05849; CAA29283.1; JOINED.
DR
     EMBL; X05850; CAA29283.1; JOINED.
DR
     EMBL; X02812; CAA26580.1; ALT SEQ.
DR
     EMBL; BC001180; AAH01180.1; -.
DR
    EMBL; BC000125; AAH00125.1; -.
```

```
DR
     EMBL; BC022242; AAH22242.1; -.
DR
     EMBL; M38449; AAA36735.1; -.
     PIR; A27513; WFHU2.
DR
DR
     PDB; 1KLA; 17-AUG-96.
DR
     PDB; 1KLC; 17-AUG-96.
DR
     PDB; 1KLD; 17-AUG-96.
     Genew; HGNC:11766; TGFB1.
DR
DR
     MIM; 190180; -.
DR
     GO; GO:0006916; P:anti-apoptosis; TAS.
     InterPro; IPR002400; GF cysknot.
DR
     InterPro; IPR003911; TGF TGFb.
DR
     InterPro; IPR001839; TGFb.
DR
     InterPro; IPR001111; TGFb N.
DR
     Pfam; PF00019; TGF-beta; 1.
DR
DR
     Pfam; PF00688; TGFb propeptide; 1.
DR
     PRINTS; PR00438; GFCYSKNOT.
     PRINTS; PR01423; TGFBETA.
DR
     ProDom; PD000357; TGFb; 1.
DR
     SMART; SM00204; TGFB; 1.
DR
DR
     PROSITE; PS00250; TGF BETA 1; 1.
KW
     Growth factor; Mitogen; Glycoprotein; Signal; 3D-structure.
FT
     SIGNAL
                         23
                                   POTENTIAL.
                   1
     PROPEP
FT
                  24
                        278
FT
     CHAIN
                 279
                        390
                                   TRANSFORMING GROWTH FACTOR BETA 1.
FT
     DISULFID
                 285
                        294
FT
     DISULFID
                 293
                        356
FT
     DISULFID
                 322
                        387
FT
     DISULFID
                 326
                        389
FT
     DISULFID
                 355
                        355
                                   INTERCHAIN.
FT
                 82
                         82
                                   N-LINKED (GLCNAC. . .) (POTENTIAL).
     CARBOHYD
                                   N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
     CARBOHYD
                 136
                        136
FT
     CARBOHYD
                 176
                        176
                                   N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
                                   CELL ATTACHMENT SITE (POTENTIAL).
     SITE
                 244
                        246
FT
                         10
                                   L \rightarrow P (IN REF. 2).
     CONFLICT
                  10
FT
                                   R \rightarrow RR (IN REF. 2).
     CONFLICT
                        159
                 159
FT
     STRAND
                 281
                        281
FT
     TURN
                 282
                        287
FT
     STRAND
                 294
                        296
FT
     STRAND
                 300
                        300
FT
     TURN
                 302
                        305
FT
     STRAND
                 313
                        313
FT
     STRAND
                 317
                        317
FT
     STRAND
                 321
                        323
FT
     HELIX
                 335
                        346
FT
     TURN
                 348
                        349
FT
     STRAND
                 358
                        370
FT
     TURN
                 371
                        372
FT
     STRAND
                 373
                        387
SO
     SEQUENCE
                390 AA; 44341 MW; 75391614250288FE CRC64;
  Query Match
                          91.1%; Score 624; DB 1; Length 390;
                          93.3%; Pred. No. 2.4e-59;
 Best Local Similarity
                                  0; Mismatches
 Matches 112; Conservative
                                                   0; Indels
                                                                   8; Gaps
                                                                                1;
            1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                                  Db
          279 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 330
```

```
61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
              331 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 390
Db
RESULT 5
TGF1 PIG
                    STANDARD;
                                  PRT;
                                         390 AA.
ID
    TGF1 PIG
AC
     P07200; P08832;
     01-APR-1988 (Rel. 07, Created)
DT
     01-APR-1988 (Rel. 07, Last sequence update)
DT
     28-FEB-2003 (Rel. 41, Last annotation update)
DT
DE
     Transforming growth factor beta 1 precursor (TGF-beta 1).
    TGFB1.
GN
OS
     Sus scrofa (Pig).
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
OC
    Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus
OX
    NCBI TaxID=9823;
RN
     [1]
     SEQUENCE FROM N.A.
RP
RC
    TISSUE=Ovary;
RX
    MEDLINE=87174844; PubMed=3470708;
RA
    Derynck R., Rhee L.;
RT
     "Sequence of the porcine transforming growth factor-beta precursor.";
    Nucleic Acids Res. 15:3187-3187(1987).
RL
RN
     [2]
     SEQUENCE FROM N.A., AND VARIANT VAL-114.
RP
RC
     STRAIN=Miniature swine;
    MEDLINE=89054010; PubMed=2461367;
RX
RA
    Kondaiah P., van Obberghen-Schilling E., Ludwig R.L., Dhar R.,
RA
     Sporn M.B., Roberts A.B.;
RT
     "cDNA cloning of porcine transforming growth factor-beta 1 mRNAs.
RТ
     Evidence for alternate splicing and polyadenylation.";
    J. Biol. Chem. 263:18313-18317(1988).
RL
RN
     [3]
     SEQUENCE FROM N.A., AND VARIANT VAL-114.
RP
RX
    MEDLINE=88335639; PubMed=3166520;
RA
     Jakowlew S.B., Dillard P.J., Sporn M.B., Roberts A.B.;
RT
     "Nucleotide sequence of chicken transforming growth factor-beta 1
RT
     (TGF-beta 1).";
RL
    Nucleic Acids Res. 16:8730-8730(1988).
RN
     [4]
RP
     SHOWS THAT REF.3 SEQUENCE IS FROM PIG.
RA
     Jakowlew S.B.;
    Unpublished observations (MAR-1996).
RL
RN
     [5]
RP
     SEQUENCE FROM N.A., AND VARIANT VAL-114.
    Wimmers K., Chomdej S., Ponsuksili S., Schellander K.;
АЯ
RT
     "Polymorphism in the porcine transforming growth factor beta 1
RT
     gene.";
    Submitted (DEC-2001) to the EMBL/GenBank/DDBJ databases.
RL
RN
RP
    SEQUENCE OF 279-322.
RX
    MEDLINE=87102890; PubMed=2879635;
RA
    Cheifetz S., Weatherbee J.A., Tsang M.L.S., Anderson J.K., Mole J.E.,
```

RA

Lucas R., Massague J.;

```
RT
    "The transforming growth factor-beta system, a complex pattern of
RT
    cross-reactive ligands and receptors.";
RL
    Cell 48:409-415(1987).
CC
    -!- FUNCTION: TGF-BETA IS A MULTIFUNCTIONAL PEPTIDE THAT CONTROL
CC
        PROLIFERATION, DIFFERENTIATION, AND OTHER FUNCTIONS IN MANY CELL
CC
        TYPES. MANY CELLS SYNTHESIZE TGF-BETA AND ESSENTIALLY ALL OF THEM
CC
        HAVE SPECIFIC RECEPTORS FOR THIS PEPTIDE. TGF-BETA REGULATES THE
CC
        ACTIONS OF MANY OTHER PEPTIDE GROWTH FACTORS AND DETERMINES
CC
        A POSITIVE OR NEGATIVE DIRECTION OF THEIR EFFECTS.
CC
    -!- SUBUNIT: Homodimer; disulfide-linked.
CC
    -!- SUBCELLULAR LOCATION: Secreted.
CC
    -!- SIMILARITY: Belongs to the TGF-beta family.
CC
    -!- CAUTION: REF.3 SEQUENCE WHICH WAS SAID TO ORIGINATE FROM CHICKEN
CC
        WHITE LEGHORN, SEEMS (REF.4) TO ORIGINATE FROM PIG.
CC
    ______
CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
CC
    ______
DR
    EMBL; Y00111; CAA68291.1; -.
DR
    EMBL; M23703; AAA64616.1; -.
    EMBL; X12373; CAA30933.1; -.
DR
    EMBL; AF461808; AAL57902.1; -.
DR
DR
    PIR; A27512; A27512.
    HSSP; P01137; 1KLA.
DR
DR
    InterPro; IPR002400; GF cysknot.
    InterPro; IPR003911; TGF TGFb.
DR
    InterPro; IPR001839; TGFb.
DR
DR
    InterPro; IPR001111; TGFb N.
    Pfam; PF00019; TGF-beta; 1.
DR
    Pfam; PF00688; TGFb propeptide; 1.
DR
    PRINTS; PR00438; GFCYSKNOT.
DR
DR
    PRINTS; PR01423; TGFBETA.
DR
    ProDom; PD000357; TGFb; 1.
DR
    SMART; SM00204; TGFB; 1.
    PROSITE; PS00250; TGF BETA 1; 1.
DR
KW
    Growth factor; Mitogen; Glycoprotein; Signal; Polymorphism.
FT
    SIGNAL
                       23
                 1
                               POTENTIAL.
FT
    PROPEP
                24
                      278
FT
    CHAIN
                279
                      390
                               TRANSFORMING GROWTH FACTOR BETA 1.
              285
FT
                    294
                              BY SIMILARITY.
    DISULFID
FT
             293
                     356
                              BY SIMILARITY.
    DISULFID
FT
    DISULFID
               322
                      387
                              BY SIMILARITY.
FT
    DISULFID
               326
                      389
                              BY SIMILARITY.
FT
                      355
                               INTERCHAIN (BY SIMILARITY).
    DISULFID
             355
FT
    CARBOHYD
                       82
                               N-LINKED (GLCNAC. . .) (POTENTIAL).
                82
FT
    CARBOHYD
               136
                      136
                               N-LINKED (GLCNAC. . .) (POTENTIAL).
                              N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
    CARBOHYD
               176
                      176
FT
    SITE
               244
                      246
                              CELL ATTACHMENT SITE (POTENTIAL).
FT
               114
                     114
    VARIANT
                              L -> V.
FT
    CONFLICT
               6
                      7
                               LR -> PG (IN REF. 3).
FT
    CONFLICT
               180 180
                              R \rightarrow G (IN REF. 3).
FT
    CONFLICT 237 237
                              N \rightarrow NA (IN REF. 3).
```

```
SO
    SEQUENCE 390 AA; 44294 MW; A6E2C3659FC384E6 CRC64;
  Query Match
                        91.1%; Score 624; DB 1; Length 390;
  Best Local Similarity
                        93.3%; Pred. No. 2.4e-59;
 Matches 112; Conservative 0; Mismatches 0; Indels
                                                             8; Gaps
                                                                         1;
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                               Db
         279 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 330
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
         331 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 390
RESULT 6
TGF1 SHEEP
    TGF1 SHEEP
                                 PRT:
ID
                  STANDARD;
                                       390 AA.
AC
    P50414;
DT
    01-OCT-1996 (Rel. 34, Created)
DT
    01-OCT-1996 (Rel. 34, Last sequence update)
DT
    28-FEB-2003 (Rel. 41, Last annotation update)
DE
    Transforming growth factor beta 1 precursor (TGF-beta 1).
GN
    TGFB1.
OS
    Ovis aries (Sheep).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
    Bovidae; Caprinae; Ovis.
OC
OX
    NCBI_TaxID=9940;
RN
    [1]
RP
    SEQUENCE FROM N.A.
RX
    MEDLINE=95121932; PubMed=7821809;
RA
    Woodall C.J., McLaren L.J., Watt N.J.;
    "Sequence and chromosomal localisation of the gene encoding ovine
RT
RT
    latent transforming growth factor-beta 1.";
RL
    Gene 150:371-373(1994).
RN
     [2]
RΡ
    SEQUENCE OF 281-390 FROM N.A.
RC
    STRAIN=Merino: TISSUE=Skin;
RX
    MEDLINE=95268698; PubMed=7749621;
RA
    Sutton R., Ward W.G., Raphael K.A., Cam G.R.;
RT
    "Growth factor expression in skin during wool follicle development.";
    Comp. Biochem. Physiol. 110B:697-705(1995).
RL
CC
     -!- FUNCTION: TGF-BETA IS A MULTIFUNCTIONAL PEPTIDE THAT CONTROL
        PROLIFERATION, DIFFERENTIATION, AND OTHER FUNCTIONS IN MANY CELL
CC
        TYPES. MANY CELLS SYNTHESIZE TGF-BETA AND ESSENTIALLY ALL OF THEM
CC
CC
        HAVE SPECIFIC RECEPTORS FOR THIS PEPTIDE. TGF-BETA REGULATES THE
CC
        ACTIONS OF MANY OTHER PEPTIDE GROWTH FACTORS AND DETERMINES
        A POSITIVE OR NEGATIVE DIRECTION OF THEIR EFFECTS.
CC
CC
    -!- SUBUNIT: Homodimer; disulfide-linked.
    -!- SUBCELLULAR LOCATION: Secreted.
CC
CC
    -!- SIMILARITY: Belongs to the TGF-beta family.
CC
     CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
```

```
CC
    modified and this statement is not removed. Usage by and for commercial
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
CC
     _____
DR
    EMBL; X76916; CAA54242.1; -.
DR
    EMBL; L36038; AAA31526.1; -.
    PIR; I46463; I46463.
DR
DR
    HSSP; P01137; 1KLA.
    InterPro; IPR002400; GF cysknot.
DR
    InterPro; IPR003911; TGF TGFb.
DR
    InterPro; IPR001839; TGFb.
DR
     InterPro; IPR001111; TGFb N.
DR
    Pfam; PF00019; TGF-beta; 1.
DR
    Pfam; PF00688; TGFb propeptide; 1.
DR
    PRINTS; PR00438; GFCYSKNOT.
DR
DR
    PRINTS; PR01423; TGFBETA.
    ProDom: PD000357: TGFb: 1.
DR
    SMART; SM00204; TGFB; 1.
DR
    PROSITE; PS00250; TGF BETA 1; 1.
DR
    Growth factor; Mitogen; Glycoprotein; Signal.
KW
                       23
FT
    SIGNAL
                 1
                                POTENTIAL.
    PROPEP
                 24
                       278
                                POTENTIAL.
FT
                279
                       390
                                TRANSFORMING GROWTH FACTOR BETA 1.
FT
    CHAIN
FT
    DISULFID
                285
                       294
                                BY SIMILARITY.
FT
    DISULFID
                293
                      356
                                BY SIMILARITY.
FT
    DISULFID
                322
                      387
                                BY SIMILARITY.
                                BY SIMILARITY.
FT
    DISULFID
                326
                       389
                                INTERCHAIN (BY SIMILARITY).
FT
    DISULFID
                355
                       355
                                N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
    CARBOHYD
                82
                       82
FT
                136
                       136
                                N-LINKED (GLCNAC. . .) (POTENTIAL).
    CARBOHYD
FT
                176
                      176
                                N-LINKED (GLCNAC. . .) (POTENTIAL).
    CARBOHYD
                                CELL ATTACHMENT SITE (POTENTIAL).
FT
    SITE
                244
                       246
    SEQUENCE
               390 AA; 44291 MW; 1C247299484D0E57 CRC64;
SQ
                         91.1%; Score 624; DB 1; Length 390;
 Query Match
                        93.3%; Pred. No. 2.4e-59;
 Best Local Similarity
 Matches 112; Conservative 0; Mismatches 0; Indels
                                                              8; Gaps
                                                                         1;
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                               279 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 330
Db
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
QУ
             331 SLDTQYSKVLALYNOHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 390
Db
RESULT 7
TGF1 MOUSE
ID
    TGF1 MOUSE
                   STANDARD;
                                 PRT:
                                        390 AA.
AC
    P04202;
    20-MAR-1987 (Rel. 04, Created)
DT
DT
    20-MAR-1987 (Rel. 04, Last sequence update)
DT
    28-FEB-2003 (Rel. 41, Last annotation update)
DΕ
    Transforming growth factor beta 1 precursor (TGF-beta 1).
    TGFB1.
GN
OS
    Mus musculus (Mouse).
```

```
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
     Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OC
OX
     NCBI TaxID=10090;
RN
     [1]
RP
     SEQUENCE FROM N.A.
RX
    MEDLINE=86168129; PubMed=3007454;
RA
     Derynck R., Jarrett J.A., Chen E.Y., Goeddel D.V.;
RT
     "The murine transforming growth factor-beta precursor.";
RL
    J. Biol. Chem. 261:4377-4379(1986).
RN
    [2]
    SEQUENCE FROM N.A.
RΡ
RC
    STRAIN=BALB/c;
RX
    MEDLINE=96096545; PubMed=8522200;
    Guron C., Sudarshan C., Raghow R.;
RA
RT
    "Molecular organization of the gene encoding murine transforming
RT
    growth factor beta 1.";
    Gene 165:325-326(1995).
RL
RN
     [3]
RΡ
     SEQUENCE FROM N.A.
     STRAIN=C57BL/6, and NOD/LT; TISSUE=Spleen;
RC
RA
     Poirot L., Benoist C., Mathis D.;
RT
     "Transforming growth factor-beta 1 sequence and expression: no
RT
    difference between NOD/Lt and C57Bl/6 mouse strains.";
     Submitted (AUG-1998) to the EMBL/GenBank/DDBJ databases.
RL
CC
     -!- FUNCTION: TGF-BETA IS A MULTIFUNCTIONAL PEPTIDE THAT CONTROL
CC
        PROLIFERATION, DIFFERENTIATION, AND OTHER FUNCTIONS IN MANY CELL
CC
        TYPES. MANY CELLS SYNTHESIZE TGF-BETA AND ESSENTIALLY ALL OF THEM
CC
        HAVE SPECIFIC RECEPTORS FOR THIS PEPTIDE. TGF-BETA REGULATES THE
        ACTIONS OF MANY OTHER PEPTIDE GROWTH FACTORS AND DETERMINES
CC
CC
        A POSITIVE OR NEGATIVE DIRECTION OF THEIR EFFECTS.
CC
     -!- SUBUNIT: Homodimer; disulfide-linked.
CC
     -!- SUBCELLULAR LOCATION: Secreted.
CC
    -!- SIMILARITY: Belongs to the TGF-beta family.
CC
     ______
CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
     modified and this statement is not removed. Usage by and for commercial
CC
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
CC
     EMBL; M13177; AAA40423.1; -.
DR
DR
    EMBL; L42462; AAB00138.1; -.
DR
    EMBL; L42456; AAB00138.1; JOINED.
DR
    EMBL; L42457; AAB00138.1; JOINED.
DR
    EMBL; L42458; AAB00138.1; JOINED.
DR
    EMBL; L42459; AAB00138.1; JOINED.
    EMBL; L42460; AAB00138.1; JOINED.
DR
    EMBL; L42461; AAB00138.1; JOINED.
DR
DR
    EMBL; AJ009862; CAA08900.1; -.
DR
    PIR; A01396; WFMS2.
DR
    HSSP; P01137; 1KLA.
DR
    MGD; MGI:98725; Tgfbl.
DR
    GO; GO:0005578; C:extracellular matrix; IDA.
DR
    GO; GO:0006954; P:inflammatory response; IMP.
    GO; GO:0007515; P:lymph gland development; IMP.
DR
```

```
DR
    GO; GO:0008220; P:necrosis; IMP.
    GO; GO:0016202; P:regulation of myogenesis; IDA.
DR
    InterPro; IPR002400; GF_cysknot.
DR
    InterPro; IPR003911; TGF TGFb.
DR
    InterPro; IPR001839; TGFb.
DR
DR
    InterPro; IPR001111; TGFb N.
DR
    Pfam; PF00019; TGF-beta; 1.
    Pfam; PF00688; TGFb propeptide; 1.
DR
    PRINTS; PRO0438; GFCYSKNOT.
DR
    PRINTS; PR01423; TGFBETA.
DR
    ProDom; PD000357; TGFb; 1.
DR
DR
    SMART; SM00204; TGFB; 1.
DR
    PROSITE; PS00250; TGF BETA 1; 1.
KW
    Growth factor; Mitogen; Glycoprotein; Signal.
                                 POTENTIAL.
FT
    SIGNAL
                  1
                        23
    PROPEP
                 24
                       278
FT
                                 TRANSFORMING GROWTH FACTOR BETA 1.
FT
    CHAIN
                279
                       390
FT
                       294
                                 BY SIMILARITY.
    DISULFID
                285
                                 BY SIMILARITY.
FT
    DISULFID
                293
                       356
    DISULFID
                       387
                                 BY SIMILARITY.
FT
                322
FT
    DISULFID
                326
                       389
                                BY SIMILARITY.
                                INTERCHAIN (BY SIMILARITY).
    DISULFID
                       355
FT
                355
                                N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
    CARBOHYD
                82
                       82
FT
    CARBOHYD
                136
                       136
                                N-LINKED (GLCNAC. . .) (POTENTIAL) .
FT
    CARBOHYD
                176
                       176
                                N-LINKED (GLCNAC. . .) (POTENTIAL) .
FT
    SITE
                244
                       246
                                CELL ATTACHMENT SITE (POTENTIAL).
    SEQUENCE
               390 AA; 44310 MW; 4381A51B711D689E CRC64;
SQ
                         90.7%; Score 621; DB 1; Length 390;
  Query Match
  Best Local Similarity 92.5%; Pred. No. 5e-59;
 Matches 111; Conservative
                               1; Mismatches
                                                 0; Indels
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                                Db
         279 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 330
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
         331 SLDTQYSKVLALYNQHNPGASASPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 390
RESULT 8
TGF1 RAT
ΙD
    TGF1 RAT
                   STANDARD;
                                  PRT:
                                        390 AA.
AC
    P17246;
DT
    01-AUG-1990 (Rel. 15, Created)
DT
    01-AUG-1990 (Rel. 15, Last sequence update)
DT
     28-FEB-2003 (Rel. 41, Last annotation update)
DΕ
    Transforming growth factor beta 1 precursor (TGF-beta 1).
GN
    TGFB1.
OS
    Rattus norvegicus (Rat).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX
    NCBI_TaxID=10116;
RN
    [1]
RΡ
    SEQUENCE FROM N.A.
RC
    STRAIN=Sprague-Dawley; TISSUE=Heart;
```

```
RX
    MEDLINE=90272425; PubMed=2349108;
    Qian S.W., Kondaiah P., Roberts A.B., Sporn M.B.;
RA
RT
     "cDNA cloning by PCR of rat transforming growth factor beta-1.";
RL
    Nucleic Acids Res. 18:3059-3059(1990).
    -!- FUNCTION: TGF-BETA IS A MULTIFUNCTIONAL PEPTIDE THAT CONTROL
CC
CC
        PROLIFERATION, DIFFERENTIATION, AND OTHER FUNCTIONS IN MANY CELL
        TYPES. MANY CELLS SYNTHESIZE TGF-BETA AND ESSENTIALLY ALL OF THEM
CC
CC
        HAVE SPECIFIC RECEPTORS FOR THIS PEPTIDE. TGF-BETA REGULATES THE
CC
        ACTIONS OF MANY OTHER PEPTIDE GROWTH FACTORS AND DETERMINES
CC
        A POSITIVE OR NEGATIVE DIRECTION OF THEIR EFFECTS.
CC
    -!- SUBUNIT: Homodimer; disulfide-linked.
CC
     -!- SUBCELLULAR LOCATION: Secreted.
CC
    -!- SIMILARITY: Belongs to the TGF-beta family.
    ______
CC
CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
CC
    EMBL; X52498; CAA36741.1; -.
DR
DR
    PIR; S10219; S10219.
    HSSP; P01137; 1KLA.
DR
    InterPro; IPR002400; GF_cysknot.
DR
    InterPro; IPR003911; TGF TGFb.
DR
    InterPro; IPR001839; TGFb.
DR
DR
    InterPro; IPR001111; TGFb_N.
DR
    Pfam; PF00019; TGF-beta; 1.
DR
    Pfam; PF00688; TGFb propeptide; 1.
DR
    PRINTS; PR00438; GFCYSKNOT.
DR
    PRINTS; PR01423; TGFBETA.
    ProDom; PD000357; TGFb; 1.
DR
DR
    SMART; SM00204; TGFB; 1.
DR
    PROSITE; PS00250; TGF_BETA 1; 1.
KW
    Growth factor; Mitogen; Glycoprotein; Signal.
FT
                       23
    SIGNAL
                               POTENTIAL.
                1
FT
    PROPEP
                24
                       278
FT
    CHAIN
                279
                      390
                               TRANSFORMING GROWTH FACTOR BETA 1.
                              BY SIMILARITY.
FT
    DISULFID
              285 294
                               BY SIMILARITY.
FT
              293
                     356
    DISULFID
                               BY SIMILARITY.
FT
    DISULFID
               322
                      387
                              BY SIMILARITY.
FT
    DISULFID 326 389
    DISULFID 355 355
FT
                               INTERCHAIN (BY SIMILARITY).
FT
                               N-LINKED (GLCNAC. . .) (POTENTIAL).
    CARBOHYD
               82
                      82
FT
    CARBOHYD
                136
                      136
                               N-LINKED (GLCNAC. . .) (POTENTIAL) .
FT
    CARBOHYD
              176
                      176
                               N-LINKED (GLCNAC. . .) (POTENTIAL)
                               CELL ATTACHMENT SITE (POTENTIAL).
FT
                      246
    SITE
                244
SQ
    SEQUENCE 390 AA; 44329 MW; 5E21108ED50D853C CRC64;
 Query Match
                        90.7%; Score 621; DB 1; Length 390;
 Best Local Similarity 92.5%; Pred. No. 5e-59;
 Matches 111; Conservative 1; Mismatches 0; Indels
                                                              8; Gaps
                                                                         1;
```

```
Db
         279 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 330
QУ
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
             Db
         331 SLDTQYSKVLALYNQHNPGASASPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 390
RESULT 9
TGF1 HORSE
    TGF1 HORSE
                  STANDARD;
                                PRT; 390 AA.
AC
    019011;
DT
    15-JUL-1998 (Rel. 36, Created)
    15-JUL-1998 (Rel. 36, Last sequence update)
DT
DT
    28-FEB-2003 (Rel. 41, Last annotation update)
DE
    Transforming growth factor beta 1 precursor (TGF-beta 1).
GN
    TGFB1.
OS
    Equus caballus (Horse).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Perissodactyla; Equidae; Equus.
OX
    NCBI TaxID=9796;
RN
    [1]
RΡ
    SEQUENCE FROM N.A.
RC
    TISSUE=Lymph node;
    MEDLINE=98185507; PubMed=9524819;
RX
    Penha-Goncalves M.N., Onions D.E., Nicolson L.;
RA
RT
     "Cloning and sequencing of equine transforming growth factor-beta 1
RT
    (TGF beta-1) cDNA.";
RL
    DNA Seq. 7:375-378(1997).
    -!- FUNCTION: TGF-BETA IS A MULTIFUNCTIONAL PEPTIDE THAT CONTROL
CC
CC
        PROLIFERATION, DIFFERENTIATION, AND OTHER FUNCTIONS IN MANY CELL
CC
        TYPES. MANY CELLS SYNTHESIZE TGF-BETA AND ESSENTIALLY ALL OF THEM
CC
        HAVE SPECIFIC RECEPTORS FOR THIS PEPTIDE. TGF-BETA REGULATES THE
        ACTIONS OF MANY OTHER PEPTIDE GROWTH FACTORS AND DETERMINES
CC
CC
        A POSITIVE OR NEGATIVE DIRECTION OF THEIR EFFECTS.
CC
    -!- SUBUNIT: Homodimer; disulfide-linked.
CC
    -!- SUBCELLULAR LOCATION: Secreted.
CC
    -!- SIMILARITY: Belongs to the TGF-beta family.
CC
    CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
CC
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
    modified and this statement is not removed. Usage by and for commercial
CC
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
    CC
DR
    EMBL; X99438; CAA67801.1; -.
DR
    HSSP; P01137; 1KLA.
    InterPro; IPR002400; GF cysknot.
DR
    InterPro; IPR003911; TGF TGFb.
DR
    InterPro; IPR001839; TGFb.
DR
DR
    InterPro; IPR001111; TGFb N.
DR
    Pfam; PF00019; TGF-beta; 1.
    Pfam; PF00688; TGFb propeptide; 1.
DR
    PRINTS; PR00438; GFCYSKNOT.
DR
DR
    PRINTS; PR01423; TGFBETA.
```

ProDom; PD000357; TGFb; 1.

```
SMART; SM00204; TGFB; 1.
DR
    PROSITE; PS00250; TGF BETA 1; 1.
DR
KW
    Growth factor; Mitogen; Glycoprotein; Signal.
FT
    SIGNAL
                 1
                       23
                                POTENTIAL.
FT
    PROPEP
                24
                       278
                                BY SIMILARITY.
                                TRANSFORMING GROWTH FACTOR BETA 1.
                      390
FT
    CHAIN
                279
                285
                      294
                                BY SIMILARITY.
FT
    DISULFID
FT
    DISULFID
                293
                      356
                                BY SIMILARITY.
                      387
FT
    DISULFID
                322
                                BY SIMILARITY.
                      389
                                BY SIMILARITY.
FT
    DISULFID
              326
                                INTERCHAIN (BY SIMILARITY).
FT
                      355
    DISULFID
                355
                                N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
    CARBOHYD
                82
                      82
                                N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
                136
                      136
    CARBOHYD
                     176
FT
               176
                                N-LINKED (GLCNAC. . .) (POTENTIAL).
    CARBOHYD
    SEQUENCE 390 AA; 43974 MW; A86D715F44549691 CRC64;
SO
 Query Match
                         90.5%; Score 620; DB 1; Length 390;
 Best Local Similarity
                       92.5%; Pred. No. 6.3e-59;
 Matches 111; Conservative
                              0; Mismatches
                                                              8; Gaps
                                               1; Indels
                                                                         1;
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                               Db
         279 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 330
QУ
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
             331 SLDTQYSKVLALYNQHNPGASAAPCCVPQVLEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 390
Db
RESULT 10
TGF1 CAVPO
ID
    TGF1 CAVPO
                   STANDARD;
                                 PRT;
                                        390 AA.
    Q9Z1Y6; Q9QZB3; Q9R148;
AC
DT
    16-OCT-2001 (Rel. 40, Created)
    16-OCT-2001 (Rel. 40, Last sequence update)
DT
    28-FEB-2003 (Rel. 41, Last annotation update)
DT
    Transforming growth factor beta 1 precursor (TGF-beta 1).
DΕ
GN
    TGFB1.
OS
    Cavia porcellus (Guinea pig).
OC.
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Rodentia; Hystricognathi; Caviidae; Cavia.
    NCBI TaxID=10141;
OX
RN
    [1]
RΡ
    SEQUENCE FROM N.A.
RC
    STRAIN=Hartley;
RA
    Jeevan A., McMurray D.N., Yoshimura T.;
    "Guinea pig transforming growth factor-beta in peritoneal exudates
RT
RT
    after BCG vaccination.";
RL
    Submitted (OCT-1999) to the EMBL/GenBank/DDBJ databases.
RN
    [2]
RP
    SEQUENCE OF 265-382 FROM N.A.
    MEDLINE=99144670; PubMed=10025978;
RX
RA
    Scarozza A.M., Ramsingh A.I., Wicher V., Wicher K.;
RT
    "Spontaneous cytokine gene expression in normal guinea pig blood and
RT
    tissues.";
RL
    Cytokine 10:851-859(1998).
RN
    [3]
```

```
RΡ
    SEQUENCE OF 279-371 FROM N.A.
RC
    STRAIN=Hartley; TISSUE=Trachea;
RA
    Morishima Y., Uchida Y., Nomura A., Ishii Y., Sakamoto T.,
RA
    Sekizawa K.;
RT
     "Guinea-pig transforming growth factor-beta expression in injured
RT
    tracheal epithelium.";
RL
    Submitted (JUL-1999) to the EMBL/GenBank/DDBJ databases.
CC
    -!- FUNCTION: MULTIFUNCTIONAL PEPTIDE THAT CONTROLS PROLIFERATION,
CC
        DIFFERENTIATION, AND OTHER FUNCTIONS IN MANY CELL TYPES. MANY
CC
        CELLS SYNTHESIZE TGF-BETA 1 AND ESSENTIALLY ALL OF THEM HAVE
        SPECIFIC RECEPTORS FOR THIS PEPTIDE. TGF-BETA 1 REGULATES THE
CC
CC
        ACTIONS OF MANY OTHER PEPTIDE GROWTH FACTORS AND DETERMINES A
CC
        POSITIVE OR NEGATIVE DIRECTION OF THEIR EFFECTS.
CC
     -!- SUBUNIT: Homodimer; disulfide-linked (By similarity).
CC
    -!- SUBCELLULAR LOCATION: Secreted.
CC
    -!- SIMILARITY: Belongs to the TGF-beta family.
CC
    CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
CC
    DR
    EMBL; AF191297; AAF02780.1; -.
DR
    EMBL; AF097509; AAC83807.1; -.
DR
    EMBL; AF169347; AAD49347.1; -.
DR
    HSSP; P01137; 1KLA.
DR
    InterPro; IPR002400; GF cysknot.
DR
    InterPro; IPR003911; TGF TGFb.
DR
    InterPro; IPR001839; TGFb.
    InterPro; IPR001111; TGFb N.
DR
    Pfam; PF00019; TGF-beta; 1.
DR
    Pfam; PF00688; TGFb propeptide; 1.
DR
DR
    PRINTS; PR00438; GFCYSKNOT.
DR
    PRINTS; PR01423; TGFBETA.
DR
    ProDom; PD000357; TGFb; 1.
DR
    SMART; SM00204; TGFB; 1.
    PROSITE; PS00250; TGF BETA_1; 1.
DR
KW
    Growth factor; Mitogen; Glycoprotein; Signal.
FT
    SIGNAL
                 1
                       24
                                POTENTIAL.
FT
    PROPEP
                25
                       278
                                POTENTIAL.
FT
                                TRANSFORMING GROWTH FACTOR BETA 1.
    CHAIN
                279
                      390
                285
FT
                      294
                               BY SIMILARITY.
    DISULFID
FT
    DISULFID
                293
                      356
                               BY SIMILARITY.
FT
    DISULFID
                322
                      387
                               BY SIMILARITY.
FT
    DISULFID
                326
                      389
                                BY SIMILARITY.
FT
                355
                      355
    DISULFID
                                INTERCHAIN (BY SIMILARITY).
FT
                                N-LINKED (GLCNAC. . .) (POTENTIAL).
    CARBOHYD
                82
                       82
FT
    CARBOHYD
                136
                      136
                                N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
                                N-LINKED (GLCNAC. . .) (POTENTIAL).
    CARBOHYD
                176
                      176
FT
    SITE
                244
                                CELL ATTACHMENT SITE (POTENTIAL).
                      246
FT
                279
                      279
                               G \rightarrow P (IN REF. 3).
    CONFLICT
FT
    CONFLICT
             286
                     286
                               F -> S (IN REF. 2).
FT
    CONFLICT
                309
                     309
                               K \rightarrow E (IN REF. 2).
               322 322
FT
    CONFLICT
                              C -> R (IN REF. 2).
```

```
FT
               350 350 A -> G (IN REF. 2).
SQ
     SEQUENCE 390 AA; 44328 MW; 1539F849BA0C0FF1 CRC64;
 Query Match 89.3%; Score 612; DB 1; Length 390; Best Local Similarity 92.4%; Pred. No. 4.5e-58;
 Matches 110; Conservative 0; Mismatches 1; Indels 8; Gaps
                                                                          1;
Qу
           2 LDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWS 61
                              Db
         280 LDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWS 331
          62 LDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
         332 LDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKAKVEQLSNMIVRSCKCS 390
RESULT 11
TGF1 CHICK
    TGF1 CHICK
                  STANDARD;
                                PRT; 373 AA.
AC
    P09531;
    01-MAR-1989 (Rel. 10, Created)
DT
DT
    01-OCT-1996 (Rel. 34, Last sequence update)
DT
    28-FEB-2003 (Rel. 41, Last annotation update)
DE
    Transforming growth factor beta 1 precursor (TGF-beta 1) (TGF-beta 4)
DE
    (Fragment).
GN
    TGFB1.
OS
    Gallus gallus (Chicken).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
    Gallus.
OC
    NCBI TaxID=9031;
OX
RN
    [1]
RP
    SEQUENCE FROM N.A.
RC
    STRAIN=White leghorn;
    MEDLINE=89112198; PubMed=2464131;
RX
    Jakowlew S.B., Dillard P.J., Sporn M.B., Roberts A.B.;
RA
RT
    "Complementary deoxyribonucleic acid cloning of a messenger
    ribonucleic acid encoding transforming growth factor beta 4 from
RT
RT
    chicken embryo chondrocytes.";
    Mol. Endocrinol. 2:1186-1195(1988).
RL
RN
    [2]
RΡ
    REVISIONS.
RX
    MEDLINE=92357039; PubMed=1353860;
RA
    Burt D.W., Jakowlew S.B.;
RT
    "Correction: a new interpretation of a chicken transforming growth
RT
    factor-beta 4 complementary DNA.";
RL
    Mol. Endocrinol. 6:989-992(1992).
CC
    -!- FUNCTION: TGF-BETA IS A MULTIFUNCTIONAL PEPTIDE THAT CONTROL
CC
        PROLIFERATION, DIFFERENTIATION, AND OTHER FUNCTIONS IN MANY CELL
CC
        TYPES. MANY CELLS SYNTHESIZE TGF-BETA AND ESSENTIALLY ALL OF THEM
CC
        HAVE SPECIFIC RECEPTORS FOR THIS PEPTIDE. TGF-BETA REGULATES THE
        ACTIONS OF MANY OTHER PEPTIDE GROWTH FACTORS AND DETERMINES
CC
CC
        A POSITIVE OR NEGATIVE DIRECTION OF THEIR EFFECTS.
    -!- SUBUNIT: Homodimer; disulfide-linked.
CC
CC
    -!- SUBCELLULAR LOCATION: Secreted.
    -!- SIMILARITY: Belongs to the TGF-beta family.
CC
CC
```

```
CC
     This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
     between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
     the European Bioinformatics Institute. There are no restrictions on
CC
     use by non-profit institutions as long as its content is in no way
CC
     modified and this statement is not removed. Usage by and for commercial
CC
     entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
     or send an email to licensewisb-sib.ch).
CC
DR
     EMBL; M31160; AAB05637.1; -.
DR
     PIR; A41918; A41918.
DR
     HSSP; P01137; 1KLA.
DR
     InterPro; IPR003911; TGF TGFb.
DR
     InterPro; IPR001839; TGFb.
     InterPro; IPR001111; TGFb N.
DR
DR
     Pfam; PF00019; TGF-beta; 1.
DR
     Pfam; PF00688; TGFb propeptide; 1.
DR
     PRINTS; PR01423; TGFBETA.
DR
     ProDom; PD000357; TGFb; 1.
DR
     SMART; SM00204; TGFB; 1.
DR
     PROSITE; PS00250; TGF BETA 1; 1.
     Growth factor; Mitogen; Glycoprotein; Signal.
KW
     NON TER
FT
                  1
                         1
FT
     SIGNAL
                 <1
                         1
                                 POTENTIAL.
FT
     PROPEP
                  2
                       259
                                 POTENTIAL.
     CHAIN
FT
                260
                       373
                                 TRANSFORMING GROWTH FACTOR BETA 1.
FT
     DISULFID
                       277
                266
                                 BY SIMILARITY.
FT
     DISULFID
                276
                       339
                                 BY SIMILARITY.
FT
    DISULFID
                                 BY SIMILARITY.
                305
                       370
FT
     DISULFID
                309
                       372
                                 BY SIMILARITY.
FT
     DISULFID
                338
                       338
                                 INTERCHAIN (BY SIMILARITY).
                                 N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
     CARBOHYD
                 54
                       54
FT
     CARBOHYD
                109
                       109
                                 N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
     CARBOHYD
                153
                       153
                                 N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
     SITE
                224
                       226
                                 CELL ATTACHMENT SITE (POTENTIAL).
SQ
    SEQUENCE
               373 AA; 42634 MW; 9903F3479C8552E5 CRC64;
                         78.8%; Score 540; DB 1; Length 373;
  Query Match
  Best Local Similarity
                         79.2%; Pred. No. 2.2e-50;
 Matches
          95; Conservative
                               8; Mismatches
                                               9; Indels
                                                               8; Gaps
QУ
           2 LDTNYCFS-STDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
                                Db
         261 LDTDYCFGPGTD-----EKNCCVRPLYIDFRKDLQWKWIHEPKGYMANFCMGPCPYIW 313
QУ
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
              Db
         314 SADTQYTKVLALYNQHNPGASAAPCCVPQTLDPLPIIYYVGRNVRVEQLSNMVVRACKCS 373
RESULT 12
TGF1 XENLA
    TGF1 XENLA
ID
                   STANDARD;
                                  PRT:
                                        382 AA.
AC
    P16176;
DT
    01-APR-1990 (Rel. 14, Created)
DT
    01-APR-1990 (Rel. 14, Last sequence update)
DT
    28-FEB-2003 (Rel. 41, Last annotation update)
    Transforming growth factor beta 1 precursor (TGF-beta 1) (TGF-beta 5).
```

```
OS
    Xenopus laevis (African clawed frog).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Amphibia; Batrachia; Anura; Mesobatrachia; Pipoidea; Pipidae;
OC
    Xenopodinae; Xenopus.
OX
    NCBI_TaxID=8355;
RN
    [1]
RΡ
    SEQUENCE FROM N.A.
    MEDLINE=90110090; PubMed=2295601;
RX
RA
    Kondaiah P., Sands M.J., Smith J.M., Fields A., Roberts A.B.,
RA
    Sporn M.B., Melton D.A.;
    "Identification of a novel transforming growth factor-beta (TGF-beta
RT
RT
    5) mRNA in Xenopus laevis.";
RL
    J. Biol. Chem. 265:1089-1093(1990).
RN
    [2]
RΡ
    SEQUENCE FROM N.A.
RA
    Vempati U.D., Kondaiah P.;
    Submitted (AUG-1997) to the EMBL/GenBank/DDBJ databases.
RL
    -!- FUNCTION: IMPORTANT ROLE IN CERTAIN ASPECTS OF DIFFERENTIATION
CC
CC
    -!- SUBUNIT: Homodimer; disulfide-linked.
CC
    -!- SUBCELLULAR LOCATION: Secreted.
    -!- SIMILARITY: Belongs to the TGF-beta family.
CC
CC
    CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
CC
    DR
    EMBL; J05180; AAA49968.1; -.
DR
    EMBL; AF009335; AAB64441.1; -.
DR
    EMBL; AF009331; AAB64441.1; JOINED.
    EMBL; AF009332; AAB64441.1; JOINED.
DR
    EMBL; AF009333; AAB64441.1; JOINED.
DR
DR
    EMBL; AF009334; AAB64441.1; JOINED.
DR
    PIR; A34929; B61036.
    HSSP; P01137; 1KLA.
DR
DR
    InterPro; IPR002400; GF cysknot.
    InterPro: IPR003911; TGF TGFb.
DR
    InterPro; IPR001839; TGFb.
DR
    InterPro; IPR001111; TGFb N.
DR
    Pfam; PF00019; TGF-beta; 1.
DR
    Pfam; PF00688; TGFb propeptide; 1.
DR
DR
    PRINTS; PR00438; GFCYSKNOT.
DR
    PRINTS; PR01423; TGFBETA.
DR
    ProDom; PD000357; TGFb; 1.
    SMART; SM00204; TGFB; 1.
DR
    PROSITE; PS00250; TGF BETA 1; 1.
DR
    Growth factor; Mitogen; Glycoprotein; Signal.
KW
FT
    SIGNAL
                1
                      21
                               POTENTIAL.
    PROPEP
                22
                      270
FT
FT
    CHAIN
               271
                      382
                               TRANSFORMING GROWTH FACTOR BETA 1.
    DISULFID 277
                     286
                              BY SIMILARITY.
FT
FT
    DISULFID 285 348
                              BY SIMILARITY.
    DISULFID 314
                     379
                              BY SIMILARITY.
FT
FT
    DISULFID 318 381
                              BY SIMILARITY.
```

```
FT
    DISULFID 347 347
                              INTERCHAIN (BY SIMILARITY).
FT
               73
                     73
                             N-LINKED (GLCNAC. . .) (POTENTIAL).
    CARBOHYD
FT
    CARBOHYD 123
                    123
                             N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
    CARBOHYD 166
                     166
                               N-LINKED (GLCNAC. . .) (POTENTIAL) .
FT
                     236
                              CELL ATTACHMENT SITE (POTENTIAL).
    SITE
              234
    SEQUENCE 382 AA; 44200 MW; 1034621C917AAE15 CRC64;
SQ
  Query Match
                       71.7%; Score 491; DB 1; Length 382;
 Best Local Similarity 73.0%; Pred. No. 3.9e-45;
         84; Conservative 10; Mismatches 13; Indels
                                                         8; Gaps
                                                                      1;
Qу
           6 YCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDTQ 65
             | | | | :
                          Db
         276 YCFGNNG-----PNCCVKPLYINFRKDLGWKWIHEPKGYEANYCLGNCPYIWSMDTQ 327
          66 YSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
         328 YSKVLSLYNQNNPGASISPCCVPDVLEPLPIIYYVGRTAKVEOLSNMVVRSCNCS 382
RESULT 13
TGF3 MOUSE
    TGF3 MOUSE
ID
                 STANDARD;
                              PRT: 410 AA.
    P17125;
AC
DT
    01-AUG-1990 (Rel. 15, Created)
DT
    01-AUG-1990 (Rel. 15, Last sequence update)
DT
    28-FEB-2003 (Rel. 41, Last annotation update)
DE
    Transforming growth factor beta 3 precursor (TGF-beta 3).
GN
    TGFB3.
OS
    Mus musculus (Mouse).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX
    NCBI TaxID=10090;
RN
    [1]
RΡ
    SEQUENCE FROM N.A.
    MEDLINE=90190650; PubMed=2628730;
RX
RA
    Miller D.A., Lee A., Matsui Y., Chen E.Y., Moses H.L., Derynck R.;
RT
    "Complementary DNA cloning of the murine transforming growth
RT
    factor-beta 3 (TGF beta 3) precursor and the comparative expression
RT
    of TGF beta 3 and TGF beta 1 messenger RNA in murine embryos and
RT
    adult tissues.":
RL
    Mol. Endocrinol. 3:1926-1934(1989).
RN
    [2]
ŔР
    SEQUENCE FROM N.A.
RX
    MEDLINE=91000714; PubMed=2206556;
    Denhez F., Lafyatis R., Kondaiah P., Roberts A.B., Sporn M.B.;
RA
RT
    "Cloning by polymerase chain reaction of a new mouse TGF-beta,
RT
    mTGF-beta 3.";
RL
    Growth Factors 3:139-146(1990).
CC
    -!- FUNCTION: INVOLVED IN EMBRYOGENESIS AND CELL DIFFERENTIATION.
    -!- SUBUNIT: Homodimer; disulfide-linked.
CC
CC
    -!- SUBCELLULAR LOCATION: Secreted.
CC
    -!- SIMILARITY: Belongs to the TGF-beta family.
CC
    CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
    the European Bioinformatics Institute. There are no restrictions on its
```

```
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
CC
    or send an email to licensewisb-sib.ch).
CC
    -----
DR
    EMBL; M32745; AAA40422.1; -.
    PIR; A41397; A41397.
DR
DR
    HSSP; P10600; 1TGJ.
DR
    MGD; MGI:98727; Tqfb3.
DR
    InterPro; IPR002400; GF cysknot.
DR
    InterPro; IPR003911; TGF TGFb.
DR
    InterPro; IPR001839; TGFb.
DR
    InterPro; IPR001111; TGFb N.
DR
    Pfam; PF00019; TGF-beta; 1.
DR
    Pfam; PF00688; TGFb_propeptide; 1.
DR
    PRINTS; PR00438; GFCYSKNOT.
DR
    PRINTS; PR01423; TGFBETA.
DR
    ProDom; PD000357; TGFb; 1.
DR
    SMART; SM00204; TGFB; 1.
    PROSITE; PS00250; TGF BETA 1; 1.
DR
KW
    Growth factor; Mitogen; Glycoprotein; Signal.
FT
    SIGNAL
               1
                     23
                             POTENTIAL.
FT
    PROPEP
               24
                     298
                             POTENTIAL.
FT
    CHAIN
               299 410
                             TRANSFORMING GROWTH FACTOR BETA 3.
FT
    DISULFID 305 314
                            BY SIMILARITY.
FT
    DISULFID 313 376
                            BY SIMILARITY.
                            BY SIMILARITY.
FT
    DISULFID 342 407
                            BY SIMILARITY.
    DISULFID 346 409
FT
             375
                             INTERCHAIN (BY SIMILARITY).
                    375
FT
    DISULFID
FT
              72
    CARBOHYD
                     72
                            N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
    CARBOHYD
              133
                    133
                            N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
                           N-LINKED (GLCNAC. . .) (POTENTIAL).
CELL ATTACHMENT SITE (POTENTIAL).
    CARBOHYD
             140 140
FT
    SITE
              259
                    261
SO
    SEQUENCE 410 AA; 46884 MW; 250F7048CA432BD6 CRC64;
  Query Match
                       70.9%; Score 486; DB 1; Length 410;
 Best Local Similarity 71.7%; Pred. No. 1.5e-44;
         86; Conservative 11; Mismatches 15; Indels
                                                       8; Gaps
QУ
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
            Db
        299 ALDTNYCFRNL-----EENCCVRPLYIDFRQDLGWKWVHEPKGYYANFCSGPCPYLR 350
         61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
QУ
            Db
         351 SADTTHSTVLGLYNTLNPEASASPCCVPQDLEPLTILYYVGRTPKVEQLSNMVVKSCKCS 410
RESULT 14
TGF3 HUMAN
ID
    TGF3 HUMAN
                 STANDARD;
                              PRT; 412 AA.
AC
    P10600;
DT
    01-JUL-1989 (Rel. 11, Created)
DT
    01-JUL-1989 (Rel. 11, Last sequence update)
DT
    15-SEP-2003 (Rel. 42, Last annotation update)
DE
    Transforming growth factor beta 3 precursor (TGF-beta 3).
GN
    TGFB3.
```

```
Homo sapiens (Human).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
    Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OC
    NCBI_TaxID=9606;
XO
RN
    [1]
    SEQUENCE FROM N.A.
RΡ
RX
    MEDLINE=88263019; PubMed=3164476;
RA
    ten Dijke P., Hansen P., Iwata K., Pieler C., Foulkes J.G.;
RT
     "Identification of another member of the transforming growth factor
RT
     type beta gene family.";
    Proc. Natl. Acad. Sci. U.S.A. 85:4715-4719(1988).
RL
RN
    [2]
RΡ
    SEQUENCE FROM N.A.
RC
    TISSUE=Placenta;
    MEDLINE=89091120; PubMed=3208746;
RX
    Derynck R., Lindquist P.B., Lee A., Wen D., Tamm J., Graycar J.L.,
RA
    Rhee L., Mason A.J., Miller D.A., Coffey R.J., Moses H.L., Chen E.Y.;
RA
     "A new type of transforming growth factor-beta, TGF-beta 3 ";
RT
    EMBO J. 7:3737-3743(1988).
RL
RN
    [3]
RP
    SEQUENCE FROM N.A.
    Madan A., Rowen L., Qin S., Dickhoff R., Shaffer T., James R.,
RA
RA
    Abbasi N., Loretz C., Madan A., Dors M., Dahl T., Hall J., Lasky S.,
RA
    Hood L.;
     "Complete genomic sequence of human transforming growth factor-beta
RT
RT
RL
     Submitted (NOV-1998) to the EMBL/GenBank/DDBJ databases.
RN
     [4]
RΡ
    SEQUENCE FROM N.A.
    Rieder M.J., Livingston R.J., Braun A.C., Montoya M.A., Chung M.-W.,
RA
    Miyamoto K.E., Nguyen C.P., Nguyen D.A., Poel C.L., Robertson P.D.,
RA
     Schackwitz W.S., Sherwood J.K., Witrak L.A., Nickerson D.A.;
RA
    Submitted (AUG-2002) to the EMBL/GenBank/DDBJ databases.
RL
RN
     [5]
    X-RAY CRYSTALLOGRAPHY (2.0 ANGSTROMS) OF 301-412.
RP
    MEDLINE=96416253; PubMed=8819159;
RX
    Mittl P.R., Priestle J.P., Cox D.A., McMaster G., Cerletti N.,
RA
RA
    Grutter M.G.;
     "The crystal structure of TGF-beta 3 and comparison to TGF-beta 2:
RT
RT
     implications for receptor binding.";
     Protein Sci. 5:1261-1271(1996).
RL
    -!- FUNCTION: INVOLVED IN EMBRYOGENESIS AND CELL DIFFERENTIATION.
CC
CC
     -!- SUBUNIT: Homodimer; disulfide-linked.
CC
    -!- SUBCELLULAR LOCATION: Secreted.
CC
     -!- SIMILARITY: Belongs to the TGF-beta family.
CC
     CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
     the European Bioinformatics Institute. There are no restrictions on
CC
    use by non-profit institutions as long as its content is in no way
     modified and this statement is not removed. Usage by and for commercial
CC
CC
     entities requires a license agreement (See http://www.isb-sib.ch/announce/
     or send an email to license@isb-sib.ch).
CC
CC
     EMBL; J03241; AAA61161.1; -.
DR
     EMBL; X14149; CAA32362.1; -.
DR
     EMBL; X14885; CAA33024.1; ALT INIT.
DR
```

OS

```
EMBL; X14886; CAA33024.1; JOINED.
DR
     EMBL; X14887; CAA33024.1; JOINED.
DR
DR
     EMBL; X14888; CAA33024.1; JOINED.
DR
     EMBL; X14889; CAA33024.1; JOINED.
     EMBL; X14890; CAA33024.1; JOINED.
DR
DR
     EMBL; X14891; CAA33024.1; JOINED.
DR
     EMBL; AF107885; AAC79727.1; -.
DR
     EMBL; AY140241; AAM96819.1; -.
     PIR; A36169; A36169.
DR
     PDB; 1TGJ; 11-JAN-97.
DR
     PDB; 1TGK; 12-MAR-97.
DR
     PDB; 1KTZ; 27-FEB-02.
DR
DR
     Genew; HGNC:11769; TGFB3.
DR
     MIM; 190230; -.
     GO; GO:0005160; F:transforming growth factor-beta receptor li. . .; TAS.
DR
     GO: GO:0007267; P:cell-cell signaling; TAS.
DR
     GO; GO:0007397; P:histogenesis and organogenesis; TAS.
DR
     GO; GO:0007165; P:signal transduction: TAS.
DR
     InterPro; IPR002400; GF cysknot.
DR
     InterPro; IPR003911; TGF_TGFb.
DR
     InterPro; IPR001839; TGFb.
DR
DR
     InterPro; IPRO01111; TGFb N.
DR
     Pfam; PF00019; TGF-beta; 1.
     Pfam; PF00688; TGFb propeptide; 1.
DR
     PRINTS; PR00438; GFCYSKNOT.
DR
     PRINTS; PR01423; TGFBETA.
DR
     ProDom; PD000357; TGFb; 1.
DR
DR
     SMART; SM00204; TGFB; 1.
DR
     PROSITE; PS00250; TGF_BETA_1; 1.
KW
     Growth factor; Mitogen; Glycoprotein; Signal; 3D-structure.
FT
     SIGNAL
                    1
                          20
                                    POTENTIAL.
FT
     PROPEP
                   21
                         300
                                    TRANSFORMING GROWTH FACTOR BETA 3.
FT
     CHAIN
                  301
                         412
FT
     DISULFID
                  307
                         316
FT
     DISULFID
                  315
                         378
FT
     DISULFID
                         409
                  344
FT
     DISULFID
                  348
                         411
                                    INTERCHAIN (BY SIMILARITY).
                  377
                         377
FT
     DISULFID
                                    N-LINKED (GLCNAC. . .) (POTENTIAL) .
FT
     CARBOHYD
                  74
                          74
     CARBOHYD
                                    N-LINKED (GLCNAC. . .) (POTENTIAL) .
FT
                  135
                         135
FT
     CARBOHYD
                  142
                         142
                                    N-LINKED (GLCNAC. . .) (POTENTIAL) .
FT
                                    CELL ATTACHMENT SITE (POTENTIAL).
     SITE
                  261
                         263
FT
     STRAND
                  303
                         303
FT
     HELIX
                  304
                         309
FT
     STRAND
                  316
                         318
FT
     STRAND
                  321
                         323
FT
     HELIX
                  324
                         328
FT
     TURN
                  331
                         332
FT
     STRAND
                  333
                         335
FT
                         340
     STRAND
                  338
FT
     STRAND
                  343
                         345
FT
     TURN
                  350
                         353
FT
     STRAND
                  354
                         354
FT
     HELIX
                  357
                         368
FT
     TURN
                  370
                         371
FT
     STRAND
                  378
                         380
FT
     STRAND
                  383
                         392
```

```
FT
    TURN
               393
                      394
FT
    STRAND
               395
                      406
FT
    STRAND
               408
                      412
SO
    SEQUENCE
              412 AA; 47328 MW; 3CAD3548D3AEA178 CRC64;
                        70.9%; Score 486; DB 1; Length 412;
 Query Match
 Best Local Similarity 71.7%; Pred. No. 1.5e-44;
          86; Conservative 11; Mismatches
                                             15; Indels
                                                            8; Gaps
                                                                        1;
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                              1111111 :
         301 ALDTNYCFRNL-----EENCCVRPLYIDFRQDLGWKWVHEPKGYYANFCSGPCPYLR 352
Db
          61 SLDTOYSKVLALYNOHNPGASAAPCCVPOALEPLPIVYYVGRKPKVEOLSNMIVRSCKCS 120
Qу
             Db
         353 SADTTHSTVLGLYNTLNPEASASPCCVPQDLEPLTILYYVGRTPKVEQLSNMVVKSCKCS 412
RESULT 15
TGF3 RAT
ID
    TGF3 RAT
                  STANDARD:
                                PRT:
                                       412 AA.
    Q07258;
AC
DT
    01-OCT-1994 (Rel. 30, Created)
DT
    01-FEB-1996 (Rel. 33, Last sequence update)
DT
    28-FEB-2003 (Rel. 41, Last annotation update)
    Transforming growth factor beta 3 precursor (TGF-beta 3).
DE
GN
    TGFB3 OR TGF-B3.
OS
    Rattus norvegicus (Rat).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
    NCBI TaxID=10116;
OX
RN
    [1]
RΡ
    SEQUENCE FROM N.A.
    STRAIN=Wistar; TISSUE=Lung;
RC
    MEDLINE=95155340; PubMed=7852342;
RX
    Wang J., Kuliszewski M., Yee W., Sedlackova L., Xu J., Tseu I.,
RA
    Post M.;
RA
RT
    "Cloning and expression of glucocorticoid-induced genes in fetal rat
RT
    lung fibroblasts. Transforming growth factor-beta 3.";
    J. Biol. Chem. 270:2722-2728(1995).
RL
RN
    [2]
    SEQUENCE OF 159-213 FROM N.A.
RP
    MEDLINE=93286190; PubMed=8509457;
RX
    McKinnon R.D., Piras G., Ida J., Dubois-Dalq M.;
RA
RT
    "A role for TGF-beta in oligodendrocyte differentiation.";
RL
    J. Cell Biol. 121:1397-1407(1993).
CC
    -!- FUNCTION: INVOLVED IN EMBRYOGENESIS AND CELL DIFFERENTIATION.
CC
    -!- SUBUNIT: Homodimer; disulfide-linked.
CC
    -!- SUBCELLULAR LOCATION: Secreted.
CC
    -!- SIMILARITY: Belongs to the TGF-beta family.
CC
     CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
CC
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
    modified and this statement is not removed. Usage by and for commercial
CC
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
```

```
CC
     or send an email to license@isb-sib.ch).
CC
     -------
DR
     EMBL; U03491; AAA67915.1; -.
     EMBL; X71903; CAA50722.1; -.
DR
DR
     PIR; A55706; A55706.
    HSSP; P10600; 1TGJ.
DR
DR
     InterPro; IPR002400; GF cysknot.
DR
     InterPro; IPR003911; TGF TGFb.
DR
     InterPro; IPR001839; TGFb.
DR
     InterPro; IPR001111; TGFb N.
DR
     Pfam; PF00019; TGF-beta; \overline{1}.
     Pfam; PF00688; TGFb propeptide; 1.
DR
DR
     PRINTS; PR00438; GFCYSKNOT.
DR
     PRINTS; PR01423; TGFBETA.
DR
     ProDom; PD000357; TGFb; 1.
DR
     SMART; SM00204; TGFB; 1.
DR
     PROSITE; PS00250; TGF BETA 1; 1.
KW
    Growth factor; Mitogen; Glycoprotein: Signal.
FT
    SIGNAL
                 1
                       23
                                POTENTIAL.
FT
                                POTENTIAL.
    PROPEP
                24
                      300
FT
    CHAIN
                301
                      412
                                TRANSFORMING GROWTH FACTOR BETA 3.
FT
    DISULFID
                307
                      316
                               BY SIMILARITY.
FT
                               BY SIMILARITY.
    DISULFID
               315
                     378
FT
    DISULFID
               344
                     409
                               BY SIMILARITY.
FΤ
    DISULFID
               348
                     411
                              BY SIMILARITY.
FT
    DISULFID
                377
                      377
                               INTERCHAIN (BY SIMILARITY).
FT
                      74
    CARBOHYD
                74
                                N-LINKED (GLCNAC. . .) (POTENTIAL) .
FT
    CARBOHYD
                135
                      135
                                N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
    CARBOHYD
               142
                      142
                               N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
    SITE
                261
                      263
                               CELL ATTACHMENT SITE (POTENTIAL).
    SEQUENCE
SQ
               412 AA; 47116 MW; 24FD7D899090AA9D CRC64;
                        70.8%; Score 485; DB 1; Length 412;
 Query Match
                        71.7%; Pred. No. 1.9e-44;
 Best Local Similarity
 Matches 86; Conservative 11; Mismatches 15; Indels
                                                             8; Gaps
                                                                        1:
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                              301 ALDTNYCFRNL-----EENCCVRPLYIDFRQDLGWKWVHEPKGYYANFCSGPCPYLR 352
Db
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
         353 SSDTTHSTVLGLYNTLNPEASASPCCVPQDLEPLTILYYVGRTPKVEQLSNMVVKSCKCS 412
Search completed: October 28, 2003, 09:08:40
Job time: 3.4052 secs
                           GenCore version 5.1.6
                 Copyright (c) 1993 - 2003 Compugen Ltd.
OM protein - protein search, using sw model
               October 28, 2003, 07:50:55; Search time 9.6208 Seconds
Run on:
                                        (without alignments)
```

3218.683 Million cell updates/sec

US-10-017-372E-15 Title:

Perfect score: 685

1 ALDTNYCFSSTDYKDDDDKE......GRKPKVEQLSNMIVRSCKCS 120 Sequence:

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 830525 segs, 258052604 residues

Total number of hits satisfying chosen parameters: 830525

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

SPTREMBL 23:* Database :

> 1: sp_archea:* 2: sp_bacteria:*

3: sp fungi:* 4: sp human:*

5: sp_invertebrate:*

6: sp_mammal:*

7: sp mhc:*

8: sp_organelle:*

9: sp_phage:*

10: sp_plant:*

11: sp rodent:*

12: sp virus:*

13: sp_vertebrate:* 14: sp unclassified:*

15: sp_rvirus:*
16: sp_bacteriap:*

17: sp archeap:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

			%				
R	esult		Query				
	No.	Score	Match	Length	DB	ID	Description
	1	624	91.1	112	6	002730	002730 oryctolagus
	2	621	90.7	368	11	Q8R4D9	Q8r4d9 sigmodon hi
	3	612	89.3	390	6	Q9TUM8	Q9tum8 equus cabal
	4	609	88.9	130	11	Q08714	Q08714 mesocricetu
	5	606	88.5	124	6	Q95N80	Q95n80 canis famil
	6	540	78.8	101	11	Q9R184	Q9r184 meriones un
	7	486	70.9	362	11	Q99K17	Q99k17 mus musculu
	8	486	70.9	412	11	Q91YU7	Q91yu7 mus musculu
	9	478	69.8	382	13	093449	093449 oncorhynchu
	10	466	68.0	255	11	Q921 T 1	Q921t1 mus musculu

```
68.0
                                                     091vp5 mus musculu
11
      466
                    414 11 Q91VP5
12
    464.5
            67.8
                    200 13 Q90YF1
                                                     Q90yf1 pleuronecte
                   379 13 Q8JHF5
13
    463.5
            67.7
                                                     Q8jhf5 sparus aura
14
    462.5
            67.5
                   382 13
                           Q9PWA9
                                                     Q9pwa9 morone chry
15
    459.5
            67.1
                   379
                        13
                           Q8AXK8
                                                     Q8axk8 sparus aura
16
      454
            66.3
                    224
                        11 08CDZ9
                                                     Q8cdz9 mus musculu
17
      436
            63.6
                   376
                       13 Q9PTQ2
                                                     Q9ptq2 cyprinus ca
1.8
      424
            61.9
                   361 13 Q98854
                                                     Q98854 cyprinus ca
19
      420
           61.3
                   399 11 O9ERB7
                                                     Q9erb7 mesocricetu
20
      413
            60.3
                    88 13 Q90YF5
                                                     Q90yf5 pleuronecte
21
      402
            58.7
                   88 13 Q90YF7
                                                    Q90yf7 oncorhynchu
                    88 13 Q90ZE7
22
      397
            58.0
                                                    090ze7 acipenser b
23
      393
                    87 13 042306
            57.4
                                                    042306 carassius a
24
      382
            55.8
                   91 6 Q9MYZ1
                                                   Q9myz1 capra hircu
25
      373
            54.5
                   86 6 Q28241
                                                   Q28241 cervus elap
26
      358
            52.3
                    81 6 O9N1S3
                                                   O9nls3 capreolus c
27
      353
            51.5
                   179 13 O90YF2
                                                     Q90yf2 pleuronecte
28
      317
            46.3
                    77 13 O90YF8
                                                     Q90yf8 oncorhynchu
29
      301
                    62 13 Q90ZJ7
            43.9
                                                     Q90zj7 anguilla an
                    62 13 O90YF4
30
      300
            43.8
                                                     Q90yf4 pleuronecte
                    50 6 Q28240
31
      289
           42.2
                                                   Q28240 cervus elap
           41.9
32
      287
                    62 13 Q9DEP5
                                                     Q9dep5 scophthalmu
           41.3
33
      283
                    62 13 Q90ZJ8
                                                     Q90zj8 anguilla an
34
      283
           41.3
                   62 13 Q90YF9
                                                     Q90yf9 oncorhynchu
35
      273
           39.9
                    62 13 Q90YF3
                                                    Q90yf3 pleuronecte
36
    205.5
            30.0
                   389 13 Q90YY0
                                                    Q90yy0 ictalurus p
37
      205
            29.9
                   426 4 Q9HBP0
                                                    Q9hbp0 homo sapien
38
                       13 Q98SP9
      204
            29.8
                   424
                                                    Q98sp9 meleagris g
39
    203.5
            29.7
                   385 13 Q90W05
                                                    Q90w05 sparus aura
40
    202.5
            29.6
                   374 13 Q8JFS0
                                                    Q8jfs0 brachydanio
41
      201
            29.3
                   119 6 Q95N79
                                                   Q95n79 ailuropoda
42
      201
            29.3
                   119
                       6 Q95KP2
                                                   Q95kp2 ursus malay
43
    200.5
            29.3
                   373 13 Q90ZD2
                                                    Q90zd2 oncorhynchu
    200.5
                   373 13 Q90ZD1
44
            29.3
                                                    090zdl oncorhynchu
                   373 13 Q9DDI8
45
    200.5
            29.3
                                                    Q9ddi8 salmo salar
```

ALIGNMENTS

```
RESULT 1
002730
ID
     002730
                 PRELIMINARY;
                                    PRT;
                                           112 AA.
AC
     002730; 097501;
     01-JUL-1997 (TrEMBLrel. 04, Created)
DT
DT
     01-JUL-1997 (TrEMBLrel. 04, Last sequence update)
DT
     01-JUN-2002 (TrEMBLrel. 21, Last annotation update)
DΕ
     Transforming growth factor beta 1 (TGF-beta 1) (Fragment).
GN
     TGFB1 OR TGF-BETA-1.
OS
     Oryctolagus cuniculus (Rabbit).
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
     Mammalia; Eutheria; Lagomorpha; Leporidae; Oryctolagus.
OX
     NCBI_TaxID=9986;
RN
     [1]
RP
     SEQUENCE FROM N.A.
RA
     Taylor T.K., James E.R., McGonigle S., Yoho E.R.;
RL
     Submitted (APR-1997) to the EMBL/GenBank/DDBJ databases.
```

```
RN
RΡ
     SEQUENCE OF 2-99 FROM N.A.
RA
     Inoue K., Kawabe Y., Kodama T.;
     Submitted (NOV-1998) to the EMBL/GenBank/DDBJ databases.
RL
     -!- FUNCTION: TGF-BETA 1 IS A MULTIFUNCTIONAL PEPTIDE THAT CONTROLS
CC
CC
         PROLIFERATION, DIFFERENTIATION, AND OTHER FUNCTIONS IN MANY CELL
CC
        TYPES. MANY CELLS SYNTHESIZE TGF-BETA 1 AND ESSENTIALLY ALL OF
        THEM HAVE SPECIFIC RECEPTORS FOR THIS PEPTIDE. TGF-BETA 1
CC
        REGULATES THE ACTIONS OF MANY OTHER PEPTIDE GROWTH FACTORS AND
CC
CC
        DETERMINES A POSITIVE OR NEGATIVE DIRECTION OF THEIR EFFECTS.
CC
     -!- SUBUNIT: HOMODIMER, DISULFIDE-LINKED (BY SIMILARITY).
     -!- SIMILARITY: BELONGS TO THE TGF-BETA FAMILY.
CC
     EMBL; AF000133; AAB53806.1; -.
DR
     EMBL; AB020217; BAA36950.1; -.
DR
DR
    HSSP; P01137; 1KLA.
DR
     InterPro; IPR002400; GF cysknot.
DR
     InterPro; IPR001839; TGFb.
     Pfam; PF00019; TGF-beta; 1.
DR
     PRINTS; PR00438; GFCYSKNOT.
DR
     ProDom; PD000357; TGFb; 1.
DR
DR
    SMART; SM00204; TGFB; 1.
DR
     PROSITE; PS00250; TGF BETA 1; 1.
KW
    Growth factor; Mitogen; Glycoprotein.
FT
     NON TER
                  1
FT
     CHAIN
                  1
                       112
                                 TRANSFORMING GROWTH FACTOR BETA 1.
FT
    DISULFID
                  7
                                 BY SIMILARITY.
                        16
                                 BY SIMILARITY.
FT
    DISULFID
                 15
                        78
FT
    DISULFID
                 44
                       109
                                 BY SIMILARITY.
FT
    DISULFID
                 48
                       111
                                 BY SIMILARITY.
                 77
                        77
FT
    DISULFID
                                 INTERCHAIN (BY SIMILARITY).
FT
                  2
                                 LD -> FS (IN REF. 2).
    CONFLICT
                         3
FT
    CONFLICT
                 85
                        92
                                 PLPIVYYV -> ATAHRVTTL (IN REF. 2).
SO
    SEQUENCE
               112 AA; 12795 MW; 53C5B7D46355A6F3 CRC64;
  Query Match
                         91.1%; Score 624; DB 6; Length 112;
  Best Local Similarity
                         93.3%; Pred. No. 4.6e-65;
                              0; Mismatches 0; Indels
 Matches 112; Conservative
                                                               8; Gaps
                                                                           1;
QУ
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
                                Db
           1 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 52
Qу
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
              Db
          53 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 112
RESULT 2
Q8R4D9
ID
    Q8R4D9
                PRELIMINARY;
                                  PRT;
                                         368 AA.
AC
    Q8R4D9;
DT
     01-JUN-2002 (TrEMBLrel. 21, Created)
DT
    01-JUN-2002 (TrEMBLrel. 21, Last sequence update)
DT
    01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DE
    Transforming growth factor beta-1 protein (Fragment).
GN
OS
    Sigmodon hispidus (Hispid cotton rat).
```

```
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Sigmodontinae;
OC
     Sigmodon.
XO
    NCBI_TaxID=42415;
RN
     [1]
     SEQUENCE FROM N.A.
RP
     Blanco J.C., Pletneva L.M., Prince G.A.;
RA
RT
     "Cotton rat cytokines, chemokines, and interferons.";
     Submitted (FEB-2002) to the EMBL/GenBank/DDBJ databases.
RL
CC
     -!- SIMILARITY: BELONGS TO THE TGF-BETA FAMILY.
     EMBL; AF480858; AAL87199.1; -.
DR
     InterPro; IPR002400; GF cysknot.
DR
DR
    InterPro; IPR001839; TGFb.
DR
     InterPro; IPR001111; TGFb N.
     Pfam; PF00019; TGF-beta; 1.
DR
DR
    Pfam; PF00688; TGFb propeptide; 1.
    PRINTS; PR00438; GFCYSKNOT.
DR
    ProDom; PD000357; TGFb; 1.
DR
    SMART; SM00204; TGFB; 1.
DR
DR
     PROSITE; PS00250; TGF BETA 1; 1.
FT
    NON TER
                 1
    SEQUENCE
               368 AA; 41905 MW; A5C91207B0468B4A CRC64;
SO
 Query Match
                         90.7%; Score 621; DB 11; Length 368;
 Best Local Similarity 92.5%; Pred. No. 4e-64;
 Matches 111; Conservative 1; Mismatches
                                               0; Indels
                                                              8; Gaps
                                                                          1:
Qy
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
                                Db
         257 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 308
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
QУ
             Db
         309 SLDTQYSKVLALYNQHNPGASASPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 368
RESULT 3
O9TUM8
ΙD
    Q9TUM8
                PRELIMINARY:
                                 PRT:
                                        390 AA.
AC
    O9TUM8;
DT
    01-MAY-2000 (TrEMBLrel. 13, Created)
DT
     01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
     01-MAR-2003 (TrEMBLrel 23, Last annotation update)
DT
DE
    Transforming growth factor beta 1.
GN
    TGFB1.
OS
    Equus caballus (Horse).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Perissodactyla; Equidae; Equus.
OX
    NCBI TaxID=9796;
RN
     [1]
RΡ
    SEQUENCE FROM N.A.
RA
    Nixon A.J., Brower-Toland B.T., Sandell L.J.;
RT
    "Molecular cloning of equine transforming growth factor beta 1 reveals
RT
    a divergent nucleotide structure that encodes a novel bioactive
RT
    peptide among mammalian species.";
RL
    Submitted (AUG-1999) to the EMBL/GenBank/DDBJ databases.
CC
     -!- SIMILARITY: BELONGS TO THE TGF-BETA FAMILY.
```

```
DR
    HSSP; P01137; 1KLA.
DR
    InterPro; IPR002400; GF cysknot.
    InterPro; IPR001839; TGFb.
DR
    InterPro; IPR001111; TGFb N.
DR
    InterPro; IPR003911; TGF_TGFb.
DR
DR
    Pfam; PF00019; TGF-beta; 1.
DR
    Pfam; PF00688; TGFb propeptide; 1.
DR
    PRINTS; PR00438; GFCYSKNOT.
    PRINTS; PR01423; TGFBETA.
DR
    ProDom; PD000357; TGFb; 1.
DR
    SMART; SM00204; TGFB; 1.
DR
DR
    PROSITE; PS00250; TGF BETA 1; 1.
SO
    SEQUENCE
               390 AA; 43860 MW; 220FE40DFCCA6016 CRC64;
 Ouery Match
                        89.3%; Score 612; DB 6; Length 390;
 Best Local Similarity 91.7%; Pred. No. 4.8e-63;
 Matches 110; Conservative 0; Mismatches
                                              2: Indels
                                                              8. Gang
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                               Db
         279 ALDTNYCSSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 330
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
         331 SLDTQYSKVLALYNQHNPGASAAPCCVPQVLEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 390
RESULT 4
008714
                PRELIMINARY;
                                 PRT;
ΙD
    Q08714
                                        130 AA.
AC
    Q08714; O70331;
DТ
    01-NOV-1996 (TrEMBLrel. 01, Created)
DT
    01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
    01-JUN-2002 (TrEMBLrel. 21, Last annotation update)
DT
DE
    Transforming growth factor beta 1 (TGF-beta 1) (Fragment).
GN
    TGFB1.
OS
    Mesocricetus auratus (Golden hamster).
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
OC
    Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Cricetinae;
OC
    Mesocricetus.
OX
    NCBI TaxID=10036;
RN
    [1]
RΡ
    SEQUENCE FROM N.A.
RC
    STRAIN=LVG (SYR);
RX
    MEDLINE=93304479; PubMed=8317544;
RA
    Wong D.T., Donoff R.B., Yang J., Song B.Z., Matossian K., Nagura N.,
RA
    Elovic A., McBride J., Gallagher G., Todd R.;
RТ
    "Sequential expression of transforming growth factors alpha and beta 1
RT
    by eosinophils during cutaneous wound healing in the hamster.";
    Am. J. Pathol. 143:130-142(1993).
RL
RN
    [2]
    SEQUENCE OF 26-115 FROM N.A.
RΡ
    STRAIN=SYRIAN; TISSUE=SPLEEN;
RC
    MEDLINE=98234044; PubMed=9573100;
RX
    Melby P.C., Tryon V.V., Chandrasekar B., Freeman G.L.;
RA
RT
    "Cloning of Syrian hamster (Mesocricetus auratus) cytokine cDNAs and
```

DR

EMBL; AF175709; AAD49431.1; -.

```
RT
     analysis of cytokine mRNA expression in experimental visceral
RT
     leishmaniasis.";
RL
     Infect. Immun. 66:2135-2142(1998).
     -!- FUNCTION: TGF-BETA 1 IS A MULTIFUNCTIONAL PEPTIDE THAT CONTROLS
CC
         PROLIFERATION, DIFFERENTIATION, AND OTHER FUNCTIONS IN MANY CELL
CC
CC
         TYPES. MANY CELLS SYNTHESIZE TGF-BETA 1 AND ESSENTIALLY ALL OF
CC
         THEM HAVE SPECIFIC RECEPTORS FOR THIS PEPTIDE. TGF-BETA 1
CC
         REGULATES THE ACTIONS OF MANY OTHER PEPTIDE GROWTH FACTORS AND
        DETERMINES A POSITIVE OR NEGATIVE DIRECTION OF THEIR EFFECTS.
CC
CC
     -!- SUBUNIT: HOMODIMER, DISULFIDE-LINKED.
CC
     -!- SIMILARITY: TO OTHER GROWTH FACTORS OF THE TGF-BETA FAMILY.
     EMBL; X60296; CAA42838.1; -.
DR
DR
     EMBL; AF046214; AAC40099.1; -.
DR
     HSSP; P01137; 1KLA.
DR
     InterPro; IPR001839; TGFb.
DR
     Pfam; PF00019; TGF-beta; 1.
     ProDom; PD000357; TGFb; 1.
DR
     SMART; SM00204: TGFB; 1.
DR
     PROSITE; PS00250; TGF_BETA_1; 1.
DR
KW
    Growth factor; Mitogen; Glycoprotein.
FT
    NON TER
                         1
                  1
FT
     PROPEP
                        18
                 <1
FΤ
     CHAIN
                 19
                       130
                                 TRANSFORMING GROWTH FACTOR BETA 1.
FT
    DISULFID
                 25
                        34
                                 BY SIMILARITY.
FΤ
    DISULFID
                        96
                                 BY SIMILARITY.
                 33
FT
    DISULFID
                 66
                       129
                                 BY SIMILARITY.
FT
    DISULFID
                 95
                        95
                                 INTERCHAIN (BY SIMILARITY).
FT
                                 G \rightarrow S (IN REF. 2).
    CONFLICT
                 93
                        93
SO
    SEQUENCE
               130 AA; 14997 MW; 8B41DD6CF39CCA77 CRC64;
  Query Match
                         88.9%; Score 609; DB 11; Length 130;
 Best Local Similarity
                         91.7%; Pred. No. 3.1e-63;
 Matches 110; Conservative
                               0; Mismatches
                                                2; Indels
                                                               8; Gaps
                                                                           1 :
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                                19 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 70
Db
Qу
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
              71 SLDTQYSKVLALYNQHNPGASAGPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSYKCS 130
Db
RESULT 5
Q95N80
ΙD
    Q95N80
                PRELIMINARY;
                                  PRT;
                                        124 AA.
AC
    Q95N80;
DT
    01-DEC-2001 (TrEMBLrel. 19, Created)
DT
    01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
    01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DT
DΕ
    Transforming growth factor beta 1 (Fragment).
OS
    Canis familiaris (Dog).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
    Mammalia; Eutheria; Carnivora; Fissipedia; Canidae; Canis.
OC
OX
    NCBI TaxID=9615;
RN
     [1]
RP
    SEQUENCE FROM N.A.
```

```
RA
     Fonfara S., Groene A., Baumgaertner W.;
RT
     "Sequence of canine transforming growth factor beta 1 mRNA in DH82-
RT
     cells.";
    Submitted (FEB-2001) to the EMBL/GenBank/DDBJ databases.
RL
CC
     -!- SIMILARITY: BELONGS TO THE TGF-BETA FAMILY.
DR
     EMBL; AF349538; AAK54072.1; -.
     InterPro; IPR001839; TGFb.
DR
     Pfam; PF00019; TGF-beta; 1.
DR
     ProDom; PD000357; TGFb; 1.
DR
DR
     SMART; SM00204; TGFB; 1.
     PROSITE; PS00250; TGF BETA 1; 1.
DR
FT
    NON TER
                  1
FT
    NON TER
                124
                       124
SQ
    SEQUENCE
               124 AA; 14329 MW; 21D185218E5556DB CRC64;
  Query Match
                         88.5%; Score 606; DB 6; Length 124;
  Best Local Similarity
                         93.2%; Pred. No. 6.6e-63;
                                                0: Indels
  Matches 109; Conservative
                               0; Mismatches
                                                               8: Gans
QУ
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
                                1 1 1 1 1 1 1 1 1 1 1 1
Db
          16 ALDTNYCFSST-----EKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 67
           61 SLDTQYSKVLALYNOHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSC 117
Qу
              68 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSC 124
Dh
RESULT 6
Q9R184
                PRELIMINARY;
                                  PRT;
                                         101 AA.
ID
    Q9R184
AC
     Q9R184;
DT
     01-MAY-2000 (TrEMBLrel. 13, Created)
     01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT
     01-JUN-2002 (TrEMBLrel. 21, Last annotation update)
DT
    Transforming growth factor beta 1 (TGF-beta 1) (Fragment).
DE
GN
    TGFB1 OR TGF-BETA.
    Meriones unquiculatus (Mongolian jird).
OS
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
    Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Gerbillinae;
OC
OC
    Meriones.
    NCBI TaxID=10047;
OX
RN
     [1]
RΡ
     SEQUENCE FROM N.A.
RC
    TISSUE=LYMPH NODE;
RA
     Rao U.R., Klei T.R.;
RT
     "cDNA cloning of gerbil transforming growth factor-beta by PCR.";
RL
     Submitted (JUN-1999) to the EMBL/GenBank/DDBJ databases.
CC
     -!- FUNCTION: TGF-BETA 1 IS A MULTIFUNCTIONAL PEPTIDE THAT CONTROLS
CC
         PROLIFERATION, DIFFERENTIATION, AND OTHER FUNCTIONS IN MANY CELL
CC
        TYPES. MANY CELLS SYNTHESIZE TGF-BETA 1 AND ESSENTIALLY ALL OF
CC
        THEM HAVE SPECIFIC RECEPTORS FOR THIS PEPTIDE. TGF-BETA 1
CC
        REGULATES THE ACTIONS OF MANY OTHER PEPTIDE GROWTH FACTORS AND
        DETERMINES A POSITIVE OR NEGATIVE DIRECTION OF THEIR EFFECTS.
CC
     -!- SUBUNIT: HOMODIMER, DISULFIDE-LINKED (BY SIMILARITY).
CC
CC
     -!- SIMILARITY: BELONGS TO THE TGF-BETA FAMILY.
     EMBL; AF161218; AAD45726.1; -.
DR
```

```
DR
    HSSP: P01137; 1KLA.
DR
     InterPro; IPR001839; TGFb.
DR
     Pfam; PF00019; TGF-beta; 1.
     ProDom; PD000357; TGFb; 1.
DR
DR
    SMART; SM00204; TGFB; 1.
    PROSITE; PS00250; TGF_BETA_1; 1.
DR
KW
    Growth factor; Mitogen; Glycoprotein.
FT
    NON TER
                  1
                        1
FT
    CHAIN
                      >101
                                 TRANSFORMING GROWTH FACTOR BETA 1.
                 <1
FT
    DISULFID
                  1
                        10
                                 BY SIMILARITY.
    DISULFID
FT
                        72
                                 BY SIMILARITY.
                  9
FT
                 71
                        71
                                 INTERCHAIN (BY SIMILARITY).
    DISULFID
FT
    NON TER
                101
                       101
SQ
    SEQUENCE
               101 AA; 11724 MW; ABF1CFDA264AEFED CRC64;
  Query Match
                         78.8%; Score 540; DB 11; Length 101;
  Best Local Similarity 89.0%; Pred. No. 2.7e-55;
 Matches
          97; Conservative
                              1; Mismatches
                                                 3: Indels
                                                               8: Gaps
Qу
           7 CFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDTQY 66
                          11111
Db
           1 CFSST----EKNCCVRQLYRDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLHTQY 52
          67 SKVLALYNOHNPGASAAPCCVPOALEPLPIVYYVGRKPKVEOLSNMIVR 115
Qу
              Dh
          53 SKVLALYNQHNPGASASPCCVPQALEPLPIVYYVGRKPKVEQLSNMFVR 101
RESULT 7
Q99K17
                PRELIMINARY;
ΙD
    Q99K17
                                  PRT;
                                         362 AA.
AC
     Q99K17;
DT
     01-JUN-2001 (TrEMBLrel. 17, Created)
     01-JUN-2001 (TrEMBLrel. 17, Last sequence update)
DT
     01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DT
    Similar to transforming growth factor, beta 3 (Fragment).
DE
GN
    TGFB3.
OS
    Mus musculus (Mouse).
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
    Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OC.
OX
    NCBI TaxID=10090;
RN
     [1]
RΡ
     SEQUENCE FROM N.A.
RA
     Strausberg R.;
    Submitted (MAR-2001) to the EMBL/GenBank/DDBJ databases.
RT.
CC
     -!- SIMILARITY: BELONGS TO THE TGF-BETA FAMILY.
DR
     EMBL; BC005513; AAH05513.1; -.
DR
    HSSP; P10600; 1TGJ.
    MGD; MGI:98727; Tgfb3.
DR
    InterPro; IPR002400; GF cysknot.
DR
     InterPro; IPR001839; TGFb.
DR
DR
    InterPro; IPR001111; TGFb_N.
DR
    InterPro; IPR003911; TGF TGFb.
     Pfam; PF00019; TGF-beta; 1.
DR
DR
     Pfam; PF00688; TGFb propeptide; 1.
     PRINTS; PR00438; GFCYSKNOT.
DR
DR
    PRINTS; PR01423; TGFBETA.
```

```
DR
    ProDom; PD000357; TGFb; 1.
DR
    SMART; SM00204; TGFB; 1.
DR
    PROSITE; PS00250; TGF BETA 1; 1.
FT
    NON TER
                        1
                  1
    SEQUENCE
SQ
               362 AA; 41486 MW; 0808E46180FDAE70 CRC64;
 Query Match
                         70.9%; Score 486; DB 11; Length 362;
 Best Local Similarity
                        71.7%; Pred. No. 2.3e-48;
 Matches
         86; Conservative 11; Mismatches
                                              15; Indels
                                                              8;
                                                                  Gaps
                                                                          1;
           1 ALDTNYCFSSTDYKDDDDKEKNCCVROLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                               \{\{\{\}\}\}\}\}
Db
         251 ALDTNYCFRNL-----EENCCVRPLYIDFRQDLGWKWVHEPKGYYANFCSGPCPYLR 302
Qу
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
             Db
         303 SADTTHSTVLGLYNTLNPEASASPCCVPQDLEPLTILYYVGRTPKVEQLSNMVVKSCKCS 362
RESULT 8
091YU7
ΙD
    O91YU7
                PRELIMINARY;
                                 PRT:
                                        412 AA.
AC
    Q91YU7;
DT
    01-DEC-2001 (TrEMBLrel. 19, Created)
DT
    01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
    01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DT
DE
    Transforming growth factor, beta 3.
GN
    TGFB3.
OS
    Mus musculus (Mouse).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
    NCBI TaxID=10090;
OX
RN
    [1]
RP
    SEQUENCE FROM N.A.
RA
    Strausberg R.;
RL
    Submitted (OCT-2001) to the EMBL/GenBank/DDBJ databases.
    -!- SIMILARITY: BELONGS TO THE TGF-BETA FAMILY.
CC
DR
    EMBL; BC014690; AAH14690.1; -.
    MGD; MGI:98727; Tgfb3.
DR
DR
    InterPro; IPR002400; GF cysknot.
    InterPro; IPR001839; TGFb.
DR
    InterPro; IPR001111; TGFb N.
DR
    InterPro; IPR003911; TGF TGFb.
DR
DR
    Pfam; PF00019; TGF-beta; 1.
DR
    Pfam; PF00688; TGFb propeptide; 1.
    PRINTS; PR00438; GFCYSKNOT.
DR
DR
    PRINTS; PR01423; TGFBETA.
DR
    ProDom; PD000357; TGFb; 1.
DR
    SMART; SM00204; TGFB; 1.
DR
    PROSITE; PS00250; TGF BETA 1; 1.
SO
    SEQUENCE 412 AA; 47144 MW; F3EB65D046DF32AD CRC64;
 Query Match
                        70.9%; Score 486; DB 11; Length 412;
 Best Local Similarity 71.7%; Pred. No. 2.6e-48;
           86; Conservative 11; Mismatches
                                               15; Indels
                                                              8; Gaps
```

QУ

```
| | | | | | | | | | | | | | | |
Db
         301 ALDTNYCFRNL-----EENCCVRPLYIDFRODLGWKWVHEPKGYYANFCSGPCPYLR 352
          61 SLDTQYSKVLALYNOHNPGASAAPCCVPOALEPLPIVYYVGRKPKVEOLSNMIVRSCKCS 120
Qу
              Db
         353 SADTTHSTVLGLYNTLNPEASASPCCVPQDLEPLTILYYVGRTPKVEQLSNMVVKSCKCS 412
RESULT 9
093449
ΙD
    093449
                PRELIMINARY;
                                  PRT;
                                         382 AA.
AC
    093449; Q91217;
DT
    01-NOV-1998 (TrEMBLrel. 08, Created)
     01-NOV-1998 (TrEMBLrel. 08, Last sequence update)
DT
     01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DT
DE
    Transforming growth factor beta precursor.
GN
    TGF-BETA OR TGF.
OS
    Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC
    Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX
    NCBI TaxID=8022;
RN
     [1]
RР
    SEOUENCE FROM N.A.
RC
    TISSUE=LEUKOCYTE;
RX
    MEDLINE=99242020; PubMed=10227481;
RA
    Daniels G.D., Secombes C.J.;
RT
     "Genomic organisation of rainbow trout, Oncorhynchus mykiss TGF-
RT
    BETA.";
RL
    Dev. Comp. Immunol. 23:139-147(1999).
RN
    [2]
RP
    SEQUENCE FROM N.A., AND TISSUE SPECIFICITY.
RC
    TISSUE=LEUKOCYTE;
RX
    MEDLINE=98390168; PubMed=9722928;
RA
    Hardie L.J., Laing K.J., Daniels G.D., Grabowski P.S., Cunningham C.,
RA
    Secombes C.J.;
    "Isolation of the first piscine transforming growth factor beta gene:
RT
RT
    analysis reveals tissue specific expression and a potential regulatory
RT
    sequence in rainbow trout (Oncorhynchus mykiss).";
RL
    Cytokine 10:555-563(1998).
CC
    -!- FUNCTION: IS LIKELY TO BE AN IMPORTANT CYTOKINE REGULATING IMMUNE
CC
        RESPONSE. MAY ALSO HAVE A ROLE IN OTHER PHYSIOLOGICAL SYSTEMS.
CC
    -!- SUBUNIT: HOMODIMER, DISULFIDE-LINKED (BY SIMILARITY).
CC
    -!- TISSUE SPECIFICITY: EXPRESSED IN BLOOD LEUKOCYTES, KIDNEY
CC
        MACROPHAGES, BRAIN, GILL AND SPLEEN BUT NOT IN LIVER.
CC
    -!- SIMILARITY: BELONGS TO THE TGF-BETA FAMILY.
DR
    EMBL; AJ007836; CAA07707.1; -.
DR
    EMBL; X99303; CAA67685.1; -.
DΚ
    HSSP; P01137; 1KLA.
    InterPro; IPR002400; GF cysknot.
DR
    InterPro; IPR001839; TGFb.
DR
DR
    InterPro; IPR001111; TGFb N.
DR
    InterPro; IPR003911; TGF TGFb.
DR
    Pfam; PF00019; TGF-beta; 1.
DR
    Pfam; PF00688; TGFb propeptide; 1.
DR
    PRINTS; PR00438; GFCYSKNOT.
DR
    PRINTS; PR01423; TGFBETA.
```

```
DR
     ProDom; PD000357; TGFb; 1.
DR
     SMART; SM00204; TGFB; 1.
DR
     PROSITE; PS00250; TGF BETA 1; 1.
    Growth factor; Mitogen; Glycoprotein; Signal.
KW
FT
     SIGNAL
                  1
                         20
                                  POTENTIAL.
FT
     PROPEP
                 21
                        270
FT
     CHAIN
                 271
                        382
                                 TRANSFORMING GROWTH FACTOR BETA.
FT
                                  BY SIMILARITY.
    DISULFID
                 278
                        286
FT
                                  BY SIMILARITY.
    DISULFID
                285
                        348
                        379
                                  BY SIMILARITY.
FT
    DISULFID
                314
FT
    DISULFID
                       381
                                 BY SIMILARITY.
                318
                                  INTERCHAIN (BY SIMILARITY).
FT
                347
                        347
    DISULFID
                 76
                                  N-LINKED (GLCNAC. . .) (POTENTIAL).
FT
     CARBOHYD
                        76
FT
                                 N-LINKED (GLCNAC. . .) (POTENTIAL).
     CARBOHYD
                 116
                        116
FT
                125
                        125
                                 N-LINKED (GLCNAC. . .) (POTENTIAL).
     CARBOHYD
FT
    CONFLICT
                237
                       237
                                 N \rightarrow D (IN REF. 2).
FT
     CONFLICT
                345
                        345
                                  Q \rightarrow H (IN REF. 2).
                        372
                                 LS -> VP (IN REF. 2).
FT
     CONFLICT
                371
                                 K \rightarrow M (IN REF. 2).
FT
                377
                       377
     CONFLICT
                382 AA; 44136 MW; 93BD4D3540084B92 CRC64;
SQ
     SEQUENCE
                          69.8%; Score 478; DB 13;
  Query Match
                                                     Length 382;
                         76.7%; Pred. No. 2.1e-47;
 Best Local Similarity
 Matches
          79; Conservative 13; Mismatches
                                                11; Indels
                                                                 0; Gaps
                                                                             0:
           18 DKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDTQYSKVLALYNQHN 77
Qу
              280 DKSESCCVRKLYIDFRKDLGWKWIHEPTGYFANYCIGPCTYIWNTENKYSQVLALYKHHN 339
Db
           78 PGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
              Db
          340 PGASAQPCCVPQVLEPLPIIYYVGRQHKVEQLSNMIVKSCRCS 382
RESULT 10
Q921T1
ΙD
    Q921T1
                 PRELIMINARY;
                                   PRT:
                                          255 AA.
AC
     Q921T1;
DT
     01-DEC-2001 (TrEMBLrel. 19, Created)
DT
     01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
     01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DT
DE
     Similar to transforming growth factor, beta 2.
GN
     TGFB2.
OS
    Mus musculus (Mouse).
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX
    NCBI TaxID=10090;
RN
     [1]
RP
     SEQUENCE FROM N.A.
RA
     Strausberg R.;
RL
     Submitted (JUL-2001) to the EMBL/GenBank/DDBJ databases.
CC
     -!- SIMILARITY: BELONGS TO THE TGF-BETA FAMILY.
DR
     EMBL; BC011055; AAH11055.1; -.
DR
    MGD; MGI:98726; Tgfb2.
DR
     InterPro; IPR002400; GF cysknot.
     InterPro; IPR001839; TGFb.
DR
DR
     InterPro; IPR001111; TGFb N.
```

```
DR
    InterPro; IPR003911; TGF TGFb.
DR
    Pfam; PF00019; TGF-beta; 1.
     Pfam; PF00688; TGFb propeptide; 1.
DR
DR
    PRINTS; PR00438; GFCYSKNOT.
     PRINTS; PR01423; TGFBETA.
DR
DR
    ProDom; PD000357; TGFb; 1.
DR
    SMART; SM00204; TGFB; 1.
     PROSITE; PS00250; TGF BETA 1; 1.
DR
SQ
    SEQUENCE 255 AA; 29087 MW; 94540017F3C5C219 CRC64;
  Query Match
                        68.0%; Score 466; DB 11; Length 255;
  Best Local Similarity 66.7%; Pred. No. 3.3e-46;
          80; Conservative 15; Mismatches 17; Indels 8; Gaps
  Matches
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
Qу
                              144 ALDAAYCFRNV------QDNCCLRPLYIDFKRDLGWKWIHEPKGYNANFCAGACPYLW 195
Db
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             Db
         196 SSDTQHTKVLSLYNTINPEASASPCCVSQDLEPLTILYYIGNTPKIEQLSNMIVKSCKCS 255
RESULT 11
091VP5
ΙD
                PRELIMINARY; PRT; 414 AA.
    Q91VP5
AC
    Q91VP5;
DT
    01-DEC-2001 (TrEMBLrel. 19, Created)
DT
    01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT
    01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DΕ
    Similar to transforming growth factor, beta 2.
GN
    TGFB2.
OS
    Mus musculus (Mouse).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
    Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OC.
OX
    NCBI TaxID=10090;
RN
    [1]
RΡ
    SEQUENCE FROM N.A.
RC
    TISSUE=Breast tumor;
RA
    Strausberg R.;
RI.
    Submitted (JUL-2001) to the EMBL/GenBank/DDBJ databases.
CC
    -! - SIMILARITY: BELONGS TO THE TGF-BETA FAMILY.
DR
    EMBL; BC011170; AAH11170.1; -.
DR
    MGD; MGI:98726; Tgfb2.
DR
    InterPro; IPR002400; GF cysknot.
DR
    InterPro; IPR001839; TGFb.
    InterPro; IPR001111; TGFb N.
DR
DR
    InterPro; IPR003911; TGF TGFb.
    Pfam; PF00019; TGF-beta; 1.
DR
    Pfam; PF00688; TGFb propeptide; 1.
DR
DR
    PRINTS; PR00438; GFCYSKNOT.
DR
    PRINTS; PR01423; TGFBETA.
DR
    ProDom; PD000357; TGFb; 1.
DR
    SMART; SM00204; TGFB; 1.
    PROSITE; PS00250; TGF BETA 1; 1.
DR
SQ
    SEQUENCE 414 AA; 47588 MW; DB37A7C38881F286 CRC64;
```

```
Query Match
                        68.0%; Score 466; DB 11; Length 414;
  Best Local Similarity 66.7%; Pred. No. 5.7e-46;
          80; Conservative 15; Mismatches 17; Indels
                                                             8; Gaps
                                                                         1;
           1 ALDTNYCFSSTDYKDDDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIW 60
QУ
             Db
         303 ALDAAYCFRNV------QDNCCLRPLYIDFKRDLGWKWIHEPKGYNANFCAGACPYLW 354
Qу
          61 SLDTQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
             Db
         355 SSDTQHTKVLSLYNTINPEASASPCCVSQDLEPLTILYYIGNTPKIEQLSNMIVKSCKCS 414
RESULT 12
Q90YF1
ID
    Q90YF1
                PRELIMINARY;
                                 PRT;
                                        200 AA.
AC
    Q90YF1;
DT
     01-DEC-2001 (TrEMBLrel. 19, Created)
DT
     01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT
    01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DE
    Transforming growth factor beta 1 (Fragment).
GN
    TGF-BETA1.
    Pleuronectes platessa (Plaice).
OS
OC.
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC
    Acanthomorpha; Acanthopterygii; Percomorpha; Pleuronectiformes;
OC
    Pleuronectoidei; Pleuronectidae; Pleuronectes.
OX
    NCBI_TaxID=8262;
RN
     [1]
RΡ
    SEQUENCE FROM N.A.
RA
    Laing K.J.;
RL
    Submitted (AUG-2001) to the EMBL/GenBank/DDBJ databases.
RN
    SEQUENCE FROM N.A.
RP
    MEDLINE=20394651; PubMed=10938738;
RX
RA
    Laing K.J., Cunningham C., Secombes C.J.;
RТ
    "Genes for three different isoforms of transforming growth factor-beta
RT
    are present in plaice (Pleuronectes platessa) DNA.";
RL
    Fish and Shellfish Immunol. 10:261-271(2000).
CC
    -!- SIMILARITY: BELONGS TO THE TGF-BETA FAMILY.
DR
    EMBL; AJ318933; CAC60268.1; -.
DR
    InterPro; IPR002400; GF cysknot.
DR
    InterPro; IPR001839; TGFb.
    Pfam; PF00019; TGF-beta; 1.
DR
DR
    PRINTS; PR00438; GFCYSKNOT.
DR
    ProDom; PD000357; TGFb; 1.
DR
    SMART; SM00204; TGFB; 1.
DR
    PROSITE; PS00250; TGF BETA 1; 1.
    NON TER
FT
                        1
                 1
    NON TER
FT
                200
                      200
SQ
    SEQUENCE
               200 AA; 22851 MW; 4876FEB6A263B4CC CRC64;
 Query Match
                        67.8%; Score 464.5; DB 13; Length 200;
 Best Local Similarity
                        67.5%; Pred. No. 3.8e-46;
          79; Conservative 15; Mismatches 14; Indels
                                                             9; Gaps
```

QУ

```
1: 1: 1:
Db
          93 TDTCTAOTE-----TCCVRKLYIDFRKDLGWKWIHKPTGYHANYCMGSCTYIWNAE 143
         64 TQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             144 NKYSQILALYKHHNPGASAQPCCVPQALEPLPILYYVGRQHKVEQLSNMSVKSCKCS 200
Db
RESULT 13
Q8JHF5
ΙD
               PRELIMINARY; PRT;
                                     379 AA.
    Q8JHF5
AC
    Q8JHF5;
    01-OCT-2002 (TrEMBLrel. 22, Created)
DT
    01-OCT-2002 (TrEMBLrel. 22, Last sequence update)
DT
    01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DT
    Transforming growth factor beta 1.
DE
OS
    Sparus aurata (Gilthead sea bream).
OC
    Eukaryota; Metazoa; Chordata; Craniata: Vertebrata; Euteleostomi;
    Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC
OC
    Acanthomorpha; Acanthopteryqii; Percomorpha; Perciformes; Percoidei;
OC
    Sparidae; Sparus.
OX
    NCBI TaxID=8175;
RN
    [1]
RΡ
    SEQUENCE FROM N.A.
    Tafalla C., Aranguren R., Secombes C.J., Castrillo J.L., Novoa B.,
RA
RA
    Figueras A.;
RT
    "Molecular characterization of sea bream (Sparus aurata) transforming
RT
    growth factor betal.";
RL
    Fish and Shellfish Immunol. 0:0-0(2002).
    -!- SIMILARITY: BELONGS TO THE TGF-BETA FAMILY.
CC
    EMBL; AF510084; AAN03842.1; -.
DR
    InterPro; IPR002400; GF cysknot.
DR
    InterPro; IPR001839; TGFb.
DR
    InterPro; IPR001111; TGFb N.
DR
    InterPro; IPR003911; TGF TGFb.
DR
    Pfam; PF00019; TGF-beta; 1.
DR
DR
    Pfam; PF00688; TGFb propeptide; 2.
    PRINTS; PR00438; GFCYSKNOT.
DR
DR
    PRINTS; PR01423; TGFBETA.
    ProDom; PD000357; TGFb; 1.
DR
    SMART; SM00204; TGFB; 1.
DR
    PROSITE; PS00250; TGF BETA 1; 1.
DR
SO
    SEQUENCE 379 AA; 43506 MW; COC9D3D2FCA29C0E CRC64;
 Query Match
                       67.7%; Score 463.5; DB 13; Length 379;
 Best Local Similarity 71.4%; Pred. No. 1e-45;
         80; Conservative 14; Mismatches
                                           17; Indels
          10 STDYKDD-DDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDTQYSK 68
Qу
                   Db
         268 STETKDTCTAQTETCCVRSLYIDFRKDLGWKWIHKPTRYHANYCMGSCTYIWNAENKYSQ 327
          69 VLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
            328 ILALYKHHNPGASAQPCCVPQALEPLPILYYVGRQHKVEQLSNMIVKSCKCS 379
Db
```

```
RESULT 14
O9PWA9
ΙD
     Q9PWA9
                 PRELIMINARY;
                                    PRT:
                                           382 AA.
AC
     Q9PWA9;
DT
     01-MAY-2000 (TrEMBLrel. 13, Created)
DT
     01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT
     01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DΕ
     Transforming growth factor beta precursor.
GN
     TGF-BETA.
OS
     Morone chrysops x Morone saxatilis (white bass x striped bass).
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
     Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC
OC
     Acanthomorpha; Acanthopterygii; Percomorpha; Perciformes; Percoidei;
OC
     Moronidae; Morone.
     NCBI TaxID=45352;
OX
RN
     [1]
RΡ
     SEQUENCE FROM N.A., AND TISSUE SPECIFICITY.
RC
     TISSUE=KIDNEY;
RX
     MEDLINE=20394636; PubMed=10938723;
     Harms C.A., Kennedy-Stoskopf S., Horne W.A., Fuller F.J.,
RA
RA
     Tompkins W.A.F.;
RT
     "Cloning and sequencing hybrid striped bass (Morone saxatilis x M.
     chrysops) transforming growth factor-beta (TGF-beta), and development
RT
RT
     of a reverse transcription quantitative competitive polymerase chain
RT
     reaction (RT-qcPCR) assay to measure TGF-beta mRNA of teleost fish.";
     Fish Shellfish Immunol. 10:61-85(2000).
RL
CC
     -!- FUNCTION: IS LIKELY TO BE AN IMPORTANT CYTOKINE REGULATING IMMUNE
         RESPONSE. MAY ALSO HAVE A ROLE IN OTHER PHYSIOLOGICAL SYSTEMS.
CC
CC
     -!- SUBUNIT: HOMODIMER, DISULFIDE-LINKED (BY SIMILARITY).
CC
     -!- TISSUE SPECIFICITY: HIGHER LEVELS FOUND IN MONONUCLEAR CELLS FROM
CC
         PERIPHERAL BLOOD THAN IN SPLEEN OR ANTERIOR KIDNEY.
CC
     -!- SIMILARITY: BELONGS TO THE TGF-BETA FAMILY.
DR
     EMBL; AF140363; AAD46997.1; -.
DR
     HSSP; P01137; 1KLA.
     InterPro; IPR002400; GF cysknot.
DR
DR
     InterPro; IPR001839; TGFb.
DR
     InterPro; IPR001111; TGFb_N.
DR
     InterPro; IPR003911; TGF TGFb.
DR
     Pfam; PF00019; TGF-beta; 1.
DR
     Pfam; PF00688; TGFb propeptide; 1.
DR
     PRINTS; PR00438; GFCYSKNOT.
     PRINTS; PR01423; TGFBETA.
DR
     ProDom; PD000357; TGFb; 1.
DR
     SMART; SM00204; TGFB; 1.
DR
DR
     PROSITE; PS00250; TGF BETA 1; 1.
     Growth factor; Mitogen; Glycoprotein; Signal.
KW
FT
     SIGNAL
                   1
                          ?
                                   POTENTIAL.
FT
     PROPEP
                         270
FT
     CHAIN
                 271
                         382
                                   TRANSFORMING GROWTH FACTOR BETA.
FT
     DISULFID
                 278
                                   BY SIMILARITY.
                        286
                                   BY SIMILARITY.
FT
     DISULFID
                 285
                        348
FT
     DISULFID
                 314
                        379
                                   BY SIMILARITY.
FT
     DISULFID
                 318
                        381
                                   BY SIMILARITY.
FT
     DISULFID
                 347
                        347
                                   INTERCHAIN (BY SIMILARITY).
                 73
FT
     CARBOHYD
                         73
                                   N-LINKED (GLCNAC. . .) (POTENTIAL).
FΤ
     CARBOHYD
                 108
                        108
                                   N-LINKED (GLCNAC. . .) (POTENTIAL) .
FT
     CARBOHYD
                 113
                        113
                                   N-LINKED (GLCNAC. . .) (POTENTIAL).
```

```
FT
                              N-LINKED (GLCNAC. . .) (POTENTIAL).
    CARBOHYD
               124
                     124
FT
    CARBOHYD
               259
                     259
                              N-LINKED (GLCNAC. . .) (POTENTIAL).
                              CELL ATTACHMENT SITE (POTENTIAL).
FT
    SITE
               235
                     237
              382 AA; 43846 MW; 3124D8C34EA74D72 CRC64;
SQ
    SEQUENCE
 Query Match
                       67.5%; Score 462.5; DB 13; Length 382;
 Best Local Similarity 71.4%; Pred. No. 1.3e-45;
         80; Conservative 15; Mismatches
                                            16; Indels
                                                          1; Gaps
                                                                     1:
          10 STDYKD-DDDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDTQYSK 68
Qу
                    | \cdot |
         271 STETKDVCTAQTETCCVRSLYIDFRKDLGWKWIHKPTGYNANYCMGSCTYIWNAENKYSQ 330
Db
          69 VLALYNOHNPGASAAPCCVPOALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
Qу
             331 ILALYKHHNPGASAQPCCVPQALEPLPILYYVGRQHKVEQLSNMIVKSCKCS 382
Db
RESULT 15
Q8AXK8
                                      379 AA.
ID
    Q8AXK8
               PRELIMINARY;
                               PRT:
AC
    O8AXK8:
    01-MAR-2003 (TrEMBLrel. 23, Created)
DT
    01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
DT
DT
    01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
    Transforming growth factor beta 1.
DE
OS
    Sparus aurata (Gilthead sea bream).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC
    Acanthomorpha; Acanthopterygii; Percomorpha; Perciformes; Percoidei;
OC
    Sparidae; Sparus.
    NCBI TaxID=8175;
OX
RN
    [1]
RP
    SEQUENCE FROM N.A.
    Tafalla C., Novoa B., Aranguren R., Figueras A.;
RA
    "Molecular cloning and characterization of sea bream (Sparus aurata)
RT
    TGF beta 1.";
RT
    Submitted (SEP-2001) to the EMBL/GenBank/DDBJ databases.
RL
    EMBL; AF424703; AAN76665.1; -.
DR
    SEQUENCE 379 AA; 43485 MW; A306EC387F6DBA7C CRC64;
SQ
 Ouery Match
                       67.1%; Score 459.5; DB 13; Length 379;
 Best Local Similarity 71.4%; Pred. No. 3e-45;
 Matches 80; Conservative 13; Mismatches 18; Indels
          10 STDYKDD-DDKEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDTQYSK 68
Qу
                     Db
         268 STETKDTCTAQTETCCVRSLYIDFRKDLGWKWIHKPTRYHANYCMGSCTYIWNAENKYSQ 327
Qу
          69 VLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS 120
             Db
         328 XLALYKHHNPGASAQPCCVPQALEPLPILYYVGRQHKVEQLSNMIVKSCKCS 379
```

Search completed: October 28, 2003, 09:12:25 Job time: 9.6208 secs

GenCore version 5.1.6 Copyright (c) 1993 - 2003 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: October 27, 2003, 10:47:27; Search time 5261.34 Seconds

(without alignments)

10489.161 Million cell updates/sec

Title: US-10-017-372E-32

Perfect score: 1349

Sequence: 1 tggtaccgagatggcgcctt......gattaaagcggccgcgact 1349

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched: 2888711 seqs, 20454813386 residues

Total number of hits satisfying chosen parameters: 5777422

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : GenEmbl:*

1: gb ba:*

2: gb htg:*

3: gb in:*

4: gb om:*

5: gb ov:*

6: gb_pat:*

7: gb_ph:*

8: gb_pl:*

9: qb pr:*

10: gb ro:*

11: gb_sts:*

12: gb sy:*

13: gb_un:*

14: gb_vi:*

15: em ba:*

16: em fun:*

17: em hum:*

18: em_in:*

19: em mu:*

20: em om:*

21: em or:*

22: em_ov:*

23: em_pat:*

24: em ph:*

25: em pl:*

26: em_ro:*

27: em sts:*

```
28: em_un:*
29: em_vi:*
30: em_htg_hum:*
31: em_htg_inv:*
32: em_htg_other:*
33: em_htg_mus:*
34: em_htg_pln:*
35: em_htg_rod:*
36: em_htg_mam:*
37: em_htg_vrt:*
38: em_sy:*
39: em_htgo_hum:*
40: em_htgo_mus:*
41: em_htgo_other:*
```

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result		Query				
No.	Score	Match	Length	DB	ID	Description
1	1233.2	91.4	3206	4	PIGTGFB1A	M23703 Sus scrofa
2	1223.8	90.7	1326	6	AX338213	AX338213 Sequence
3	1213.8	90.0	1750	4	GGTGFB1	X12373 Porcine mRN
4	1143.6	84.8	1605	4	SSTGFBR	Y00111 Porcine mRN
5	1122.2	83.2	2221	4	AF461808	AF461808 Sus scrof
6	1002.6	74.3	1369	4	DOGTGFB1A	L34956 Canine tran
7	991.6	73.5	2527	6	E00973	E00973 cDNA encodi
8	990.8	73.4	2537	6	A06669	A06669 Synthetic m
9	984.8	73.0	1173	4	OATGFB1	X76916 O.aries mRN
10	984.4	73.0	1780	9	BC000125	BC000125 Homo sapi
11	984.4	73.0	1780	9	BC001180	BC001180 Homo sapi
12	983	72.9	1561	9	AGMTGFB	M16658 Simian tran
13	980.2	72.7	1821	6	E03028	E03028 DNA encodin
14	979.8	72.6	1746	9	BC022242	BC022242 Homo sapi
15	978.6	72.5	1560	6	I06216	I06216 Sequence 2
16	977.8	72.5	2745	9	HSTGFB1	X02812 Human mRNA
17	976.6	72.4	1560	6	I08268	I08268 Sequence 2
18	959.2	71.1	1569	6	I06221	I06221 Sequence 3
19	954.2	70.7	1561	6	I08275	I08275 Sequence 3
20	939.6	69.7	1173	9	BT007245	BT007245 Homo sapi
21	939.6	69.7	1173	12	BT007866	BT007866 Synthetic
22	930.4	69.0	1173	4	ECRGFB1	X99438 E.caballus
23	930.2	69.0	1176	6	AX615127	AX615127 Sequence
24	928.6	68.8	1176	6	AX481432	AX481432 Sequence
25	928.6	68.8	1176	6	AX615128	AX615128 Sequence
26	924	68.5	1187	4	AF175709	AF175709 Equus cab
27	901.2	66.8	1597	10	AF191297	AF191297 Cavia por
28	872.8	64.7	1641	10	BC013738	BC013738 Mus muscu
29	859	63.7	1579	10	MUSTGFRNA	M13177 Mouse trans
30	859	63.7	2094	10	MMU009862	AJ009862 Mus muscu
31	839.4	62.2	1585	10	RNTGFB1	X52498 Rat mRNA fo
32	827.6	61.3	1117	4	BOVTGFB	M36271 Bovine tran
33	803	59.5	1125	10	AF480858	AF480858 Sigmodon

34	682.2	50.6	1675	6	103310	I03310 Sequence 1
35	654	48.5	1376	6	AX528533	AX528533 Sequence
36	652.4	48.4	1389	6	AX528619	AX528619 Sequence
37	591.4	43.8	1352	6	AX528535	AX528535 Sequence
38	586.6	43.5	1350	6	AX528615	AX528615 Sequence
39	555.6	41.2	699	6	I05434	I05434 Sequence 4
40	366.4	27.2	489	6	AX455100	AX455100 Sequence
41	357.6	26.5	650	6	AX336646	AX336646 Sequence
42	357.6	26.5	650	9	HUMTGFBA	M38449 Homo sapien
43	357.6	26.5	862	6	103312	I03312 Sequence 3
44	339.2	25.1	469	10	MATGFB1	X60296 M.auratus m
45	331.8	24.6	1256	5	CHKTGFB4	M31160 Gallus gall

ALIGNMENTS

```
RESULT 1
PIGTGFB1A
LOCUS
            PIGTGFB1A
                                    3206 bp
                                                mRNA
                                                        linear
                                                                 MAM 31-MAR-1995
DEFINITION Sus scrofa transforming growth factor beta-1 mRNA, complete cds.
ACCESSION
            M23703
VERSION
            M23703.1 GI:755044
KEYWORDS
            transforming growth factor-beta-1.
SOURCE
            Sus scrofa (pig)
  ORGANISM Sus scrofa
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
REFERENCE
               (bases 1 to 3206)
 AUTHORS
            Kondaiah, P., Van Obberghen-Schilling, E., Ludwig, R.L., Dhar, R.,
            Sporn, M.B. and Roberts, A.B.
  TITLE
            cDNA cloning of porcine transforming growth factor-beta 1 mRNAs.
            Evidence for alternate splicing and polyadenylation
            J. Biol. Chem. 263 (34), 18313-18317 (1988)
  JOURNAL
  MEDLINE
            89054010
  PUBMED
            2461367
COMMENT
            On Apr 1, 1995 this sequence version replaced gi:341017.
            Original source text: Sus scrofa (strain miniature swine) cDNA to
            mRNA.
FEATURES
                     Location/Qualifiers
     source
                     1. .3206
                     /organism="Sus scrofa"
                     /mol_type="mRNA"
                     /strain="miniature swine"
                     /db xref="taxon:9823"
                     /cell_type="peripheral blood lymphocyte"
     gene
                     1. .3206
                     /gene="TGF-beta-1"
     CDS
                     906. .2078
                     /gene="TGF-beta-1"
                     /codon start=1
                     /product="transforming growth factor-beta-1"
                     /protein id="AAA64616.1"
                     /db xref="GI:755045"
                     /translation="MPPSGLRLLPLLLPLLWLLVLTPGRPAAGLSTCKTIDMELVKRK
                     RIEAIRGQILSKLRLASPPSQGDVPPGPLPEAVLALYNSTRDRVAGESVEPEPEPEAD
                     YYAKEVTRVLMVESGNQIYDKFKGTPHSLYMLFNTSELREAVPEPVLLSRAELRLLRL
```

KLKVEQHVELYQKYSNDSWRYLSNRLLAPSDSPEWLSFDVTGVVRQWLTRREAIEGFR LSAHCSCDSKDNTLHVEINGFNSGRRGDLATIHGMNRPFLLLMATPLERAQHLHSSRH RRALDTNYCFSSTEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDT

QYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS" 3186. .3191 polyA_signal /gene="TGF-beta-1" polyA_site 3206 /gene="TGF-beta-1" BASE COUNT 645 a 1041 c 924 g 596 t

Query Match 91.4%; Score 1233.2; DB 4; Length 3206; Best Local Similarity 96.1%; Pred. No. 3.7e-208; Matches 1290; Conservative 0; Mismatches 13; Indels 39; Gaps 1;

ORIGIN

			•
Qу	6	CCGAGATGGCGCCTTCGGGGCTGCGGCTCTTGCCGCTGCTGCTGCT	65
Db	901	ccccatgccccttcccccctccccccccctcctcccccccc	960
Qу	66	TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG	125
Db	961	TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG	1020
Qy	126	AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC	185
Db	1021		1080
Qу	186	TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG	245
Db	1081	TCGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCCGTACTGG	1140
Qу	246	CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGGAAAGTGTCGAACCGGAGCCCGAGC	305
Db	1141	CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC	1200
Qу	306	CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC	365
Db	1201	CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC	1260
Qу	366	AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG	425
Db	1261	AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG	1320
Qу	426	AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA	485
Db	1321	AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA	1380
Qу	486	GGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT	545
Db	1381		1440
Qу	546	GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG	605
Db	1441	GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG	1500
Qy	606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGGCTATAGAGGGTTTTCGCC	665

Db	1501	${\tt ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCC}$	1560
Qу	666	TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	725
Db	1561	TCAGTGCCCACTGTTCCTGTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	1620
Qy	726	TCAATTCTGGCCGCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	1621	TCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	1680
Qy	786	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	1681	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGA-	1739
Qy		CCCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCT	
Db	1740	GCCCTGGATACCAACTACTGCT	1761
Qy	906	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	965
Db	1762	TCAGCTCCACGGAGAACTGCTGCGTGCGCAGCTCTACATTGACTTCCGGAAGGACC	1821
Qу	966	TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT	1025
Db	1822	TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT	1881
Qу	1026	GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC	1085
Db		GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC	
Qу	1086	ACAACCCGGGCGCGCGCGCGCGCGCGCGCGCGCGCGCGC	1145
Db		ACAACCCGGGCGCGCGCGCGCGCGCGCGCGCGCGCGCGC	2001
Qy		TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT	1205
Db			2061
Qу		CCTGCAAGTGCAGCTGAGGCCCCGCCCCGCCCACAGCCCCGCCCACCCGGCAGGCCCGGC	
Db		CCTGCAAGTGCAGCTGAGGCCCCGCCCCACAGCCCCGCCCACCCGGCAGGCCCGGC	
Qy		CCCACCCCGCCCGCCTCACCGGGGCTGTATTTAAGGACATCGTGCCCCAAGCCCACTTG	
Db		CCCACCCCGCCCGCCTCACCGGGGCTGTATTTAAGGACATCGTGCCCCAAGCCCACTTG	2181
Qy		GGATCGATTAAAGCGGCCGCGA 1347	
Db	2182	GGATCGATTAAAGGTGGAGAGA 2203	
RESULT 2			

AX338213

LOCUS AX338213 1326 bp DNA linear PAT 09-JAN-2002

DEFINITION Sequence 1 from Patent WO0181404.

ACCESSION AX338213

VERSION AX338213.1 GI:18128750

```
KEYWORDS
SOURCE
         Sus scrofa (pig)
 ORGANISM
         Sus scrofa
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
         Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
REFERENCE
 AUTHORS
          Strober, W., Nakamura, K., Kitani, A. and Fuss, I.J.
         Inducible plasmid vector encoding tgf-_g(b) and uses thereof
 TITLE
 JOURNAL
          Patent: WO 0181404-A 1 01-NOV-2001;
         THE SECRETARY OF THE DEPARTMENT OF HEALTH AND HUMAN SERVICES (US)
FEATURES
                 Location/Oualifiers
                 1. .1326
    source
                 /organism="Sus scrofa"
                 /mol type="genomic DNA"
                 /db xref="taxon:9823"
    CDS
                 16. .1188
                 /note="unnamed protein product"
                 /codon start=1
                 /protein id="CAD20538.1"
                 /db xref="GI:18128751"
                 translation="MAPSGLRLLPLLPLLWLLVLTPGRPAAGLSTCKTIDMELVKRK/
                 RIEAIRGQILSKLRLASPPSQGDVPPGPLPEAVLALYNSTRDRVAGESVEPEPEPEAD
                 YYAKEVTRVLMVESGNQIYDKFKGTPHSLYMLFNTSELREAVPEPVLLSRAELRLLRL
                 KLKVEQHVELYQKYSNDSWRYLSNRLLAPSDSPEWLSFDVTGVVRQWLTRREAIEGFR
                 \verb|LSAHSSSDSKDNTLHVEINGFNSGRRGDLATIHGMNRPFLLLMATPLERAQHLHSSRH|
                 RRALDTNYCFSSTEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDT
                 QYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS"
BASE COUNT
             263 a
                    438 c
                           392 q
                                   233 t
ORIGIN
 Query Match
                     90.7%; Score 1223.8; DB 6; Length 1326;
 Best Local Similarity
                     96.4%; Pred. No. 1.9e-206;
 Matches 1299; Conservative
                         0; Mismatches 7; Indels
                                                    41; Gaps
                                                              3:
         Oy
           Db
         61 GCTGCTAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGA 120
Qу
           Db
        66 GCTGCTAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGA 125
Qу
        121 CATGGAGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCT 180
           126 CATGGAGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCT 185
Db
       181 TCGGCTTGCCAGCCCCCGAGCCAGGGGGGACGTGCCGGCCCGGCCCGCTGCCTGAGGCAGT 240
Qу
           Db
        186 TCGGCTCGCCAGCCCCGAGCCAGGGGGGACGTGCCGGCCCGGCCCGCTGCCTGAGGCCGT 245
       241 ACTGGCTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCC 300
Qу
           246 ACTGGCTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCC 305
Db
QУ
       301 CGAGCCAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGG 360
           Db
       306 CGAGCCAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGG 365
```

QУ	361	CAACCAAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACAC	420
Db	366		425
Qу	421	GTCGGAGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCT	480
Db	426	GTCGGAGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCT	485
Qу	481	GCTGAGGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTATACCAGAAATACAGCAATGA	540
Db	486	GCTGAGGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTATACCAGAAATACAGCAATGA	545
Qy	541	TTCCTGGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTC	600
Db	546	TTCCTGGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTC	605
Qy	601	CTTTGATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTT	660
Db	606	CTTTGATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTT	665
Qy	661	TCGCCTCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAA	720
Db	666	TCGCCTCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAA	725
Qу	721	CGGGTTCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTT	780
Db	726	CGGGTTCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTT	785
Qy	781	CCTGCTCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCG	840
Db	786	CCTGCTCCTCATGGCCACCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCG	845
Qy	841	CCGAGCCCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTA	
Db	846	CCGAGCCCTGGATACCAACTA	866
Qy	901	CTGCTTCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAA	960
Db	867	CTGCTTCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAA	926
Qy	961	GGACCTGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGG	1020
Db	927	GGACCTGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGG	986
Qy	1021	GCCCTGTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAA	1080
Db	987	GCCCTGTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAA	1046
Qy	1081	CCAGCACAACCCGGGCGCGCGCGCGCGCGCGCGCGCGCG	1140
Db	1047	CCAGCACAACCCGGGCGCGCGCGCGCGCGCGCGCGCGCG	1106
Qy	1141	GCCCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGT	1200
Db	1107	GCCCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGT	1166

```
Qу
        1201 GCGTTCCTGCAAGTGCAGCTGAGGCCCCGCCCACAGCCCCGCCCACCCGGCAGGC 1260
            Db
        1167 GCGTTCCTGCAAGTGCAGCTGA-GCCCCGCCCCGCCCACAGCCCCGCCACCCGGCAGGC 1225
ОУ
        1261 CCGGCCCACCCCGCCCGCCTCACCGGGGCTGTATTTAAGGACATCGTGCCCCAAGCCC 1320
            Db
        QУ
        1321 ACTTGGGATCGATTAAAGCGGCCGCGA 1347
            Dh
        1286 AC-TGGGATCGATTAAAGGTGGAGAGA 1311
RESULT 3
GGTGFB1
LOCUS
          GGTGFB1
                                1750 bp
                                          mRNA
                                                 linear
                                                         MAM 27-MAR-1996
DEFINITION Porcine mRNA for transforming growth factor-beta 1.
ACCESSION
          X12373
VERSION
          X12373.1 GI:63808
KEYWORDS
          transforming growth factor-beta 1.
SOURCE
          Sus scrofa (pig)
 ORGANISM Sus scrofa
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
             (bases 1 to 1750)
REFERENCE
          Jakowlew, S.B., Dillard, P.J., Sporn, M.B. and Roberts, A.B.
 AUTHORS
 TITLE
          Nucleotide sequence of chicken transforming growth factor-beta 1
          (TGF-beta 1)
 JOURNAL
          Nucleic Acids Res. 16 (17), 8730 (1988)
          88335639
 MEDLINE
          3166520
  PUBMED
          2 (bases 1 to 1750)
REFERENCE
 AUTHORS
          Jakowlew, S.B.
 TITLE
          Direct Submission
 JOURNAL
          Submitted (14-JUL-1988) Jakowlew S.B., National Institute of
          health, National Cancer Institute, Laboratory of Chemoprevention,
          Building 41, Room B902, Bethesda, Maryland 20892, USA
COMMENT
          The submitters believe that the chicken cDNA library was
          contaminated with porcine cDNA, and that the sequence is infact
          porcine TGF-beta-1.
                              27-MAR-1996.
FEATURES
                  Location/Qualifiers
                  1. .1750
    source
                  /organism="Sus scrofa"
                  /mol type="mRNA"
                  /strain="white leghorn"
                  /db xref="taxon:9823"
                  /clone="pTGFB-ChX119"
                  /cell type="chondrocyte"
    gene
                  1. .1750
                  /gene="TGF-beta 1"
    5'UTR
                  1. .446
                  /gene="TGF-beta 1"
    CDS
                  447. .1622
                  /qene="TGF-beta 1"
                  /codon start=1
                  /product="transforming growth factor"
                  /protein id="CAA30933.1"
```

```
/db xref="GI:63809"
                /db xref="SWISS-PROT:P07200"
                /translation="MPPSGPGLLPLLLPLLWLLVLTPGRPAAGLSTCKTIDMELVKRK
                RI EA I RGO I LSKLRLASPPSOGDVPPGPLPEAVLALYNSTRDRVAGESVEPEPEPEAD
                YYAKEVTRVLMVESGNQI YDKFKGTPHSLYMLFNTSELREAVPEPVLLSRAELRLLRL
                KLKVEQHVELYQKYSNDSWGYLSNRLLAPSDSPEWLSFDVTGVVRQWLTRREAIEGFR
                LSAHCSCDSKDNTLHVEINAGFNSGRRGDLATIHGMNRPFLLLMATPLERAOHLHSSR
                HRRALDTNYCFSSTEKNCCVROLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLD
                TQYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEOLSNMIVRSCKCS"
   mat_peptide
                1285. .1619
                /gene="TGF-beta 1"
   3 'UTR
                1620. .1750
                /gene="TGF-beta 1"
BASE COUNT
            325 a
                  627 c
                         479 g
                                319 t
ORIGIN
 Query Match
                   90.0%;
                         Score 1213.8; DB 4; Length 1750;
 Best Local Similarity
                   95.6%;
                         Pred. No. 1.1e-204;
 Matches 1286; Conservative
                         0: Mismatches
                                     17: Indels
                                                    Gaps
                                                42;
                                                          2:
         Qу
              Db
Qу
        66 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
           502 TAGTGCTGACGCCTGGCCGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 561
Dh
       126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
Qу
           Db
       562 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 621
       186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245
Qу
           622 TCGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCTGAGGCCGTACTGG 681
Db
       246 CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC 305
Qу
          Db
       682 CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC 741
Qу
       306 CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC 365
           Db
       742 CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC 801
       366 AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG 425
Qу
          Db
       802 AAATCTATGATAAATTCAAGGGCACCCCCACAGCTTATATATGCTGTTCAACACGTCGG 861
       426 AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA 485
Qу
          Db
       862 AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA 921
Qу
       486 GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT 545
          Db
       922 GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT 981
QУ
       546 GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG 605
```

Db	982		1041
Qy		ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGGCTATAGAGGGTTTTCGCC	
Db			
		TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACG	
Qy			
Db		TCAGTGCCCACTGTTCCTGTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGCAG	
Qy		GGTTCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCC	
Db		GGTTCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCC	
Qy		TGCTCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCC	
Db	1222	TGCTCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCC	1281
Qy		GAGCCCTGGATACCAACGACTACAAGGATGACGACAAGGCCCTGGATACCAACTACT	902
Db	1282	GAGCCCTGGATACCAACTACT	1302
Qу	903	GCTTCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGG	962
Db	1303	GCTTCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGG	1362
Qy	963	ACCTGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGC	1022
Db	1363		1422
Qy	1023	CCTGTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACC	1082
Db	1423	CCTGTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACC	1482
Qу	1083	AGCACAACCCGGGCGCGTCGGCGCGCGCGTGCTGCGCGCAGGCGCTGGAGCCACTGC	1142
Db	1483	AGCACAACCCGGGCGCGCGCGCGCGCGCGCGCGCGCGCG	1542
Qy	1143	CCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGC	1202
Db	1543		1602
Qу	1203	GTTCCTGCAAGTGCAGCTGAGGCCCCGCCCCACAGCCCCGCCCACCCGGCAGGCCC	1262
Db	1603		1662
Qy	1263	GGCCCCACCCCGCCGCCTCACCGGGGCTGTATTTAAGGACATCGTGCCCCAAGCCCAC	1322
Db	1663		1722
Qy	1323	TTGGGATCGATTAAAGCGGCCGCGA 1347	
Db			

```
LOCUS
          SSTGFBR
                                1605 bp
                                          mRNA
                                                 linear
                                                         MAM 27-MAR-1995
DEFINITION Porcine mRNA for transforming growth factor-beta (TFG) precursor.
ACCESSION
          Y00111
VERSION
          Y00111.1 GI:2129
KEYWORDS
          transforming growth factor-beta.
SOURCE
          Sus scrofa (pig)
 ORGANISM Sus scrofa
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
REFERENCE
             (bases 1 to 1605)
 AUTHORS
          Derynck, R. and Rhee, L.
 TITLE
          Sequence of the porcine transforming growth factor-beta precursor
 JOURNAL
          Nucleic Acids Res. 15 (7), 3187 (1987)
 MEDLINE
          87174844
  PUBMED
          3470708
FEATURES
                   Location/Qualifiers
                   1. .1605
    source
                   /organism="Sus scrofa"
                   /mol type="mRNA"
                   /db xref="taxon:9823"
                   /tissue type="ovary"
                   /clone lib="lambda gt10"
    CDS
                   404. .1576
                   /note="TFG-beta precursor (AA 1-390)"
                   /codon start=1
                   /protein id="CAA68291.1"
                   /db xref="GI:2130"
                   /db xref="SWISS-PROT:P07200"
                   /translation="MPPSGLRLLPLLLPLLWLLVLTPGRPAAGLSTCKTIDMELVKRK
                   RIEAIRGQILSKLRLASPPSQGDVPPGPLPEAVLALYNSTRDRVAGESVEPEPEPEAD
                   YYAKEVTRVLMLESGNQIYDKFKGTPHSLYMLFNTSELREAVPEPVLLSRAELRLLRL
                   \verb+KLKVEQHVELYQKYSNDSWRYLSNRLLAPSDSPEWLSFDVTGVVRQWLTRREAIEGFR-
                   LSAHCSCDSKDNTLHVEINGFNSGRRGDLATIHGMNRPFLLLMATPLERAQHLHSSRH
                   RRALDTNYCFSSTEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDT
                   QYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS"
    mat peptide
                   1238. . 1573
                   /product="mature TFG-beta"
    misc feature
                   647. .655
                   /note="pot. N-glycosylation site"
    misc feature
                   809. .817
                   /note="pot. N-glycosylation site"
BASE COUNT
              298 a
                      572 c
                              437 q
ORIGIN
 Query Match
                       84.8%;
                              Score 1143.6; DB 4;
                                                  Length 1605;
 Best Local Similarity
                       96.1%; Pred. No. 2.7e-192;
 Matches 1198; Conservative
                             0; Mismatches
                                             9;
                                                 Indels
                                                         39; Gaps
                                                                     1;
Qу
          Db
Qу
         66 TAGTGCTGACGCCTGGCCGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
            459 TAGTGCTGACGCCTGGCCGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 518
Db
```

SSTGFBR

Qy	126	AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGCG	185
Db	519	AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC	578
Qу	186	TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG	245
Db	579	TCGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCCGTACTGG	638
Qу	246	CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC	305
Db	639	CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC	698
QУ	306	CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC	365
Db	699	CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGCTGGAAAGCGGCAACC	758
QУ	366	AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG	425
Db	759	AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG	818
Qу	426	AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA	485
Db	819	AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA	878
Qy	486	GGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT	545
Db	879	GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT	938
Qy	546	GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG	605
Db	939	GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG	998
Qy	606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGGCTATAGAGGGTTTTCGCC	665
Db	999	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGGCTATAGAGGGTTTTCGCC	1058
Qу	666	TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	725
Db	1059	TCAGTGCCCACTGTTCCTGTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	1118
Qy	726	TCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	1119	TCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	1178
Qy	786	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	1179	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGA-	1237
Qy	846	CCCTGGATACCAACGACTACAAGGATGACGACAAGGCCCTGGATACCAACTACTGCT	905
Db	1238	GCCCTGGATACCAACTACTGCT	1259
Qу	906	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	965
Db	1260	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	1319
Qу	966	TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT	1025

```
Db
       1320 TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT 1379
Qу
       1026 GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC 1085
            1380 GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC 1439
Db
       Qу
            Db
       1440 ACAACCCGGGCGCGCGCGCGCGCGCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCA 1499
QУ
       1146 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT 1205
            Db
       1500 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT 1559
Qу
       1206 CCTGCAAGTGCAGCTGAGGCCCCGCCCGCCCACAGCCCCGCCCAC 1251
            Db
       1560 CCTGCAAGTGCAGCTGAGGCCCCGCCCCACAGCCCCGCCCAC 1605
RESULT 5
AF461808
LOCUS
          AF461808
                              2221 bp
                                       mRNA
                                              linear MAM 03-JAN-2002
DEFINITION Sus scrofa transforming growth factor beta 1 (TGFB1) mRNA, complete
          റർട
ACCESSION
          AF461808
          AF461808.1 GI:18042250
VERSION
KEYWORDS
SOURCE
          Sus scrofa (pig)
 ORGANISM Sus scrofa
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
REFERENCE
            (bases 1 to 2221)
 AUTHORS
          Wimmers, K., Chomdej, S., Ponsuksili, S. and Schellander, K.
 TITLE
          Polymorphism in the porcine transforming growth factor beta 1 gene
 JOURNAL
          Unpublished
          2 (bases 1 to 2221)
REFERENCE
 AUTHORS
          Wimmers, K., Chomdej, S., Ponsuksili, S. and Schellander, K.
          Direct Submission
 TITLE
          Submitted (20-DEC-2001) Institute of Animal Breeding Science,
 JOURNAL
          University of Bonn, Endenicher Allee 15, Bonn 53115, Germany
FEATURES
                 Location/Qualifiers
    source
                 1. .2221
                 /organism="Sus scrofa"
                 /mol type="mRNA"
                 /db xref="taxon:9823"
                 /chromosome="6"
                 1. .2221
    gene
                 /gene="TGFB1"
    CDS
                 1. .1173
                 /gene="TGFB1"
                 /note="cytokine"
                 /codon start=1
                 /product="transforming growth factor beta 1"
                 /protein id="AAL57902.1"
                 /db xref="GI:18042251"
                 /translation="MPPSGLRLLPLLLPLLWLLVLTPGRPAAGLSTCKTIDMELVKRK
```

RIEAIRGQILSKLRLASPPSQGDVPPGPLPEAVLALYNSTRDRVAGESVEPEPEPEAD YYAKEVTRVLMVESGNQIYDKFKGTPHSLYMLFNTSELREAVPEPVLLSRAELRLLRL KLKVEQHVELYQKYSNDSWRYLSNRLLAPSDSPEWLSFDVTGVVRQWLTRREAIEGFR LSAHCSCDSKDNTLHVEINGFNSGRRGDLATIHGMNRPFLLLMATPLERAQHLHSSRH RRALDTNYCFSSTEKNCCVROLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDT QYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS"

3'UTR 1174. .2221 /gene="TGFB1"

BASE COUNT 504 a 616 c 649 g 452 t

ORIGIN

	ocal	83.2%; Score 1122.2; DB 4; Length 2221; Similarity 96.2%; Pred. No. 1.6e-188; 6; Conservative 0; Mismatches 8; Indels 39; Gaps 1;
Qу	11	ATGGCGCCTTCGGGGCTGCTTGCCGCTGCTGCTGCTGCTGC
Db	1	
Qу	71	CTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGGAGCTG 130
Db	61	CTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGGAGCTG 120
Qy	131	GTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGCTTGCC 190
Db	121	GTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGCTCGCC 180
Qу	191	AGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGGCTCTT 250
Db	181	AGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCCGTACTGGCTCTT 240
Qy	251	TACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGCCAGAG 310
Db	241	TACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGCCAGAG 300
Qy	311	GCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACCAAATC 370
Db	301	GCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACCAAATC 360
Qy	371	TATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGGAGCTC 430
Db	361	TATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGGAGCTC 420
Qy	431	CGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGAGGCTC 490
Db	421	CGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGAGGCTC 480
Qy	491	AAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCTGGCGC 550
Db	481	AAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCTGGCGC 540
Qy	551	TACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTGATGTC 610
Db	541	TACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTGATGTC 600
Qу	611	ACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGGCTATAGAGGGTTTTCGCCTCAGT 670

Db	601	ACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCCTCAGT	660
Qy	671	GCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGTTCAAT	730
Db	661		720
Qу	731	TCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGCTCCTC	790
Db	721	TCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGCTCCTC	780
Qy	791	ATGGCCACCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCCGCGAGCCCTG	850
Db	781	ATGGCCACCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGA	834
Qy	851	GATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCTTCAGC	910
Db	835	GCCCTGGATACCAACTACTGCTTCAGC	861
QУ	911	TCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGC	970
Db	862	TCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGC	921
Qу	971	TGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCC	1030
Db	922	TGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCC	981
Qy	1031	TACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGCACAAC	1090
Db	982	TACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGCACAAC	1041
Qy	1091	CCGGGCGCGTCGGCGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTG	1150
Db	1042	CCGGGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGC	1101
Qy	1151	TACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGC	1210
Db	1102	TACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGC	1161
Qу	1211	AAGTGCAGCTGAGGCCCCGCCCC 1233	
Db	1162	AAGTGCAGCTGAGGCCCCAAGCC 1184	
RESULT 6 DOGTGFB17 LOCUS DEFINITION ACCESSION VERSION KEYWORDS SOURCE ORGANIS	DON CON IL	(10.1002 2 00 2007)	e
AUTHORS	> [Y	anning, A.M., Auchampach, J.A., Drong, R.F. and Slightom, J.L.	

```
Cloning of a canine cDNA homologous to human transforming growth
 TITLE
          factor-beta 1 (TGFbeta1)
 JOURNAL
          Unpublished (1994)
          Original source text: Canis familiaris adult jugular vein
COMMENT
          endothelial cDNA to mRNA.
                  Location/Qualifiers
FEATURES
    source
                  1. .1369
                  /organism="Canis familiaris"
                  /mol type="mRNA"
                  /db xref="taxon:9615"
                  /cell type="LPS-activated"
                  /tissue type="jugular vein endothelial"
                  /dev stage="adult"
                  1. .1369
    gene
                  /gene="TGFB1"
                  1. .57
    5'UTR
                  /gene="TGFB1"
                  58. .1230
    CDS
                  /gene="TGFB1"
                  /function="anti-inflammatory agent"
                  /note="precursor"
                  /codon start=1
                  /product="transforming growth factor-beta 1"
                  /protein id="AAA51458.1"
                  /db xref="GI:516072"
                  /translation="MPPSGLRLLPLLLPLLRLLVLTPGRPAAGLSTCKTIDMELVKRK
                  RIEAIRGQILSKLRLSSPPSQGEVPPVPLPEAVLALYNSTRDRVAGESAEPEPEPEAD
                  YYAKEVTRVLMVENTNKI YEKVKKSPHSI YMLFNTSELREAVPEPVLLSRAELRLLRL
                  KLKAEOHVELYOKYSNDSWRYLSNRLLAPSDTPEWLSFDVTGVVRQWLSHGGEVEGFR
                  LSAHCSCDSKDNTLQVDINGFSSSRRGDLATIHGMNRPFLLLMATPLERAQHLHSSRQ
                  RRALDTNYCFSSTEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDT
                  OYSKVLALYNOHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS"
                  1039. .1227
    mat peptide
                  /gene="TGFB1"
                  /product="transforming growth factor-beta 1"
    3'UTR
                  1231. .1369
                  /gene="TGFB1"
                                     216 t
                                              1 others
BASE COUNT
             264 a
                     473 c
                           415 g
ORIGIN
                      74.3%; Score 1002.6; DB 4; Length 1369;
 Query Match
 Best Local Similarity 87.4%; Pred. No. 2.3e-167;
 Matches 1148; Conservative
                            0; Mismatches 125; Indels
                                                       41; Gaps
                                                                  3;
          Оy
                Db
         66 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
Qу
            113 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 172
Db
        126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
QУ
            173 AACTGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC 232
Db
        186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245
Qу
```

Db	233		292
		CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC	
Qy Db			
Db			
QУ		CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC	
Db	353	CCGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAACACCAACA	412
Qy	366	AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG	425
Db	413	AAATCTATGAGAAAGTCAAGAAAAGTCCGCACAGCATATATAT	472
Qy	426	AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA	485
Db	473	AGCTCCGAGAAGCAGTGCCTGAGCCCGTCTTGCTCTCCCGGGCAGAGTTGCGCCTGCTGA	532
Qy	486	GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT	545
Db	533		592
Qy	546	GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG	605
Db	593		652
Qу	606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGGCTATAGAGGGTTTTCGCC	665
Db	653	ATGTCACTGGAGTCGTGAGGCAGTGGCTGAGCCATGGAGGGGAAGTCGAGGGCTTTCGCC	712
Qy	666		725
Db	713	TCAGTGCCCACTGTTCCTGTGACAGCAAAGATAACACACTGCAAGTAGACATTAACGGGT	772
Qy	726	TCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	773		832
Qу	786	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	833	TCCTCATGGCCACCCCACTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCAGCGCCG	890
Qу	846	CCCTGGATACCAACGACTACAAGGATGACGACAAGGCCCTGGATACCAACTACTGCT	905
Db	891		913
Qy	906	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	965
Db	914		973
Qy	966	TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT	1025
Db	974	TGGGCTGGAAGTGGATCCATGAGCCCAAGGGTTACCACGCTAACTTCTGCCTGGGGCCCT	1033
		GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC	

```
1034 GCCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGC 1093
Db
       Qу
           Db
       1146 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT 1205
Qу
           1154 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCGAACATGATCGTGCGCT 1213
Dh
       1206 CCTGCAAGTGCAGCTGAGGCCCCGCCCG-CCCACAGCCCCGCCCACCCGGCAGGCCCGG 1264
Qу
           Dh
       1214 CCTGCAAGTGCAGCTGAGGCCCCGCCCGTCCGGCAGGCCCCGCCCACCGGCAGGNCCGG 1273
       1265 CCCCACCCCGCCCGCCTCACCGGGGCTGTATTTAAGGACATCGTGCCCCAAGC 1318
Qу
           1274 CCCCGCCCCGCCGCCGCCGCCGCCCAGGC 1326
Dh
RESULT 7
E00973
                             2527 bp
                                      RNA
                                             linear
                                                    PAT 29-SEP-1997
LOCUS
         E00973
DEFINITION cDNA encoding human TGF-beta.
ACCESSION
         E00973
VERSION
         E00973.1 GI:2169234
         JP 1986219395-A/1.
KEYWORDS
         Homo sapiens (human)
SOURCE
 ORGANISM Homo sapiens
         Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
         Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
            (bases 1 to 2527)
REFERENCE
 AUTHORS
         Riku, M.A.D.D. and Debitsudo, B.G.
         NUCLEIC ACID CODED WITH TGF-BETA AND ITS USE
 TITLE
         Patent: JP 1986219395-A 1 29-SEP-1986;
 JOURNAL
         GENENTECH INC
COMMENT
          OS
             human
          ΡN
             JP 1986219395-A/1
          PD
             29-SEP-1986
          PF
              20-MAR-1986 JP 1986064661
              22-MAR-1985 US 85
                               715142
              RIKU MAIKERU ANDORE DERINKU, DEBITSUDO BANNOOMAN GETSUDERU PC
          C12P21/00,C12N1/00,C12N5/00,C12N15/00//C12Q1/68,(C12P21/00, PC
          C12R1:91).
          PC
              (C12N1/00, C12R1:19), (C12N5/00, C12R1:91), (C12N15/00, C12R1:91);
          CC
              strandedness: Double;
          CC
              topology: Linear;
          CC
              hypothetical: No;
          CC
              anti-sense: No;
              *source: tissue type=placenta and glyoblastoma; FH
          CC
                                                         Key
              Location/Qualifiers
          FΗ
          FT
                           842. .2014
              CDS
          FT
                           /product='pre TGF-beta'
          FT
              mat peptide
                           1676. .2011
          FT
                           /product='TGF-beta'
          FT
              5'UTR
                           1. .841
          FT
              3'UTR
                           2015. . 2537
```

```
37. .113
        FΤ
           stem loop
                       2015. .2100
        FT
           stem loop
                       2514. .2519.
        FT
           polyA site
FEATURES
              Location/Qualifiers
              1. .2527
   source
              /organism="Homo sapiens"
              /mol type="genomic RNA"
              /db xref="taxon:9606"
BASE COUNT
                 888 c
                       735 g
                              432 t
           472 a
ORIGIN
                  73.5%; Score 991.6; DB 6; Length 2527;
 Query Match
 Best Local Similarity 85.7%; Pred. No. 1.9e-165;
 Matches 1142; Conservative 0; Mismatches 149;
                                     Indels
                                            41; Gaps
                                                     2;
        Qу
             Db
       837 CCCCCATGCCGCCCTCCGGGCTGCGGCTGCTGCCGCTGCTGCTACCGCTGCTGTGGCTAC 896
       66 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
QУ
          897 TGGTGCTGACGCCTGGCCCGCCGGCCGGGGACTATCCACCTGCAAGACTATCGACATGG 956
Db
       126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
Qу
          Db
       957 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC 1016
       186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245
QУ
          1017 TCGCCAGCCCCCGAGCCAGGGGGAGGTGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCG 1076
Db
       246 CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC 305
Qу
          1077 CCCTCTACAACAGCACCCGCGACCGGGTGGCCGGGGAGAGTGCAGAACCGGAGCCCGAGC 1136
Db
       306 CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC 365
Qу
          1137 CTGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG 1196
Db
       366 AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG 425
Qу
          Db
      426 AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA 485
Qу
          1257 AGCTCCGAGAAGCGGTACCTGAACCCGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGA 1316
Db
       486 GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT 545
Qу
          1317 GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTGTACCAGAAATTACAGCAACAATTCCT 1376
Db
       546 GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG 605
Qу
          Dh
      1377 GGCGATACCTCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTTG 1436
       606 ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCC 665
Qу
```

Db	1437	ATGTCACCGGAGTTGTGCGGC	AGTGGTT	GAGCC	GTGGAGG	GAAATTG	AGGGCTTT(CGCC	1496
Qy	666	TCAGTGCCCACTCTTCCTCTG					AAATTAACO		725
Db	1497	TTAGCGCCCACTGCTCCTGTG							1556
Qy	726	TCAATTCTGGCCGCCGGGGTGA							785
Db	1557	TCACTACCGGCCGCCGAGGTGA							1616
Qу	786	TCCTCATGGCCACCCCGCTGGA							845
Db	1617	TTCTCATGGCCACCCCGCTGG							1675
Qy		CCCTGGATACCAACGACTACAA			1.1				
Db	1676				ĠĊ(CCTGGACA	CCAACTATI	rgct	1697
Qу	906	TCAGCTCCACGGAGAAGAACTC							965
Db	1698	TCAGCTCCACGGAGAAGAACTC							1757
Qy	966	TGGGCTGGAAGTGGATTCATG							1025
Db	1758	TCGGCTGGAAGTGGATCCACGA							1817
Qy	1026	GTCCCTACATCTGGAGCCTAGA							1085
Db	1818	GCCCTACATTTGGAGCCTGG							1877
Qy	1086	ACAACCCGGGCGCGTCGGCGG							1145
Db	1878	ATAACCCGGGCGCCTCGGCGG							1937
Qy	1146	TCGTGTACTACGTGGGCCGCA							1205
Db	1938	TCGTGTACTACGTGGGCCGCA							1997
Qy	1206	CCTGCAAGTGCAGCTGAGGCCC					GGCAGGCCC	CGGC	1265
Db	1998	CCTGCAAGTGCAGCTGAGGTC					CCACCCCG	ccc	2055
Qy	1266	CCCACCCCGCCCGCCTCACCC	GGGGCTC	TATTI	AAGGACAT	CGTGCCC	CAAGCCCAC	CTTG	1325
Db	2056	GCCCCGCTGCCTTGCCCATGG	GGGCTC	TATT	'AAGGACA(CCGTGCCC	CAAGCCCAC	CTG	2115
Qy	1326	GGATCGATTAAA 1337							
Db	2116	GGGCCCCATTAA 2127							
RESULT 8 A06669 LOCUS	A	06669	2537 b	p	mRNA	linear	PAT 29-	·JUL-	1993

DEFINITION Synthetic mRNA for preTGF-Betal. ACCESSION A06669

VERSION A06669.1 GI:412940

```
KEYWORDS
SOURCE
         synthetic construct
 ORGANISM
         synthetic construct
         artificial sequences.
REFERENCE
           (bases 1 to 2537)
 AUTHORS
 TITLE
         NUCLEIC ACID ENCODING TGF- beta 3 AND ITS USE
 JOURNAL
         Patent: WO 8912101-A 4 14-DEC-1989;
FEATURES
                Location/Qualifiers
                1. .2537
    source
                /organism="synthetic construct"
                 /mol type="mRNA"
                 /db xref="taxon:32630"
    CDS
                842. .2014
                /codon start=1
                 /transl table=11
                /product="preTGF-betal"
                 /protein id="CAA00588.1"
                 /db xref="GI:412941"
                 /translation="MPPSGLRLLPLLLPLLWLLVLTPGPPAAGLSTCKTIDMELVKRK
                RIEAIRGOILSKLRLASPPSOGEVPPGPLPEAVLALYNSTRDRVAGESAEPEPEPEAD
                YYAKEVTRVLMVETHNEI YDKFKQSTHSI YMFFNTSELREAVPEPVLLSRAELRLLRL
                KLKVEQHVELYQKYSNNSWRYLSNRLLAPSDSPEWLSFDVTGVVRQWLSRGGEIEGFR
                LSAHCSCDSRDNTLQVDINGFTTGRRGDLATIHGMNRPFLLLMATPLERAQHLQSSRH
                RRALDTNYCFSSTEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDT
                QYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS"
BASE COUNT
            473 a
                    893 c
                           739 g
                                  432 t
ORIGIN
                          Score 990.8; DB 6; Length 2537;
 Query Match
                    73.4%;
 Best Local Similarity
                    85.5%; Pred. No. 2.6e-165;
 Matches 1146; Conservative
                          0; Mismatches 147;
                                           Indels
                                                   47; Gaps
                                                             2;
         Оy
               Db
        Qу
        66 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
           Db
        897 TGGTGCTGACGCCTGGCCCGCCGGCCGGGACTATCCACCTGCAAGACTATCGACATGG 956
Qу
        126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
           Db
        957 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC 1016
Qу
        186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245
           Db
       1017 TCGCCAGCCCCCGAGCCAGGGGGAGGTGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCG 1076
        246 CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC 305
QУ
           1077 CCCTGTACAACAGCACCCGCGACCGGGTGGCCGGGGAGAGTGCAGAACCGGAGCCCGAGC 1136
Db
        306 CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC 365
Qу
           1137 CTGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG 1196
Db
```

QΣ	366	AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG	425
Dh	1197		1256
Qy	426	AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA	485
Db	1257	AGCTCCGAGAAGCGGTACCTGAACCCGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGA	1316
Qy	486	GGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT	545
Db	1317	GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTGTACCAGAAATACAGCAACAATTCCT	1376
Qγ	546	GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG	605
Db	1377	GGCGATACCTCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTTG	1436
Qy	606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGGCTATAGAGGGTTTTCGCC	665
Db	1437	ATGTCACCGGAGTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTCGCC	1496
Qy	666	TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	725
Db	1497	TTAGCGCCCACTGCTCCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACGGGT	1556
Qу	726	TCAATTCTGGCCGCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	1557	TCACTACCGGCCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGC	1616
Qy	786	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	1617	TTCTCATGGCCACCCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGCCGA-	1675
Qy	846	CCCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCT	905
Dh	1676		1697
Qу	906	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	965
Dh	1698	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACC	1757
Qу	966	TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT	1025
Db	1758	TCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCT	1817
Qу	1026	GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC	1085
Db	1818	GCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGC	1877
Qу	1086	ACAACCCGGGCGCGCGCGCGCGCGCGCGCGCGCGCGCGC	1145
Db	1878	ATAACCCGGGCGCCTCGGCGCGCGCGCGCGCGCGCGCGCG	1937
Qу	1146	TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT	1205
Db	1938	TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCT	1997
Qу	1206	CCTGCAAGTGCAGCTGAGGCCCCGCCCCACAGCCCGCCCACCCGGCAGGCCCGGC	1265

```
Db
        1266 CCCACCCCGCCGCCT------CACCGGGGCTGTATTTAAGGACATCGTGCCCCAAG 1317
QУ
             Dh
        2058 CCCGCCCCGCCCCCCTCCCTTGCCCATGGGGGCTGTATTTAAGGACACCGTGCCCCAAG 2117
QУ
        1318 CCCACTTGGGATCGATTAAA 1337
             1 11
Dh
        2118 CCCACCTGGGGCCCCATTAA 2137
RESULT 9
OATGFB1
LOCUS
           OATGFB1
                                 1173 bp
                                           mRNA
                                                   linear
                                                           MAM 18-APR-1995
DEFINITION O.aries mRNA for transforming growth factor-beta I.
ACCESSION
           X76916
VERSION
           X76916.1 GI:496648
KEYWORDS
           TGF-beta 1; transforming growth factor-beta 1.
SOURCE
           Ovis aries (sheep)
 ORGANISM Ovis aries
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
           Bovidae; Caprinae; Ovis.
REFERENCE
           Woodall, C.J., McLaren, L.J. and Watt, N.J.
 AUTHORS
 TITLE
           Sequence and chromosomal localisation of the gene encoding ovine
           latent transforming growth factor-beta 1
 JOURNAL
           Gene 150 (2), 371-373 (1994)
 MEDLINE
           95121932
  PUBMED
           7821809
REFERENCE
             (bases 1 to 1173)
 AUTHORS
           Woodall, C.
 TITLE
           Direct Submission
 JOURNAL
           Submitted (24-DEC-1993) C. Woodall, Univ. of Edinburgh, Dept. of
           Veterinary Pathology, Sc. of Vet. Studies, Univ. of Edinburgh,
           Edinburgh EH9 IQH, UK
FEATURES
                   Location/Qualifiers
                   1. .1173
    source
                   /organism="Ovis aries"
                   /mol type="mRNA"
                   /db xref="taxon:9940"
    CDS
                   1. .1173
                   /codon start=1
                   /product="transforming growth factor-beta 1"
                   /protein id="CAA54242.1"
                   /db_xref="GI:496649"
                   /db_xref="SWISS-PROT:P50414"
                   translation="MPPSGLRLLPLLLPLLWLLMLTPGRPVAGLSTCKTIDMELVKRK/
                   GIEAIRGQILSKLRLASPPSQGDVPPGPLPEAILALYNSTRDRVAGESAETEPEPEAD
                   YYAKEVTRVLMVEYGNKIYDKMKSSSHSIYMFFNTSELREAVPEPVLLSRADVRLLRL
                   KLKVEQHVELYQKYSNNSWRYLSNRLLAPSDSPEWLSFDVTGVVROWLTHREEIEGFR
                   LSAHCSCDSKDNTLQVD1NGFSSGRRGDLAT1HGMNRPFLLLMATPLERAQHLHSSRH
                   {\tt RRALDTNYCFSSTEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDT}
                   QYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS"
    mat peptide
                   835. .1170
                   /product="transforming growth factor-beta 1"
```

BASE COUNT 245 a 378 c 336 g 214 t ORIGIN

Query Match

	al Similarity 89.6%; Pred. No. 3.3e-164; 1086; Conservative 0; Mismatches 87; Indels 39; Gaps 1;	
Qу	11 ATGGCGCCTTCGGGGCTGCGGCTCTTGCCGCTGCTGCTGCCGCTGCT	
Db	1 ATGCCGCCTTCGGGGCTGCGGCTGCTGCTGCTGCCGCTGCT	
Qу	71 CTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGGAGCTG 130	
Db	61 CTGACGCCTGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGGAGCTG 120	
Qy	.31 GTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGCTTGCC 190	
Db	21 GTGAAGCGGAAGGCCATCCGCGGTCAGATTTTGTCCAAACTTCGGCTCGCC 180	
Qy	.91 AGCCCCCGAGCCAGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGGCTCTT 250	
Db	.81 AGTCCCCCGAGCCAGGGGGACGTGCCACCCGGCCCGCTGCCCGAGGCCATACTGGCCCTT 240	
Qy	TACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGCCAGAG 310	
Db	241 TACAACAGTACCCGCGACCGGGTGGCCGGGGAAAGTGCCGAAACGGAGCCTGAGCCAGAG 300	
Qy	311 GCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACCAAATC 370	
Db	360 GCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAATACGGCAACAAAATC	
Qy	71 TATGATAAATTCAAGGGCACCCCCACAGCTTATATATGCTGTTCAACACGTCGGAGCTC 430	
Db	61 TATGACAAAATGAAGTCTAGCTCGCACAGCATATATATGTTCTTCAACACGTCCGAGCTC 420	
Qy	31 CGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGAGGCTC 490	
Db	21 CGGGAAGCAGTGCCTGAACCTGTGTTGCTCTCTCGGGCAGACGTGCGCCTGCTGAGGCTC 480	
Qy	91 AAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCTGGCGC 550	
Db	.81 AAGTTAAAAGTGGAGCACGTGGAGCTGTACCAGAAATATAGCAACAATTCCTGGCGC 540	
Qy	51 TACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTGATGTC 610	
Db	TACCTCAGCAACCGGCTGCTCGCCCCCAGCGACTCACCGGAGTGGCTGTCCTTTGACGTC 600	
Qy	11 ACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCCTCAGT 670	
Db	01 ACTGGAGTTGTGCGGCAGTGGCTGACCCACAGAGAGGAAATAGAAGGCTTTCGCCTCAGT 660	
Qy	71 GCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGTTCAAT 730	
Db	61 GCCCACTGTTCCTGTGACAGTAAGGATAACACGCTTCAAGTGGACATCAACGGGTTCAGT 720	
Qy	31 TCTGGCCGCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGCTCCTC 790	

73.0%; Score 984.8; DB 4; Length 1173;

Db	721	TCCGGCCGCCGGGGTGACCTCGCCACCATTCACGGCATGAACCGGCCCTTCCTGCTCCTC	780
Qу	791	ATGGCCACCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAGCCCTG	850
Db	781	ATGGCCACCCTCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGCCACCGCCGA	834
Qy		GATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCTTCAGC	
Db	835		861
Qy	911	TCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGC	970
Db	862	TCCACAGAAAAGAACTGCTGTTCGTCAGCTCTACATTGACTTCCGGAAGGACCTGGGC	921
Qy	971	TGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCC	1030
Db	922	TGGAAGTGGATTCACGAACCCAAGGGCTACCACGCCAATTTCTGCCTGGGGCCCTGTCCC	981
Qy	1031	TACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGCACAAC	1090
Db	982	TACATCTGGAGCCTGGACACAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCACAAC	1041
Qy	1091	CCGGGCGCGCGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTG	1150
Db	1042	CCGGGCGCATCGGCGCGCGTGCTGCGTGCCTCAGGCGCTGGAACCCCTGCCCATCGTG	1101
Qy	1151	TACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGC	1210
Db	1102	TACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGTTGTCCAACATGATCGTGCGCTCCTGC	1161
Qу	1211	AAGTGCAGCTGA 1222	
Db	1162	AAGTGCAGCTGA 1173	
RESULT 10 BC000125 LOCUS DEFINITIO	BON HO	C000125 1780 bp mRNA linear PRI 12-JUL- omo sapiens, Similar to transforming growth factor, beta 1, cl GC:3119 IMAGE:3351664, mRNA, complete cds. C000125	
VERSION KEYWORDS	В	C000125.1 GI:12652748 GC.	
SOURCE ORGANIS		omo sapiens (human) omo sapiens	
REFERENCE AUTHORS TITLE JOURNAL	Ma I 1 S St D: Si Ge II	ukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostom ammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo. (bases 1 to 1780) trausberg,R. irect Submission ubmitted (03-NOV-2000) National Institutes of Health, Mammalia ene Collection (MGC), Cancer Genomics Office, National Cancer astitute, 31 Center Drive, Room 11A03, Bethesda, MD 20892-2590	n
REMARK COMMENT	Co	IH-MGC Project URL: http://mgc.nci.nih.gov ontact: MGC help desk mail: cgapbs-r@mail.nih.gov	

```
cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
          DNA Sequencing by: Genome Sequence Centre,
          BC Cancer Agency, Vancouver, BC, Canada
          info@bcgsc.bc.ca
          Steven Jones, Jennifer Asano, Ian Bosdet, Yaron Butterfield,
          Susanna Chan, Readman Chiu, Chris Fjell, Erin Garland, Ran Guin,
          Letticia Hsiao, Martin Krzywinski, Reta Kutsche, Oliver Lee, Soo
          Sen Lee, Victor Ling, Carrie Mathewson, Candice McLeavy, Steven
          Ness, Pawan Pandoh, Anna-Liisa Prabhu, Parvaneh Saeedi, Jacqueline
          Schein, Duane Smailus, Michael Smith, Lorraine Spence, Jeff Stott,
          Michael Thorne, Miranada Tsai, Natasja van den Bosch, Jill Vardy,
          George Yang, Scott Zuyderduyn, Marco Marra.
          Clone distribution: MGC clone distribution information can be found
          through the I.M.A.G.E. Consortium/LLNL at: http://image.llnl.gov
          Series: IRAL Plate: 6 Row: e Column: 11
          This clone was selected for full length sequencing because it
          passed the following selection criteria: Hexamer frequency ORF
          analysis.
FEATURES
                  Location/Qualifiers
    source
                  1. .1780
                   /organism="Homo sapiens"
                   /mol type="mRNA"
                   /db xref="taxon:9606"
                   /clone="MGC:3119 IMAGE:3351664"
                   /tissue type="Eye, retinoblastoma"
                   /clone_lib="NIH_MGC_16"
                   /lab host="DH10B-R"
                   /note="Vector: pOTB7"
    CDS
                   447. .1619
                   /codon start=1
                   /product="Similar to transforming growth factor, beta 1"
                   /protein id="AAH00125.1"
                   /db xref="GI:12652749"
                   /translation="MPPSGLRLLLLLLPLLWLLVLTPGRPAAGLSTCKTIDMELVKRK
                   RIEAIRGQILSKLRLASPPSQGEVPPGPLPEAVLALYNSTRDRVAGESAEPEPEPEAD
                   YYAKEVTRVLMVETHNEI YDKFKOSTHSI YMFFNTSELREAVPEPVLLSRAELRLLRL
                   KLKVEOHVELYOKYSNNSWRYLSNRLLAPSDSPEWLSFDVTGVVROWLSRGGE I EGFR
                   LSAHCSCDSRDNTLQVDINGFTTGRRGDLATIHGMNRPFLLLMATPLERAQHLQSSRH
                  RRALDTNYCFSSTEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDT
                  QYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS"
BASE COUNT
              341 a
                      648 c
                              493 q
                                      298 t
ORIGIN
 Query Match
                       73.0%; Score 984.4; DB 9; Length 1780;
 Best Local Similarity 85.2%; Pred. No. 3.7e-164;
 Matches 1142; Conservative
                             0; Mismatches 151; Indels
                                                         47; Gaps
                                                                     2;
Qу
          Db
         66 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
Qу
            Db
         502 TGGTGCTGACGCCTGGCCGGCCGGCGGGACTATCCACCTGCAAGACTATCGACATGG 561
```

Tissue Procurement: ATCC

cDNA Library Preparation: Rubin Laboratory

Qy	126	AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC	185
Db	562	AGCTGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC	621
Qу	186	TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG	245
Db	622	TCGCCAGCCCCCGAGCCAGGGGGAGGTGCCGCCCGGCCCGGCCCGAGGCCGTGCTCG	681
Qу	246	CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC	305
Db	682		741
Qу	306	CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC	365
Db	742	CTGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG	801
Qу	366	AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG	125
Db	802	AAATCTATGACAAGTTCAAGCAGAGTACACACAGCATATATAT	861
QУ	426	AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA	485
Db	862	AGCTCCGAGAAGCGGTACCTGAACCCGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGA	921
Qy	486	GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT	545
Db	922		981
Qy	546	GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG	605
Db	982	GGCGATACCTCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTTG	1041
Qу	606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCC	665
Db	1042	ATGTCACCGGAGTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTCGCC	1101
Qу	666	TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	725
Db	1102	TTAGCGCCCACTGCTCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACGGGT	1161
Qу	726	TCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	1162	TCACTACCGGCCGCCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGC	1221
Qу	786	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	1222	TTCTCATGGCCACCCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGCCAC	1280
Qу		CCCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCT	
Db	1281	GCCCTGGACACCAACTATTGCT	1302
Qу	906	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	965
Db	1303	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACC	1362

Qy Db	966 TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT 1025
Qy Db	1026 GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC 1085
Qy	1086 ACAACCCGGGCGCGCGCGCGCGCGCGCGCGCGCGCGCGC
Db	1483 ATAACCCGGGCGCCTCGGCGGCGCCGTGCTGCCGCAGGCGCTGCCCA 1542
Qy	1146 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT 1205
Db	1543 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCT 1602
Qy	1206 CCTGCAAGTGCAGCTGAGGCCCCGCCCCACAGCCCCGCCCACCCGGCAGGCCCGGC 1265
Db	1603 CCTGCAAGTGCAGGTCCCGCCCGCCCCGCCCCGCCCGGCCGG
Qy Db	1266 CCCACCCCGCCCGCCTCACCGGGGCTGTATTTAAGGACATCGTGCCCCAAG 1317
Qy	1318 CCCACTTGGGATCGATTAAA 1337
Db	1723 CCCACCTGGGGCCCCATTAA 1742
RESULT 1: BC001180 LOCUS DEFINITION ACCESSION KEYWORDS SOURCE	BC001180 1780 bp mRNA linear PRI 12-JUL-2001 DN Homo sapiens, Similar to transforming growth factor, beta 1, clone MGC:2323 IMAGE:3356605, mRNA, complete cds.
ORGANIS	
REFERENCI	•
AUTHORS TITLE JOURNAI	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo. 1 (bases 1 to 1780) S Strausberg, R. Direct Submission

Steven Jones, Jennifer Asano, Ian Bosdet, Yaron Butterfield, Susanna Chan, Readman Chiu, Chris Fjell, Erin Garland, Ran Guin, Letticia Hsiao, Martin Krzywinski, Reta Kutsche, Oliver Lee, Soo Sen Lee, Victor Ling, Carrie Mathewson, Candice McLeavy, Steven Ness, Pawan Pandoh, Anna-Liisa Prabhu, Parvaneh Saeedi, Jacqueline Schein, Duane Smailus, Michael Smith, Lorraine Spence, Jeff Stott, Michael Thorne, Miranada Tsai, Natasja van den Bosch, Jill Vardy, George Yang, Scott Zuyderduyn, Marco Marra.

```
Clone distribution: MGC clone distribution information can be found
          through the I.M.A.G.E. Consortium/LLNL at: http://image.llnl.gov
          Series: IRAL Plate: 6 Row: e Column: 10
          This clone was selected for full length sequencing because it
          passed the following selection criteria: matched mRNA qi: 37097.
FEATURES
                 Location/Qualifiers
                 1. .1780
    source
                 /organism="Homo sapiens"
                 /mol type="mRNA"
                 /db xref="taxon:9606"
                 /clone="MGC:2323 IMAGE:3356605"
                 /tissue type="Eye, retinoblastoma"
                 /clone lib="NIH MGC 16"
                 /lab host="DH10B-R"
                 /note="Vector: pOTB7"
    CDS
                 447. .1619
                 /codon start=1
                 /product="Similar to transforming growth factor, beta 1"
                 /protein id="AAH01180.1"
                 /db xref="GI:12654683"
                 /translation="MPPSGLRLLLLLLPLLWLLVLTPGRPAAGLSTCKTIDMELVKRK
                 RIEAIRGQILSKLRLASPPSQGEVPPGPLPEAVLALYNSTRDRVAGESAEPEPEPEAD
                 YYAKEVTRVLMVETHNEIYDKFKQSTHSIYMFFNTSELREAVPEPVLLSRAELRLLRL
                 KLKVEQHVELYQKYSNNSWRYLSNRLLAPSDSPEWLSFDVTGVVRQWLSRGGEIEGFR
                 LSAHCSCDSRDNTLQVDINGFTTGRRGDLATIHGMNRPFLLLMATPLERAQHLQSSRH
                 RRALDTNYCFSSTEKNCCVROLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDT
                 OYSKVLALYNOHNPGASAAPCCVPOALEPLPIVYYVGRKPKVEOLSNMIVRSCKCS"
BASE COUNT
             341 a
                    648 c
                            493 q
                                    298 t
ORIGIN
 Query Match
                     73.0%; Score 984.4; DB 9; Length 1780;
 Best Local Similarity
                     85.2%; Pred. No. 3.7e-164;
 Matches 1142; Conservative
                          0; Mismatches 151;
                                             Indels
                                                     47; Gaps
Qу
          Db
        66 TAGTGCTGACGCCTGGCCGGCCGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
Qу
            Db
        502 TGGTGCTGACGCCTGGCCGGCCGGCCGGGACTATCCACCTGCAAGACTATCGACATGG 561
        126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
Qу
            Db
        562 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC 621
```

186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245

QУ

Db	622	TCGCCAGCCCCCGAGCCAGGGGGAGGTGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCG	681
Qу	246	CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGGAAAGTGTCGAACCGGAGCCCGAGC	305
Db	682		741
Qy	306	CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC	365
Db	742	CTGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG	801
Qу	366	AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG	425
Db	802	AAATCTATGACAAGTTCAAGCAGAGTACACACAGCATATATAT	861
Qу	426	AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA	485
Db	862	AGCTCCGAGAAGCGGTACCTGAACCCGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGA	921
Qу	486	GGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT	545
Db	922	GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTGTACCAGAAATACAGCAACAATTCCT	981
Qy	546	GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG	605
Db	982	GGCGATACCTCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTTG	1041
Qy	606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGGCTATAGAGGGTTTTCGCC	665
Db	1042	ATGTCACCGGAGTTGTGCGCCAGTGGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTCGCC	1101
Qy	666	TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	725
Db	1102	TTAGCGCCCACTGCTCCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACGGGT	1161
Qy	726	TCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	1162	TCACTACCGGCCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGC	1221
Qy	786	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	1222	TTCTCATGGCCACCCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGCCGA-	1280
Qу		CCCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCT	
Db			
Qу		TCAGCTCCACGGAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	
Db	1303	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACC	1362
Qу		TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT	
Db		TCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCT	
Qу		GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC	
Db	1423	GCCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGC	1482

```
1086 ACAACCCGGGCGCGTCGCGGCGCCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCA 1145
Qу
            Db
       1146 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT 1205
QУ
            Db
       1543 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCT 1602
       1206 CCTGCAAGTGCAGCTGAGGCCCCGCCCACAGCCCCGCCCACCCGGCAGGCCCGGC 1265
Qу
            Db
       1266 CCCACCCCGCCCGCCT-----CACCGGGGCTGTATTTAAGGACATCGTGCCCCAAG 1317
Qу
           Db
       1663 CCCGCCCGCCCCGCTGCCTTGCCCATGGGGGCTGTATTTAAGGACACCCGTGCCCAAG 1722
Qу
       1318 CCCACTTGGGATCGATTAAA 1337
           1723 CCCACCTGGGGCCCCATTAA 1742
Db
RESULT 12
AGMTGFB
LOCUS
         AGMTGFB
                              1561 bp
                                      mRNA
                                             linear
                                                     PRI 27-APR-1993
DEFINITION Simian transforming growth factor-beta (TGF) mRNA, complete cds.
ACCESSION
         M16658
VERSION
         M16658.1 GI:176552
         growth factor; transforming growth factor-beta.
KEYWORDS
SOURCE
         Cercopithecus aethiops (African green monkey)
 ORGANISM Cercopithecus aethiops
         Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
         Mammalia; Eutheria; Primates; Catarrhini; Cercopithecidae;
         Cercopithecinae; Cercopithecus.
REFERENCE
         1 (bases 1 to 1561)
         Sharples, K., Plowman, G.D., Rose, T.M., Twardzik, D.R. and
 AUTHORS
         Purchio, A.F.
 TITLE
         Cloning and sequence analysis of simian transforming growth
         factor-beta cDNA
 JOURNAL
         DNA 6 (3), 239-244 (1987)
         87246074
 MEDLINE
  PUBMED
         3474130
COMMENT
         Original source text: African green monkey cells (cell line
         BSC-40), cDNA to mRNA, clone pTGF-beta-2.
FEATURES
                 Location/Qualifiers
   source
                 1. .1561
                 /organism="Cercopithecus aethiops"
                 /mol type="mRNA"
                 /db xref="taxon:9534"
    CDS
                 262. .1434
                 /note="transforming growth factor-beta precursor"
                 /codon start=1
                 /protein id="AAA35369.1"
                 /db xref="GI:176553"
                 /translation="MPPSGLRLLPLLLPLLWLLVLTPSRPAAGLSTCKTIDMELVKRK
                 RIETIRGQILSKLRLASPPSQGEVPPGPLPEAVLALYNSTRDRVAGESAEPEPEPEAD
                 YYAKEVTRVLMVETHNEIYDKFKQSTHSIYMFFNTSELREAVPEPVLLSRAELRLLRL
```

KLKVEQHVELYQKYSNNSWRYLSNRLLAPSNSPEWLSFDVTGVVRQWLSRGGEIEGFR LSAHCSCDSKDNTLQVDINGFTTGRRGDLATIHGMNRPFLLLMATPLERAQHLQSSRH RRALDTNYCFSSTEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDT OYSKVLALYNOHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS"

sig_peptide 262. .1095

/note="transforming growth factor-beta signal peptide"

mat_peptide 1096. .1431

/product="transforming growth factor-beta"

BASE COUNT 301 a 547 c 446 g 267 t

ORIGIN

72.9%; Score 983; DB 9; Length 1561; Query Match 85.6%; Pred. No. 6.6e-164; Best Local Similarity Matches 1148; Conservative 0; Mismatches 145; Indels 48; Gaps 3; Qу Db 66 TAGTGCTGACGCCTGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125 Qу 317 TGGTGCTGACGCCTAGCCGGCCGGCCGCAGGACTATCCACCTGCAAGACTATCGACATGG 376 Db 126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185 Qу 377 AGCTGGTGAAGCGGAAGCGCATCGAGACCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC 436 Db 186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245 Qу 437 TCGCCAGCCCCCGAGCCAGGGGGAGGTGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCG 496 Db 246 CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC 305 Qу 497 CCCTGTACAACAGCACCCGCGACCGGGTGGCCGGGGAGAGTGCGGAGCCCGAAC 556 Db 306 CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC 365 Qу 557 CGGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG 616 Db 366 AAATCTATGATAAATTCAAGGGCACCCCCACAGCTTATATATGCTGTTCAACACGTCGG 425 Qу Dh 426 AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA 485 Qу Db 677 AGCTCCGAGAAGCAGTACCTGAACCTGTGTTGCTCCCCGGGCAGAGCTGCGTCTGCTGA 736 486 GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT 545 Qу 737 GGCTCAAGTTAAAAGTGGAGCAGCATGTGGAGCTGTACCAGAAATACAGCAACAATTCCT 796 Db 546 GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG 605 Qу 797 GGCGATACCTCAGCAACCGGCTGCTGGCGCCCAGCAACTCGCCGGAGTGGTTGTCTTTTG 856 Db 606 ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCC 665 Qу

Db	857	$\tt ATGTCACCGGAGTTGTGCGGCAGTGGTTGAGCCGCGGAGGGGAAATTGAGGGCTTTCGCC$	916
Qy	666	TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	725
Db	917	TTAGCGCCCACTGCTCCTGTGACAGCAAAGATAACACACTGCAAGTGGACATCAACGGGT	976
Qy	726	TCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	977	TCACTACCGGCCGCCGAGGTGACCTGGCCACAATTCATGGCATGAACCGGCCTTTCCTGC	1036
Qy	786	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	1037		1095
Qy		CCCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCT	905
Db	1096	GCCCTGGACACCAACTACTGCT	1117
Qу	906	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	965
Db	1118	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTGTATATTGACTTCCGCAAGGACC	1177
Qу	966	TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT	1025
Db	1178	TCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTGGGGCCCT	1237
Qу	1026	GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC	1085
Db	1238	GTCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGC	1297
QУ	1086	ACAACCCGGGCGCGCGCGCGCGCGCGCGCGCGCGCGCGC	1145
Db	1298	ATAACCCGGGCGCCTCGGCGCGCGCGCGCGCGCGCGCGCG	1357
Qу	1146	TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT	1205
Db	1358	TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCT	1417
Qy	1206	CCTGCAAGTGCAGCTGAGGCCCGCCCCGCCCACAGCCCGGCCACCCGGCAGGCCCGGCC	1265
Db	1418	CCTGCAAATGCAGCTGAGGCCCCGCCCCGCCCCGCCCCCCGCCACCCCGGCAGGCCCGGC	1477
QY	1266	CCCACCCCGCCCGCCTCACCGGGGCTGTATTTAAGGACA-TCGTGCCCCAA	1316
Db	1478	CCCACCCCACCCCGCTGTCTTGCCCTTGGGGGCTGTATTTAAGGACACCCGTGCCCCAA	1537
Qy	1317	GCCCACTTGGGATCGATTAAA 1337	
Db	1538	GCCCACCTGGGGCCCCATTAA 1558	
RESULT 1	13		

E03028 LOCUS E03028 1821 bp RNA linear PAT 29-SEP-1997

DEFINITION DNA encoding human prepro TGF-betal.

ACCESSION E03028

VERSION E03028.1 GI:2171250

```
JP 1991180192-A/1.
SOURCE
          Homo sapiens (human)
 ORGANISM
          Homo sapiens
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
             (bases 1 to 1821)
 AUTHORS
          Ohashi, H., Ishii, Y., Miyata, Y., Miyazono, K., Miyagawa, K. and
          Takaku, F.
 TITLE
          PRODUCTION OF HUMAN PRO-TGF-BETA1 BY GENETIC RECOMBINATION
 JOURNAL
          Patent: JP 1991180192-A 1 06-AUG-1991;
          KIRIN BREWERY CO LTD
COMMENT
               Homo sapiens (human)
          ΡN
               JP 1991180192-A/1
          PD
               06-AUG-1991
          PF
               07-DEC-1989 JP 1989318243
          PΙ
               OHASHI HIDEYA, ISHII YASUYUKI, MIYATA YOSHINORI, PI
                                                              MIYAZONO
          KOHEI,
          ΡI
              MIYAGAWA KIYOSHI, TAKAKU FUMIMARO
          PC
               C12P21/00, C07K13/00, C12N5/10, C12N15/18//C12O1/68, (C12P21/00,
          РC
               C12R1:91),
          РC
               (C12N15/18, C12R1:91);
          CC
               strandedness: Double;
          CC
               topology: Linear;
          CC
               hypothetical: No;
          CC
               anti-sense: No;
          CC
               *source: tissue type=placenta;
          CC
               *source: clone=pVC19-TGF;
          FH
               Key
                             Location/Qualifiers
          FΗ
          FΤ
               5'UTR
                             1. .510
          FT
               CDS
                             511. .1683
          FT
                             /product='human prepro TGF-betal' FT
          sig peptide
                        511. .597
                             598. .1680
               mat peptide
          FT
                             /note='human pro TGF-betal'
          FT
               mat peptide
                             1345. .1680
          FT
                             /product='human TGF-beta1'
          FT
               3'UTR
                             1684. .1820.
FEATURES
                  Location/Qualifiers
                  1. .1821
                  /organism="Homo sapiens"
                  /mol type="genomic RNA"
                  /db xref="taxon:9606"
BASE COUNT
              326 a
                      679 c
                             508 g
                                     308 t
ORIGIN
 Query Match
                       72.7%; Score 980.2; DB 6; Length 1821;
 Best Local Similarity
                      85.6%; Pred. No. 2e-163;
 Matches 1133; Conservative
                            0; Mismatches 143; Indels
                                                                    2;
          Qу
                Db
        Qу
         66 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
            Dh
        567 TGGTGCTGACGCCTGGCCGCCGGCCGGGACTATCCACCTGCAAGACTATCGACATGG 626
```

KEYWORDS

Qy	126	AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC	185
Db	627	AGCTGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC	686
Qу	186	TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG	245
Db	687	TCGCCAGCCCCCGAGCCAGGGGGAGGTGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCG	746
Qу	246	CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC	305
Db	747	CCCTGTACAACAGCACCCGCGACCGGGTGGCCGGGGGAGAGTGCAGAACCGGAGCCCGAGC	806
Qy	306	CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC	365
Db	807	CTGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG	866
Qv	366	AAATCTATGATAAATTCAAGGGCACCCCCACAGCTTATATATGCTGTTCAACACGTCGG	425
Db	867	AAATCTATGACAAGTTCAAGCAGAGTACACACAGCATATATAT	926
Qy	426	AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA	485
Db	927	AGCTCCGAGAAGCGGTACCTGAACCCGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGA	986
Qy	486	GGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT	545
Db	987	GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTGTACCAGAAATACAGCAACAATTCCT	1046
Qy	546	GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG	605
Db	1047	GGCGATACCTCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTTG	1106
Qy	606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGGCTATAGAGGGTTTTCGCC	665
Db	1107	ATGTCACCGGAGTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTCGCC	1166
Qy	666	TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	725
Db	1167	TTAGCGCCCACTGCTCCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACGGGT	1226
Qy	726	TCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	1227	TCACTACCGGCCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGC	1286
Qy	786	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	1287	TTCTCATGGCCACCCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGCCGA-	1345
Qy	846	CCCTGGATACCAACGACTACAAGGATGACGACAAGGCCCTGGATACCAACTACTGCT	905
Db	1346		1367
Qy	906	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	965
Db	1368	TCAGCTCCACGGAGAACACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACC	1427

```
Qу
        966 TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT 1025
           Db
       1428 TCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCT 1487
Qу
       1026 GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC 1085
           Db
       1488 GCCCCTACATTTGGAGCCTGGACACGCAGTACAGCAGGTCCTGGCCCTGTACAACCAGC 1547
Qу
       1086 ACAACCCGGGCGCGTCGGCGCGCCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCA 1145
           Db
       1146 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT 1205
Qу
           Db
       1608 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCT 1667
Qу
       1206 CCTGCAAGTGCAGCTGAGGCCCCGCCCACAGCCCCGCCCACCCGGCAGGCCCGGC 1265
           Db
       Qу
       1266 CCCACCCCGCCGCCT------CACCGGGGCTGTATTTAAGGACATCGTGCCCCAAG 1317
            Db
       1728 CCCGCCCGCCCCGCTGCCTTGCCCATGGGGGCTGTATTTAAGGACACCGTGCCCCAA 1787
       1318 CCC 1320
Qу
Db
       1788 GCC 1790
RESULT 14
BC022242
LOCUS
         BC022242
                            1746 bp
                                     mRNA
                                           linear
                                                   PRI 04-FEB-2002
DEFINITION Homo sapiens, clone MGC:22008 IMAGE:4399762, mRNA, complete cds.
ACCESSION
         BC022242
VERSION
         BC022242.1 GI:18490115
KEYWORDS
         MGC.
SOURCE
         Homo sapiens (human)
 ORGANISM
         Homo sapiens
         Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi:
         Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
            (bases 1 to 1746)
 AUTHORS
         Strausberg, R.
 TITLE
         Direct Submission
         Submitted (01-FEB-2002) National Institutes of Health, Mammalian
 JOURNAL
         Gene Collection (MGC), Cancer Genomics Office, National Cancer
         Institute, 31 Center Drive, Room 11A03, Bethesda, MD 20892-2590,
 REMARK
         NIH-MGC Project URL: http://mgc.nci.nih.gov
COMMENT
         Contact: MGC help desk
         Email: cgapbs-r@mail.nih.gov
         Tissue Procurement: ATCC
         cDNA Library Preparation: Life Technologies, Inc.
         cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
         DNA Sequencing by: Sequencing Group at the Stanford Human Genome
         Center, Stanford University School of Medicine, Stanford, CA 94305
         Web site:
                      http://www-shqc.stanford.edu
         Contact: (Dickson, Mark) mcd@paxil.stanford.edu
```

```
Clone distribution: MGC clone distribution information can be found
          through the I.M.A.G.E. Consortium/LLNL at: http://image.llnl.gov
         Series: IRAK Plate: 27 Row: e Column: 21
         This clone was selected for full length sequencing because it
         passed the following selection criteria: Hexamer frequency ORF
         analysis.
FEATURES
                 Location/Qualifiers
                 1. .1746
    source
                 /organism="Homo sapiens"
                 /mol type="mRNA"
                 /db xref="taxon:9606"
                 /clone="MGC:22008 IMAGE:4399762"
                 /tissue type="Duodenum, adenocarcinoma"
                 /clone lib="NIH MGC 88"
                 /lab host="DH10B"
                 /note="Vector: pCMV-SPORT6"
    CDS
                 370. .1542
                 /codon start=1
                 /product="Unknown (protein for MGC:22008)"
                 /protein id="AAH22242.1"
                 /db xref="GI:18490116"
                 /translation="MPPSGLRLLLLLLLLLLLLVLTPGRPAAGLSTCKTIDMELVKRK
                 \verb"RIEAIRGQILSKLRLASPPSQGEVPPGPLPEAVLALYNSTRDRVAGESAEPEPEPEAD"
                 YYAKEVTRVLMVETHNEIYDKFKQSTHSIYMFFNTSELREAVPEPVLLSRAELRLLRL
                 KLKVEQHVELYQKYSNNSWRYLSNRLLAPSDSPEWLSFDVTGVVRQWLSRGGEIEGFR
                 LSAHCSCDSRDNTLQVDINGFTTGRRGDLATIHGMNRPFLLLMATPLERAQHLQSSRH
                 RRALDTNYCFSSTEKNCCVRQLYIDFRKDLGWKWIHEPKGYHANFCLGPCPYIWSLDT
                 QYSKVLALYNQHNPGASAAPCCVPQALEPLPIVYYVGRKPKVEQLSNMIVRSCKCS"
BASE COUNT
             376 a
                    612 c
                            472 q
                                   286 t
ORIGIN
                     72.6%; Score 979.8; DB 9; Length 1746;
 Query Match
 Best Local Similarity
                     85.5%; Pred. No. 2.4e-163;
                          0; Mismatches 147; Indels
 Matches 1146; Conservative
                                                    48: Gaps
                                                               3:
          Oy
               Db
         66 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
Qу
           Db
        425 TGGTGCTGACGCCTGGCCGGCCGGCCGGGACTATCCACCTGCAAGACTATCGACATGG 484
        126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
Qу
           485 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC 544
Db
        186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245
Qу
            Db
        545 TCGCCAGCCCCCGAGCCAGGGGGAGGTGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCG 604
        246 CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC 305
Qу
            Db
        605 CCCTGTACAACAGCACCCGCGACCGGGTGGCCGGGGGAGAGTGCAGAACCGGAGCCCGAGC 664
```

Dickson, M., Schmutz, J., Grimwood, J., Rodriquez, A., and Myers,

R. M.

Qy	306	CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC	365
Db	665	CTGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG	724
Qу	366	AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG	425
Db	725	AAATCTATGACAAGTTCAAGCAGAGTACACACAGCATATATAT	784
Qу	426	AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA	485
Db	785	AGCTCCGAGAAGCGGTACCTGAACCCGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGA	844
Qу	486	GGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT	545
Db	845	GGCTCAAGTTAAAAGTGGAGCACGCAGGGAGCTGTACCAGAAATACAGCAACAATTCCT	904
Qу	546	GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG	605
Db	905	GGCGATACCTCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTTG	964
Qy	606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGGCTATAGAGGGTTTTCGCC	665
Db	965	ATGTCACCGGAGTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTCGCC	1024
Qу	666	TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	725
Db	1025	TTAGCGCCCACTGCTCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACGGGT	1084
Qy	726	TCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	1085	TCACTACCGGCCGCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGC	1144
Qy	786	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	1145	TTCTCATGGCCACCCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGCCGA-	1203
Qу		CCCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCT	
Db	1204	GCCCTGGACACCAACTATTGCT	1225
Qy	906	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	965
Db	1226	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACC	1285
Qу	966	TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT	1025
Db	1286	TCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCT	1345
Qу	1026	GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC	1085
Db	1346	GCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGC	1405
Qy	1086	ACAACCCGGGCGCGCGCGCGCGCGCGCGCGCGCGCGCGC	1145
Db	1406	ATAACCCGGGCGCCTCGGCGCGCGCGCGCGCGCGCGCGCG	1465

```
1146 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT 1205
Qу
          1466 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCT 1525
Db
      1206 CCTGCAAGTGCAGCTGAGGCCCCGCCCACAGCCCCGCCCACCCGGCAGGCCCGGC 1265
Qу
          Db
      1266 CCCACCCCGCCGCCT-----CACCGGGGCTGTATTTAAGGACA-TCGTGCCCCAA 1316
Qу
                               Db
      1586 CCCGCCCGCCCCCGCTGCCTTGCCCATGGGGGGCTGTATTTAAGGACACCCGTGCCCCAA 1645
      1317 GCCCACTTGGGATCGATTAAA 1337
Qу
          -1-11
      1646 GCCCACCTGGGGCCCCATTAA 1666
Db
RESULT 15
I06216
LOCUS
        106216
                          1560 bp
                                  DNA
                                       linear PAT 02-DEC-1994
DEFINITION
        Sequence 2 from Patent EP 0293785.
        106216
ACCESSION
        I06216.1 GI:590649
VERSION
KEYWORDS
SOURCE
        Unknown.
 ORGANISM
        Unknown.
        Unclassified.
REFERENCE
           (bases 1 to 1560)
 AUTHORS
        Purchio, A.F., Gentry, L. and Twardzik, D.
 TITLE
        Cloning and expression of simian transforming growth factor-SS1
        Patent: EP 0293785-A2 2 07-DEC-1988;
 JOURNAL
FEATURES
               Location/Qualifiers
               1. .1560
   source
               /organism="unknown"
           301 a
BASE COUNT
                  547 c
                               267 t
                        442 q
                                       3 others
ORIGIN
 Query Match
                  72.5%;
                        Score 978.6; DB 6; Length 1560;
 Best Local Similarity
                  85.6%; Pred. No. 4e-163;
 Matches 1143; Conservative 0; Mismatches 145; Indels
                                              48; Gaps
                                                       3;
Qу
        Db
       71 CTGACGCCTGGCCGGCCGCCGGACTGTCCACCTGCAAGACCATCGACATGGAGCTG 130
Qу
          Db
       321 CTGACGCCTAGCCGGCCGGCCGCAGGACTATCCACCTGCAAGACTATCGACATCGAGCTG 380
Qу
       131 GTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGCTTGCC 190
          381 GTGAAGCGGAAGCGCATCGAGACCATCCGCGGCCAGATCCTGTCCAAGCTGCGGCTCGCC 440
Db
QУ
       191 AGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGGCTCTT 250
          Db
       441 AGCCCCCGAGCCAGGGGGAGGTGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCGCCCTG 500
```

Qy	251	TACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGCCAGAG 310
Db	501	TACAACAGCACCCGCGACCGGGTGGCCGGGGGAGAGTGCGGAGCCCGAACCGGAG 560
Qy	311	GCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACCAAATC 370
Db	561	GCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACGAAATC 620
Qy	371	TATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGGAGCTC 430
Db	621	TATGACAAGTTCAAGCAGAGCACACACACACATATATATGTTCTTCAACACATCAGAGCTC 680
Qy	431	CGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGAGGCTC 490
Db	681	CGAGAAGCAGTACCTGAACCTGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGAGGCTC 740
Qy	491	AAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCTGGCGC 550
Db	741	AAGTTAAAAGTCGAGCAGCATGTGGAGCTGTACCAGAAATACAGCAACAATTCCTGGCGA 800
Qy	551	TACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTGATGTC 610
Db	801	TACCTCAGCAACCGGCTGCTGGCGCCCAGCAACTCGCCGGAGTGGTTGTCTTTTGATGTC 860
Qy	611	ACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCCTCAGT 670
Db	861	ACCGGAGTTGTGCGGCAGTGGTTGAGCCGCGGAGGGGAAATTGAGGGCTTTCGCCTTAGC 920
Qy	671	GCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGTTCAAT 730
Db	921	GCCCACTGCTCCTGTGACAGCAAAGATAACACACTGCAAGTGGACATCAACGGGTTCACT 980
Qy	731	TCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGCTCCTC 790
Db	981	ACCGGCCGCGAGGTGACCTGGCCACAATTCATGGCATGAACCGGCCTTTCCTGCTTCTC 1040
QУ	791	ATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCCGCGAGCCCTG 850
Db	1041	ATGGCCACCCGCTGGAGAGGGCCCAACATCTGCAAAGCTCCCGGCACCGCCGA 1094
Qy	851	GATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCTTCAGC 910
Db	1095	GCCCTGGACACCAACTACTGCTTCAGC 1121
Qy	911	TCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGC 970
Db	1122	TCCACGGAGAAGAACTGCTNCGTGCGGCAGCTGTATATTGACTTCCGCAAGGACCTCGGC 1181
Qу	971	TGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCC 1030
Db	1182	TGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTGGGGCCCTGTCCC 1241
Qy	1031	TACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGCACAAC 1090
Db	1242	TACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAAC 1301
Qу	1091	CCGGGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGC

Db Qу 1151 TACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGC 1210 1362 TACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGA 1421 Db Qу Db 1271 CCCCGCCCGCCT------CACCGGGGCTGTATTTAAGGACA-TCGTGCCCCAAGCCCA 1321 Oy 1482 CCCACCCCGCTGTCTTGCCCTTGGGGGCTGTATTTAAGGACACCCGTGCCCCAAGCCCA 1541 Db Qу 1322 CTTGGGATCGATTAAA 1337 | ||| | | | | | Dh 1542 CCTGGGGCCCCATTAA 1557

Search completed: October 27, 2003, 18:35:01 Job time: 5270.34 secs

> GenCore version 5.1.6 Copyright (c) 1993 - 2003 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: October 27, 2003, 10:47:27; Search time 405.282 Seconds

(without alignments)

8985.201 Million cell updates/sec

Title: US-10-017-372E-32

Perfect score: 1349

Sequence: 1 tggtaccgagatggcgcctt.....gattaaagcggccgcgact 1349

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched: 2552756 seqs, 1349719017 residues

Total number of hits satisfying chosen parameters: 5105512

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : N_Geneseq_19Jun03:*

1: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1980.DAT:*
2: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1981.DAT:*
3: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1982.DAT:*
4: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1983.DAT:*
5: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1984.DAT:*

```
6: /SIDS1/gcgdata/geneseg/genesegn-embl/NA1985.DAT:*
7:
   /SIDS1/qcqdata/qeneseq/geneseqn-embl/NA1986.DAT: *
8: /SIDS1/qcqdata/geneseq/geneseqn-embl/NA1987.DAT:*
9: /SIDS1/qcqdata/qeneseq/qeneseqn-embl/NA1988.DAT:*
10: /SIDS1/qcqdata/qeneseq/qeneseqn-embl/NA1989.DAT:*
11: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1990.DAT:*
12:
    /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1991.DAT:*
13:
    /SIDS1/qcqdata/qeneseq/qeneseqn-emb1/NA1992.DAT:*
14:
     /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1993.DAT: *
15:
     /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1994.DAT: *
16:
     /SIDS1/gcgdata/geneseq/geneseqn-emb1/NA1995.DAT:*
17:
     /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1996.DAT: *
18: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1997.DAT:*
19:
    /SIDS1/gcgdata/geneseq/geneseqn-embl/NA1998.DAT:*
20:
    /SIDS1/gcgdata/geneseg/genesegn-emb1/NA1999.DAT: *
21:
     /SIDS1/gcgdata/geneseq/geneseqn-emb1/NA2000.DAT:*
22:
     /SIDS1/gcgdata/geneseq/geneseqn-embl/NA2001A.DAT:*
23: /SIDS1/gcgdata/geneseq/geneseqn-embl/NA2001B.DAT:*
24: /SIDS1/qcqdata/qeneseq/qeneseqn-emb1/NA2002.DAT:*
    /SIDS1/gcgdata/geneseq/geneseqn-emb1/NA2003.DAT:*
```

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB	ID	Description
1	1223.8	90.7	1326	24	AAD22696	Porcine transformi
2	991.6	73.5	2527	25	ABQ76674	Androgen receptor
3	990.8	73.4	2537	7	AAN60972	Sequence encoding
4	990.8	73.4	2537	11	AAQ03301	cDNA encoding huma
5	990.8	73.4	2537	11	AAQ02814	Sequence of pre-TG
6	990.8	73.4	2537	17	AAT15720	Pre-transforming g
7	989.2	73.3	2537	15	AAQ56923	Human pre-TGF-beta
8	986	73.1	2537	19	AAV52933	Human pre-transfor
9	983	72.9	1561	11	AAQ03268	Simian transformin
10	981.4	72.8	2742	22	AAI58342	Human polynucleoti
11	980.6	72.7	1559	13	AAQ20289	Sequence encoding
12	980.2	72.7	1821	12	AAQ13392	Human pro-TGF-beta
13	979.6	72.6	1560	9	AAN81084	Coding sequence of
14	979.6	72.6	1560	11	AAQ03508	Simian Transformin
15	977.8	72.5	2745	16	AAT05876	cDNA encoding tran
16	977.8	72.5	2745	22	AAH28216	Nucleotide sequenc
17	969.8	71.9	1303	11	AAQ09317	Monkey transformin
18	968.8	71.8	4105	15	AAQ55624	TGFbeta1 5'-UTR-CD
19	966.8	71.7	1571	11	AAQ03269	Human transforming
20	961.8	71.3	1569	9	AAN81085	Coding sequence of
21	958.6	71.1	1569	11	AAQ03509	Human Transforming
22	952.6	70.6	1561	11	AAQ04908	Sequence encoding
23	949.4	70.4	1561	13	AAQ29177	TGF-beta 1/beta 2
24	930.2	69.0	1176	25	ABV75391	TGFB1 Arg25Pro pol
25	928.6	68.8	1176	24	ABZ35738	Human TGF beta 1 p
26	928.6	68.8	1176	24	ABX09981	Human TGFbetal DNA
27	928.6	68.8	1176	24	ABV78162	Human TGF beta 1 D

```
28
     928.6
             68.8
                   1176 24 ABL91703
                                                      Human polynucleoti
     928.6
                                                      TGFB1 Arg25Pro pol
 29
             68.8
                   1176 25 ABV75392
 30
      908
                                                      TGF-beta 1. Homo
            67.3
                   1565 13 AAQ29178
31
       805
             59.7
                   2765 22 AAI60128
                                                      Human polynucleoti
 32
     788.2
             58.4
                   2208 13 AAO20291
                                                      Sequence encoding
                   2206 11 AAQ03510
 3.3
     786.6
             58.3
                                                      Human Transforming
                   2207 11 AAQ03511
 34
     786.6
             58.3
                                                      Hybrid transformin
                   2207 11 AAQ05127
 35
      785
             58.2
                                                      Human TGF-Beta1/TG
 36
     773.6
             57.3
                   2217
                         10 AAN90768
                                                      Sequence of human
            56.9
                                                      Simian-human hybri
 37
     767.4
                   2200 16 AAT04115
38
     696.8
            51.7
                   2773 23 AAS84421
                                                      DNA encoding novel
 39
     678.8
            50.3
                   834 12 AAQ12192
                                                      Sequence encoding
 40
      654
            48.5
                  1376 24 ABK90341
                                                      DNA encoding LAP-m
 41
     652.4
                   1389 24 ABK90344
            48.4
                                                      DNA encoding LAP-h
                   1352 24 ABK90342
 42
     588.2
             43.6
                                                      DNA encoding mIFNB
 43
     586.6
            43.5
                   1350
                         24 ABK90343
                                                      DNA encoding huIFN
     534.8
 44
             39.6 875 23 AAS70979
                                                      DNA encoding novel
 45
     366.4 27.2
                   489 24 ABL99528
                                                      Target canine gene
```

ALIGNMENTS

```
RESULT 1
AAD22696
     AAD22696 standard; cDNA; 1326 BP.
XX
AC
    AAD22696;
XX
DT
     26-FEB-2002 (first entry)
XX
DΕ
     Porcine transforming growth factor beta 1 (TGF-beta1) cDNA.
XX
KW
     Porcine; transforming growth factor beta 1; TGF-beta1; gene therapy;
KW
     IBD; inflammatory bowel disease; autoimmune disease; immunosuppressive;
KW
     multiple sclerosis; rheumatoid arthritis; systemic lupus erythematosus;
KW
     diabetes mellitus; sarcoidosis; psoriasis; dermatological; ss.
XX
OS
     Sus scrofa.
XX
FH
                     Location/Oualifiers
     Key
FT
     CDS
                     16..1188
FT
                     /*tag= a
FT
                     /product= "Porcine TGF-betal mutant protein"
XX
ΡN
     WO200181404-A2.
XX
PD
     01-NOV-2001.
XX
ΡF
     20-APR-2001; 2001WO-US12980.
XX
PR
     20-APR-2000; 2000US-199014P.
XX
     (USSH ) US DEPT HEALTH & HUMAN SERVICES.
PΑ
XX
PΙ
     Strober W, Nakamura K, Kitani A, Fuss IJ;
XX
```

```
DR
    WPI; 2002-026155/03.
DR
    P-PSDB; AAE13596.
XX
    Composition for treating autoimmune diseases e.g. inflammatory bowel
PT
PΤ
    disease in humans, comprises vector containing transforming growth
    factor-beta under the control of inducible promoter
PT
XX
PS
    Claim 1; Fig 1; 78pp; English.
XX
CC
    The invention relates to a composition containing a vector comprising a
CC
    gene encoding a regulatory transcription factor under the control of a
CC
    promoter encoding a transforming growth factor-beta (TGF-beta). The
CC
    vector is useful for expressing TGF-beta, such as TGF-beta1, TGF-beta2
    or TGF-beta3, its variants or homologues, by transfecting a cell which
CC
    is part of a host suspected of having an autoimmune disease, especially
CC
CC
    inflammatory bowel disease (IBD), under conditions such that the
    polypeptide encoded by the nucleic acid sequence in the vector is
CC
CC
    expressed. The vector is delivered using a delivery system. The delivery
CC
    of the vector results in substantial elimination of symptoms of the
CC
    autoimmune disease and increased production of IL-10 by the host. The
CC
    composition is useful for treating various diseases with an autoimmune
CC
    component such as multiple sclerosis, rheumatoid arthritis, systemic
CC
    lupus erythematosus, insulin-dependent diabetes mellitus, sarcoidosis
CC
    and psoriasis, and also for assaying the expression of a gene in a cell.
CC
    The vector is further useful for screening of the effect of test
    compounds on cytokine (e.g. TGF-beta) expression of transfected cells.
CC
CC
    The present sequence is a cDNA encoding porcine TGF-betal mutant.
XX
SO
    Sequence 1326 BP; 263 A; 438 C; 392 G; 233 T; 0 other;
 Query Match
                     90.7%; Score 1223.8; DB 24; Length 1326;
 Best Local Similarity
                     96.4%; Pred. No. 1.1e-240;
 Matches 1299; Conservative
                          0; Mismatches 7; Indels
                                                     41; Gaps
                                                                3:
          Qy
            Db
         61 GCTGCTAGTGCTGACGCCTGGCCGGCCGCCGGACTGTCCACCTGCAAGACCATCGA 120
Ov
           66 GCTGCTAGTGCTGACGCCTGGCCGGCCGCCGGACTGTCCACCTGCAAGACCATCGA 125
Db
QУ
        121 CATGGAGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCT 180
           Db
        126 CATGGAGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCT 185
        181 TCGGCTTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGT 240
Qy
           186 TCGGCTCGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCCGT 245
Db
        241 ACTGGCTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCC 300
Qу
           246 ACTGCTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCC 305
Db
Qу
        301 CGAGCCAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGG 360
            Db
        306 CGAGCCAGAGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGG 365
```

Qу	361	CAACCAAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACAC	420
Db	366		425
Qy	421	GTCGGAGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCT	480
Db	426	GTCGGAGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCT	485
Qy	481	GCTGAGGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTATACCAGAAATACAGCAATGA	540
Db	486	GCTGAGGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTATACCAGAAATACAGCAATGA	545
Qу	541	TTCCTGGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTC	600
Db	546		605
Ov	601	CTTTGATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTT	660
Db	606	CTTTGATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTT	665
Qy	661	TCGCCTCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAA	720
Db	666	TCGCCTCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAA	725
Qy	721	CGGGTTCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTT	780
Db	726	CGGGTTCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTT	785
Qy	781	CCTGCTCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCG	840
Db	786	CCTGCTCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCG	845
Qy	841	CCGAGCCCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTA	900
Db	846	CCGAGCCCTGGATACCAACTA	866
Qу	901	CTGCTTCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAA	960
Db	867	CTGCTTCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAA	926
Qy	961	GGACCTGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGG	1020
Db	927	GGACCTGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGG	986
Qу	1021	GCCCTGTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAA	1080
Db	987	GCCCTGTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAA	1046
Qy	1081	CCAGCACAACCCGGGCGCGCGCGCGCGCGCGCGCGCGCG	1140
Db	1047	CCAGCACAACCCGGGCGCGCGCGCGCGCGCGCGCGCGCG	1106
Qy	1141	GCCCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGT	1200
Db	1107	GCCCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGT	1166

```
QУ
        1201 GCGTTCCTGCAAGTGCAGCTGAGGCCCCGCCCACAGCCCCGCCCACCCGGCAGGC 1260
             Db
        1167 GCGTTCCTGCAAGTGCAGCTGA-GCCCCGCCCGCCCACAGCCCCGCCCACCCGGCAGGC 1225
Ov
        1261 CCGGCCCCACCCCGCCCGCCTCACCGGGGCTGTATTTAAGGACATCGTGCCCCAAGCCC 1320
             1226 CCGGCCCACCCCCGCCCGCCTCACCGGGGCTGTATTTAAGGACATCGTGCCCCAAGCCC 1285
Db
QУ
        1321 ACTTGGGATCGATTAAAGCGGCCGCGA 1347
             Db
        1286 AC-TGGGATCGATTAAAGGTGGAGAGA 1311
RESULT 2
ABQ76674
ID
    ABQ76674 standard; DNA; 2527 BP.
XX
AC
    ABQ76674;
XX
DT
    26-MAR-2003 (first entry)
XX
DE
    Androgen receptor signalling pathway-associated DNA E00973.
XX
KW
    Androgen receptor; transactivation; modulator; Smad3; Smad4; Akt; TGF-B;
KW
    signal transduction pathway; transforming growth factor-B; phosphatase;
KW
    tensin; cytostatic; antiproliferative; cellular proliferation; cancer;
KW
    E00973; ds.
ХX
OS
    Synthetic.
XX
PN
    WO200282081-A2.
XX
PD
    17-OCT-2002.
XX
PF
    05-APR-2002; 2002WO-US11086.
XX
PR
    06-APR-2001; 2001US-282266P.
    13-MAR-2002; 2002US-365060P.
PR
ХХ
    (UYRP ) UNIV ROCHESTER.
PA
XX
PΙ
    Chang C;
XX
DR
    WPI; 2003-046871/04.
XX
PT
    Modulating androgen receptor activity, by administering a compound that
PΤ
    modulates receptor activity, inhibits receptor-signal transduction
    pathway/receptor-coactivator interaction or changes amount or receptor
PT
PT
XX
PS
    Disclosure; Page 225-226; 302pp; English.
XX
CC
    This invention describes a novel method for modulating androgen receptor
CC
    activity or androgen receptor-mediated transactivation activity in a
    cell. The method involves administering a compound which causes
CC
CC
    modulation of the androgen receptors activity and the inhibition of
CC
    interaction between the receptor and a protein involved in a signal
```

CC transduction pathway. The compound also inhibits the interaction between CC the androgen receptor and a protein selected from Smad3, Smad4, Akt, CCtransforming growth factor (TGF)-B and phosphatase and tensin homologues deleted on chromosome 10 (PTEN) or their fragments. The compounds of the CC CC invention have cytostatic and antiproliferative activity. The obtained CCcomposition is useful for treating any disease, where uncontrolled CCproliferation or cellular proliferation occurs such as cancer, e.g. CCprostate cancer. This sequence represents the androgen receptor CC transactivation signalling pathway modulator E00973 described in CCthe method of the invention. XX SO Sequence 2527 BP; 472 A; 888 C; 735 G; 432 T; 0 other; Query Match 73.5%; Score 991.6; DB 25; Length 2527; Best Local Similarity 85.7%; Pred. No. 3.1e-193; Matches 1142; Conservative 0; Mismatches 149; Indels 41; Gaps 2: Qу Db 66 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125 Qу 897 TGGTGCTGACGCCTGGCCCGCCGGCCGGGGACTATCCACCTGCAAGACTATCGACATGG 956 Db 126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185 Qу Db Qу Db 1017 TCGCCAGCCCCCGAGCCAGGGGGGGGGGCCCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCG 1076 246 CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGGAAAGTGTCGAACCGGAGCCCGAGC 305 Qу 1077 CCCTCTACAACAGCACCCGCGACCGGGTGGCCGGGGAGAGTGCAGAACCGGAGCCCGAGC 1136 Db 306 CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC 365 Qу 1137 CTGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG 1196 Db 366 AAATCTATGATAAATTCAAGGGCACCCCCACAGCTTATATATGCTGTTCAACACGTCGG 425 Qу Db 426 AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA 485 Qу 1257 AGCTCCGAGAAGCGGTACCTGAACCCGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGA 1316 Dh Qу 486 GGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT 545 Db 1317 GGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTGTACCAGAAATACAGCAACAATTCCT 1376

Qу

Db

Qy	606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCC	665
Db	1437		1496
Qy	666	TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	725
Db	1497	TTAGCGCCCACTGCTCCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACGGGT	1556
Qy	726	TCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	1557		1616
Qy	786	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	1617	TTCTCATGGCCACCCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGCCGA-	1675
Qy	846	CCCTGGATACCAACGACTACAAGGATGACGACAAGGCCCTGGATACCAACTACTGCT	905
Db	1676	GCCCTGGACACCAACTATTGCT	1697
QУ	906	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	965
Db	1698	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACC	1757
QУ	966	TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT	1025
Db	1758	TCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCT	1817
Qу	1026	GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC	1085
Db	1818	GCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGC	1877
Qу	1086	ACAACCCGGGCGCGTCGGCGCGCGCGCGCGCGCGCGCGCG	1145
Db	1878	ATAACCCGGGCGCCTCGGCGCGCGCGCGCGCGCGCGCGCG	1937
Qy	1146	TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT	1205
Db	1938	TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGGAGCTGTCCAACATGATCGTGCGCT	1997
Qy	1206	CCTGCAAGTGCAGCTGAGGCCCCGCCCCACAGCCCCGCCACCCGGCAGGCCCGGC	1265
Db	1998	CCTGCAAGTGCAGCTGAGGTCCCGCCCGCCCGCCCGCCCG	2055
Qy	1266	CCCACCCCGCCCGCCTCACCGGGGCTGTATTTAAGGACATCGTGCCCCAAGCCCACTTG	1325
Db	2056	GCCCCGCTGCCTTGCCCATGGGGGCTGTATTTAAGGACACCGTGCCCCAAGCCCACCTG	2115
Qу	1326	GGATCGATTAAA 1337	
Db	2116	GGGCCCCATTAA 2127	

```
AC
    AAN60972;
XX
DT
    31-OCT-2002 (updated)
DT
    28-OCT-1991 (first entry)
XX
DE
    Sequence encoding preTGF-beta.
XX
KW
    Transforming growth factor beta; cancer; wound healing.
XX
OS
    Unidentified.
XX
FΗ
    Key
                  Location/Qualifiers
FT
    misc structure 37..113
                  /*tag= a
FT
FT
                  /note= "Sequence can form stable hairpin loops"
FT
    CDS
                  842..2014
                  /*tag=b
FT
FT
    mat peptide
                  1676..2011
FΤ
                  /*tag= c
XX
    EP200341-A.
PN
XX
PD
    10-DEC-1986.
XX
PF
    21-MAR-1986;
                 86EP-0302112.
XX
PR
    22-MAR-1985;
                 85US-0715142.
    13-MAR-1987;
PR
                 87US-0025423.
XX
    (GETH ) GENENTECH INC.
PΑ
XX
PΙ
    Derynck RMA;
XX
    WPI; 1986-326875/50.
DR
    P-PSDB; AAP61468.
DR
XX
PT
    TGF-beta prodn. from transformed hosts - useful esp. for treating
PΤ
    wounds (J6 2/9/86).
XX
    Disclosure; Fig 1b; 26pp; English.
PS
XX
CC
    The gene product is known to stimulate cell proliferation and
    inhibit anchorage-dependent growth of a variety of human cancer cell
CC
CC
    lines, it is esp. useful in treatment of burns and the promotion of
CC
    surface and internal wound healing. TGF-beta may be expressed from a
CC
    transformed CHO cell line.
CC
    (Updated on 31-OCT-2002 to add missing OS field.)
XX
    Sequence 2537 BP; 473 A; 893 C; 739 G; 432 T; 0 other;
SQ
 Query Match
                      73.4%; Score 990.8; DB 7; Length 2537;
 Best Local Similarity 85.5%; Pred. No. 4.5e-193;
 Matches 1146; Conservative 0; Mismatches 147; Indels
                                                       47; Gaps
                                                                    2;
Qу
          Db
```

Qу	66	TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG	125
Db	897		956
Qу	126	AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC	185
Db	957	AGCTGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC	1016
Qy	186	TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG	245
Db	1017	TCGCCAGCCCCCGAGCCAGGGGGAGGTGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCG	1076
Qу	246	CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC	305
Db	1077	CCCTGTACAACAGCACCCGCGACCGGGTGGCCGGGGAGAGTGCAGAACCGGAGCCCGAGC	1136
Qy	306	CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC	365
Db	1137	CTGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG	1196
Qу	366	AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG	425
Db	1197	AAATCTATGACAAGTTCAAGCAGAGTACACACAGCATATATAT	1256
Qy	426	AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA	485
Db	1257	AGCTCCGAGAAGCGGTACCTGAACCCGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGA	1316
Qy	486	GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT	545
Db	1317	GGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTGTACCAGAAATACAGCAACAATTCCT	1376
Qy	546	GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG	605
Db	1377	GGCGATACCTCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTTG	1436
Qy	606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCC	665
Db	1437	ATGTCACCGGAGTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTCGCC	1496
Qy	666	TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	725
Db	1497	TTAGCGCCCACTGCTCCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACGGGT	1556
Qy	726	TCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	1557	TCACTACCGGCCGCCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGC	1616
Qy	786	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	1617	TTCTCATGGCCACCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGCCGA-	1675
Qу	846	CCCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCT	905
Db	1676		1697

```
1698 TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACC 1757
Db
       966 TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT 1025
Qу
          1758 TCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCT 1817
Db
      1026 GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC 1085
Qу
          1818 GCCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGC 1877
Db
      1086 ACAACCCGGGCGCGCGCGCGCGCGTGCTGCGCGCAGGCGCTGGAGCCACTGCCCA 1145
Qу
          1878 ATAACCCGGGCGCCTCGGCGGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCGCTGCCCA 1937
Db
      1146 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT 1205
Qу
          1938 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCT 1997
Db
      1206 CCTGCAAGTGCAGCTGAGGCCCCGCCCGCCCACAGCCCCGCCCACCCGGCAGGCCCGGC 1265
Qу
          Db
QУ
      1266 CCCACCCCGCCGCCT-----CACCGGGGCTGTATTTAAGGACATCGTGCCCCAAG 1317
          11
                                2058 CCCGCCCGCCCCGCTGCCTTGCCCATGGGGGCTGTATTTAAGGACACCGTGCCCCAAG 2117
Db
      1318 CCCACTTGGGATCGATTAAA 1337
Qу
          2118 CCCACCTGGGGCCCCATTAA 2137
Db
RESULT 4
AA003301
   AA003301 standard; DNA; 2537 BP.
ΙD
XX
AC
   AA003301;
XX
DT
   25-MAR-2003
             (updated)
DT
   05-AUG-1990 (first entry)
XX
   cDNA encoding human pre-transforming growth factor-beta-1 (pre-TGF-beta-
DE
DE
   1).
XX
   Transforming growth factor-beta-1 (TGF-beta-1);
KW
KW
   neoplastic cell line inhibition;
   EGF-potentiated anchorage-independent growth;
KW
XX
OS
   Homo sapiens.
XX
               Location/Qualifiers
FH
   Key
FT
   CDS
               842..2014
FΤ
                /*tag= a
FΤ
               1676..2011
   mat peptide
FT
                /*tag= b
FT
   misc difference 37..113
```

906 TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC 965

Qу

```
/note="stable hairpin loops"
FT
FT
    misc feature
                 2015..2100
FT
                  /*tag= d
FT
                 /note="G-C rich sequence
FΤ
                  and a downstream TATA-like sequence"
XX
PN
    US4886747-A.
XX
PΠ
    12-DEC-1989.
XX
ΡF
    13-MAR-1987;
                87US-0025423.
XX
PR
    13-MAR-1987;
               87US-0025423.
XX
PΑ
    (GETH ) GENENTECH INC.
XX
PΙ
    Derynck RMA, Goeddel DV;
XX
DR
    WPI; 1990-051338/07.
DR
    P-PSDB; AAR05258.
XX
РΤ
    Nucleic acid encoding transforming growth factor-beta -
РΤ
    cloned into expression vectors for expression in eukaryotic host
PΤ
    cells for therapeutic use
XX
PS
    Disclosure; Fig 1b; 28pp; English.
XX
CC
    It was obtained by an analysis of several overlapping cDNAs and gene
    fragments, leading to the detn. of a continuous sequence corresp. to the
CC
CC
    TGF-beta-1 precursor mRNA. It is useful in constructing vectors that
    encode biologically active transforming growth factor (TGF-beta),
CC
CC
    operably linked to DNA that encodes a secretory leader (SL). It, or a
CC
    nucleic acid capable of hybridising with it, can also be labelled and
CC
    used in diagnostic assays for DNA or mRNA encoding TGF-beta or related
CC
    proteins.
CC
    (Updated on 25-MAR-2003 to correct PF field.)
XX
SO
    Sequence 2537 BP; 473 A; 893 C; 739 G; 432 T; 0 other;
 Query Match
                      73.4%; Score 990.8; DB 11; Length 2537;
 Best Local Similarity
                      85.5%; Pred. No. 4.5e-193;
 Matches 1146; Conservative 0; Mismatches 147; Indels
                                                      47; Gaps
                                                                 2;
          Qу
                Db
        66 TAGTGCTGACGCCTGGCCGGCCGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
Qу
            897 TGGTGCTGACGCCTGGCCCGCCGGCCGGGACTATCCACCTGCAAGACTATCGACATGG 956
Db
        126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
Qу
            957 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC 1016
Db
        186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245
0y
```

/*tag= c

FΤ

D 1			1076
Db		TCGCCAGCCCCGAGCCAGGGGGAGGTGCCGGCCCGGCCC	
Qу	246	CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC	305
Db	1077	CCCTGTACAACAGCACCCGCGACCGGGTGGCCGGGGAGAGTGCAGAACCGGAGCCCGAGC	1136
Qу	306	CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC	365
Db	1137	CTGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG	1196
Qу	366	AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG	425
Db	1197	AAATCTATGACAAGTTCAAGCAGAGTACACACACACATATATGTTCTTCAACACATCAG	1256
Qy	426	AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA	485
Db	1257		1316
Qу	486	GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT	545
Db	1317		1376
Qу	546	GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG	605
Db	1377		1436
Qу	606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCC	665
Db	1437	ATGTCACCGGAGTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTCGCC	1496
Qy	666	TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	725
Db	1497		1556
Qy	726	TCAATTCTGGCCGCCGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	1557	TCACTACCGGCCGCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGC	1616
Qу	786	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	1617	TTCTCATGGCCACCCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGCCGA-	1675
Qy	846	CCCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCT	905
Db	1676		1697
Qy	906	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	965
Db	1698		1757
Qу	966	TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT	1025
Db	1758	TCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCT	1817
Qу	1026	GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC	1085

```
Qу
       1878 ATAACCCGGGCGCCTCGGCGGCGCCGTGCTGCCGCAGGCGCTGGAGCCGCTGCCCA 1937
Db
       1146 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT 1205
Qу
          Db
       1938 TCGTGTACTACGTGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCT 1997
Qу
       1206 CCTGCAAGTGCAGCTGAGGCCCCGCCCACAGCCCCGCCACCCGGCAGGCCCGGC 1265
          Db
       Qу
      1266 CCCACCCCGCCGCCT------CACCGGGGCTGTATTTAAGGACATCGTGCCCCAAG 1317
                             Db
      2058 CCCGCCCCGCCCCCCTGCCTTGCCCATGGGGGCTGTATTTAAGGACACCGTGCCCCAAG 2117
      1318 CCCACTTGGGATCGATTAAA 1337
Оv
          Db
      2118 CCCACCTGGGGCCCCATTAA 2137
RESULT 5
AA002814
   AAQ02814 standard; cDNA; 2537 BP.
XX
AC
   AAQ02814;
XX
DT
   25-MAR-2003 (updated)
DT
   31-OCT-2002 (updated)
DT
   31-MAY-1989 (first entry)
XX
DE
   Sequence of pre-TGF-beta1 cDNA.
XX
KW
   Transforming growth factor beta-3 (TGF beta 3); tumour cells; growth
KW
   inhibition.
ХX
OS
   Homo sapiens.
XX
FΗ
               Location/Qualifiers
   Key
FT
               842..2011
   CDS
FT
               /*tag=a
FT
               /label=pre-TGF beta 1
FΤ
   CDS
               1677..2011
FT
               /*tag=b
FT
               /label=mature TGF-beta 1
FT
   GC_signal
               2015..2092
FT
               /*tag= c
FT
               2093..2099
   misc feature
FT
               /*tag=d
FT
               /label=TATA-like sequence
FT
   stem loop
               37..113
FT
               /*taq=e
FT
   misc feature
               863..911
FT
               /*tag= f
FT
               /label=hydrophobic domain
```

1818 GCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGC 1877

Db

```
XX
ΡN
    WO8912101-A.
XX
PD
    14-DEC-1989.
XX
PF
    08-JUN-1988:
               88WO-US01945.
XX
PR
    08-JUN-1988; 88WO-US01945.
XX
PΑ
    (GETH ) GENENTECH INC.
XX
PΙ
    Dernyck RMA, Goeddel DV;
XX
DR
    WPI; 1990-007474/01.
    P-PSDB; AAR04034.
DR
XX
PΤ
    Nucleotide sequence encoding transforming growth factor beta-3 -used as a
PT
    probe, or to produce TGF beta 3, for growth inhibition of certain normal
PT
    and neoplastic cells, eq A549.
XX
PS
    Disclosure; Fig. 1b; 61pp; English.
XX
CC
    Sequence encodes the 390 amino acid (AA) precursor transforming growth
CC
    factor-beta 1 (pre-TGF-beta 1) polypeptide. The 5' untranslated region of
CC
    the TGF-beta 1 mRNA is 841 bases long, is purine rich and has a region of
CC
    potential secondary structure. The TATA-like sequence in the 3' untrans-
CC
    lated region of the gene is presumably a polyadenylation signal. Mature
CC
    TGF-beta 1 comprises the C-terminal 112 AA's of pre-TGF-beta 1 and is
CC
    cleaved at the Arg-Arg dipeptide preceding its NH2 terminus. The nucleic
CC
    acid encoding the second subtype of TGF-beta (TGF-beta 3) is useful as a
CC
    probe or to produce TGF-beta 3 for inhibition of growth of normal and
CC
    neoplastic cells.
CC
    (Updated on 31-OCT-2002 to add missing OS field.)
CC
    (Updated on 25-MAR-2003 to correct PR field.)
CC
    (Updated on 25-MAR-2003 to correct PI field.)
XX
SQ
    Sequence 2537 BP; 473 A; 893 C; 739 G; 432 T; 0 other;
 Query Match
                      73.4%; Score 990.8; DB 11; Length 2537;
 Best Local Similarity
                      85.5%; Pred. No. 4.5e-193;
 Matches 1146; Conservative 0; Mismatches 147; Indels
                                                      47; Gaps
                                                                 2;
Qу
          Db
Qу
         66 TAGTGCTGACGCCTGGCCGGCCGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
            Db
        897 TGGTGCTGACGCCTGGCCGGCCGGCGGGACTATCCACCTGCAAGACTATCGACATGG 956
        126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
Qу
            Dh
        957 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC 1016
QУ
        186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245
            Db
       1017 TCGCCAGCCCCCGAGCCAGGGGGGGGGCCCCGCCCGGCCCGGCCCGAGGCCGTGCTCG 1076
```

Qy		CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC	
Db		CCCTGTACAACAGCACCCGCGACCGGGTGGCCGGGGGAGAGTGCAGAACCGGAGCCCGAGC	
QУ	306	CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC	365
Db	1137	CTGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG	1196
Qy	366	AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG	425
Db	1197	AAATCTATGACAAGTTCAAGCAGAGTACACACAGCATATATAT	1256
Qу	426	AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA	485
Db	1257	AGCTCCGAGAAGCGGTACCTGAACCCGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGA	1316
Qy	486	GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT	545
Db	1317		1376
Qy	546	GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG	605
Db	1377	GGCGATACCTCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTTG	1436
Qy	606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCC	665
Db	1437		1496
Qу	666		725
Db	1497	TTAGCGCCCACTGCTCCTGTGACAGCAGCGGATAACACACTGCAAGTGGACATCAACGGGT	1556
Qу	726	TCAATTCTGGCCGCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	1557	TCACTACCGGCCGCCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGC	1616
Qy	786	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	1617	TTCTCATGGCCACCCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGCCGA	1675
Qy	846	CCCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCT	905
Db	1676		1697
Qy	906	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	965
Db	1698	TCAGCTCCACGGAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACC	1757
Qу	966	TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT	1025
Db	1758	TCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCT	1817
Qy	1026	GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC	1085
Db	1818		1877

```
Db
       Qу
       1146 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT 1205
           Db
       1938 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCT 1997
       1206 CCTGCAAGTGCAGCTGAGGCCCCGCCCACAGCCCCGCCCACCCGGCAGGCCCGGC 1265
QУ
           Db
       1266 CCCACCCCGCCGCCT------CACCGGGGCTGTATTTAAGGACATCGTGCCCCAAG 1317
Qу
           Db
       2058 CCCGCCCGCCCCCGCTGCCTTGCCCATGGGGGCTGTATTTAAGGACACCGTGCCCCAAG 2117
QУ
       1318 CCCACTTGGGATCGATTAAA 1337
           11111 1111 1
Db
       2118 CCCACCTGGGGCCCCATTAA 2137
RESULT 6
AAT15720
ID
   AAT15720 standard; cDNA; 2537 BP.
XX
AC
   AAT15720;
XX
DT
    25-MAR-2003 (updated)
DT
    24-JUL-1997
             (revised)
DT
    25-JAN-1980
              (first entry)
XX
    Pre-transforming growth factor beta 1 cDNA.
DE
XX
KW
    transforming growth factor beta 1; wound healing;
KW
    recombinant production; ss.
XX
OS
   Homo sapiens.
XX
FΗ
   Kev
                Location/Qualifiers
FT
   5'UTR
                1..841
FT
                /*tag=a
FT
   misc feature
                37..113
FT
                /*tag=b
FT
                /note= "GC-rich region forms stable hairpin loops;
FT
                       similar to structural organisation of c-myc RNA,
FT
                       could play role in mRNA stability or in
FT
                       regulation of transcription"
FT
   CDS
                842..2014
                /*tag= c
FT
                /product= pre-TGF_beta_1
FT
FΤ
   mat peptide
                1676..2011
FΤ
                /*tag= d
FT
                /product = mature TGF beta 1
FT
   repeat region
                2015..2100
FΤ
                /*tag= e
FT
                /note= "GC-rich region; possibly responsible for the
FT
                       fact 3'UTR of mRNA could not be cloned as cDNA;
```

1086 ACAACCCGGGCGCGTCGGCGGCGCCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCA 1145

Qу

```
FT
                          may be important for transcription efficiency"
FT
                   2019..2023
    repeat unit
FT
                   /*taq=f
FT
    TATA signal
                   2094..2100
FT
                   /*taq= q
FT
                   /note= "TATA-like sequence; no evidence that this
FT
                          functions a promoter"
FT
    polyA signal
                   2514..2520
FT
                   /*tag= h
FT
                   2529..2536
    misc signal
FT
                   /*tag= i
FT
                   /note= "consensus sequence immediately precedes
                          polyA-tail (Benoist et al)"
FT
ХX
    US5482851-A.
ΡN
XX
    09-JAN-1996.
PD
XX
PF
    05-NOV-1993; 93US-0147364.
XX
PR
    13-MAR-1987;
                 87US-0025423.
PR
    22-MAR-1985;
                 85US-0715142.
PR
    04-AUG-1989;
                 89US-0389929.
PR
    04-MAR-1992:
                 92US-0845893.
PR
    05-NOV-1993;
                 93US-0147364.
XX
    (GETH ) GENENTECH INC.
PΑ
XX
PΙ
    Derynck RMA, Goeddel DV;
XX
DR
    WPI; 1996-076891/08.
DR
    P-PSDB; AAR90827.
XX
PT
    New recombinant human transforming growth factor-beta prods. - produced
PΤ
    using Chinese hamster ovary cells, for use in diagnostic applications
PT
    or in therapy
XX
PS
    Example 3; Fig 1; 26pp; English.
XX
CC
    The cDNA encodes the pre-transforming growth factor (TGF) beta 1 protein.
CC
    The nucleotide sequence was obtd. by an analysis of several overlapping
CC
    cDNAs and gene fragments. The DNA is useful for the recombinant
    production of TGF beta 1, which can be used in, e.g. wound healing.
CC
CC
    (Revised entry submitted to correct sequence analysis breakdown.)
CC
    (Updated on 25-MAR-2003 to correct PF field.)
ХX
    Sequence 2537 BP; 473 A; 893 C; 739 G; 432 T; 0 other;
SQ
 Query Match
                       73.4%; Score 990.8; DB 17; Length 2537;
 Best Local Similarity
                       85.5%; Pred. No. 4.5e-193;
 Matches 1146; Conservative
                             0; Mismatches 147; Indels
                                                         47; Gaps
                                                                     2;
          Qу
                Db
         66 TAGTGCTGACGCCTGGCCGGCCGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
Qy
```

897	TGGTGCTGACGCCTGGCCCGCCGGCCGGGGACTATCCACCTGCAAGACTATCGACATGG	956
126		185
957		1016
186	TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG	245
1017	TCGCCAGCCCCCGAGCCAGGGGGAGGTGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCG	1076
246		305
L077		1136
306		365
.137		1196
366		425
197		1256
426		485
257		1316
486		545
.317		1376
546		605
.377		1436
606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCC	665
.437	ATGTCACCGGAGTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTCGCC	1496
497	TTAGCGCCCACTGCTCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACGGGT	1556
	TCACTACCGGCCGCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGC	
		905
		1697
906	TCAGCTCCACGGAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	965
	126 957 186 017 246 077 306 137 426 257 486 317 546 377 606 437 666 497 726 557 786 617 846 676	### TGGTGCTGAGGCCTGGCCGGCGGGGCTATCCACTGGAAGACTATCGACATGG ### AGCTGGTAAGCGGAAGCGCATCGAGGCCATTCGGGCCAGATTCTGTCCAAGCTTCGGC ### TGGCCAGCCCCCGAGCCCAGGGGGAAGCCCTCCGCCCGAGCCCAGCTCCTGCCAAGCTTCGGC ### TGGCCAGCCCCCGAGCCCAGGGGGAAGCCCACGCCCCGGCCCGGCCCGGCCCGGCCCGAGCCCAGGCCCAGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCAGGCCCACGCCGC

```
Qу
       966 TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT 1025
          Db
      1758 TCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCT 1817
Qу
      1026 GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC 1085
         Dh
      1818 GCCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGC 1877
      Qу
          Db
      Qу
      1146 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT 1205
         Db
      1938 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCT 1997
      1206 CCTGCAAGTGCAGCTGAGGCCCCGCCCGCCCACAGCCCCGCCACCCGGCAGGCCCGGC 1265
Qу
          Db
      1266 CCCACCCCGCCCGCCT-----CACCGGGGCTGTATTTAAGGACATCGTGCCCCAAG 1317
Qу
         Dh
      2058 CCCGCCCGCCCCCGCTGCCTTGCCCATGGGGGCTGTATTTAAGGACACCGTGCCCCAAG 2117
      1318 CCCACTTGGGATCGATTAAA 1337
Qу
         2118 CCCACCTGGGGCCCCATTAA 2137
Dh
RESULT 7
AAQ56923
ID
   AAQ56923 standard; cDNA; 2537 BP.
XX
AC
   AAQ56923;
XX
DT
   25-MAR-2003 (updated)
DT
   09-JUL-1994 (first entry)
XX
DE
   Human pre-TGF-beta-1.
XX
KW
   TGF-beta-1; TGF-beta-2; transforming growth factor beta-1;
   transforming growth factor beta-3; recombinant; wound healing;
KW
KW
   vulnerary; ss.
XX
OS
   Homo sapiens.
XX
FΗ
   Key
              Location/Qualifiers
FT
   misc structure 47..113
FT
              /*tag= a
FT
              /note= "possible hairpin loop region"
FT
   CDS
              842..2014
FT
              /*tag=b
FT
              1676..2011
   mat peptide
FT
              /*tag= c
FT
   polyA signal
              2515..2521
```

1698 TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACC 1757

Db

```
FΤ
                 /*tag=d
XX
ΡN
    US5284763-A.
XX
PD
    08-FEB-1994.
XX
PF
    04-MAR-1992;
               92US-0845893.
XX
PR
    22-MAR-1985;
               85US-0715142.
PR
    13-MAR-1987;
                87US-0025423.
PR
    04-AUG-1989;
                89US-0389929.
PR
    04-MAR-1992;
                92US-0845893.
XX
PΑ
    (GETH ) GENENTECH INC.
XX
PΙ
    Derynk RMA, Goeddel DV;
XX
DR
    WPI; 1994-056343/07.
DR
    P-PSDB; AAR46227.
XX
PΤ
    Nucleic acid sequences encoding transforming growth factor-beta -
PT
    diagnostic probes, and for use in therapeutics
XX
PS
    Disclosure; Fig 1b; 25pp; English.
XX
    cDNA sequences were determined for human pre-TGF-beta-1 (AAQ56923),
CC
CC
    pig TGF-beta-3 (AAQ56925) and human TGF-beta-3 (AAQ56926), and the
CC
    corresponding amino acid sequences were determined (AAR46227-29,
CC
    respectively). A genomic fragment corresponding to a human TGF-
CC
    beta-1 exon (AAQ56924) was also isolated and its amino acid sequence
CC
    determined (AAR46230). The sequences have been used in the
CC
    construction of vectors for the expression of recombinant TGF-
CC
CC
    (Updated on 25-MAR-2003 to correct PF field.)
XX
SQ
    Sequence 2537 BP; 473 A; 890 C; 742 G; 432 T; 0 other;
 Query Match
                     73.3%; Score 989.2; DB 15; Length 2537;
 Best Local Similarity
                     85.4%; Pred. No. 9.6e-193;
 Matches 1145; Conservative
                          0; Mismatches 148; Indels
                                                     47; Gaps
                                                               2;
Qу
         Db
        QУ
         66 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
           Db
        897 TGGTGCTGACGCCTGGCCCGCCGGGCCGCGGGACTATCCACCTGCAAGACTATCGACATGG 956
        126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
Qу
           957 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC 1016
Db
        186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245
Qу
           Db
       1017 TCGCCAGCCCCCGAGCCAGGGGGAGGTGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCG 1076
```

QУ	246	CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC	305
Db	1077		1136
Qу	306	CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC	365
Db	1137	CTGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG	1196
Qу	366	AAATCTATGATAAATTCAAGGGCACCCCCACAGCTTATATATGCTGTTCAACACGTCGG	425
Db	1197	AAATCTATGACAAGTTCAAGCAGAGTACACACACACATCAG	1256
Qу	426	AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA	485
Db	1257	AGCTCCGAGAAGCGGTACCTGAACCCGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGA	1316
Qу	486	GGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT	545
Db	1317	GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTGTACCAGAAATACAGCAACAATTCCT	1376
Qу	546	GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG	605
Db	1377		1436
Qу	606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGGCTATAGAGGGTTTTCGCC	665
Db	1437	ATGTCACCGGAGTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTCGCC	1496
Qy	666	TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	725
Db	1497	TTAGCGCCCACTGCTCCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACGGGT	1556
Qу	726	TCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	1557	TCACTACCGGCCGCCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGC	1616
Qу	786	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	1617	TTCTCATGGCCACCCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGCCGA-	1675
Qу	846	CCCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCT	905
Db	1676		1697
Qy	906	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	965
Db	1698	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACC	1757
Qу	966	TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT	1025
Db	1758	TCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCT	1817
Qу	1026	GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC	1085
Db	1818	GCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGC	1877
Qу	1086	ACAACCCGGGCGCGCGCGCGCGCGCGCGCGCGCGCGCGC	1145

```
Db
       1878 ATAACCCGGGCGCCTCGGCGGCGCGCGTGCCGCAGGCGCTGGAGCCGCTGCCCA 1937
       1146 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT 1205
QУ
           Db
       1938 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCT 1997
       1206 CCTGCAAGTGCAGCTGAGGCCCCGCCCACAGCCCCGCCCACCCGGCAGGCCCGGC 1265
Qу
           Db
       1266 CCCACCCCGCCCGCCT-----CACCGGGGCTGTATTTAAGGACATCGTGCCCCAAG 1317
Qу
           Db
       2058 CCCGCCCGCCCCCGCTGCCTTGCCCATGGGGGGCTGTATTTAAGGACACCGTGCCCCAAG 2117
       1318 CCCACTTGGGATCGATTAAA 1337
QУ
           Db
       2118 CCCACCTGGGGCCCCATTAA 2137
RESULT 8
AAV52933
   AAV52933 standard; cDNA; 2537 BP.
XX
AC
   AAV52933;
XX
DT
   25-MAR-2003 (updated)
DT
   21-DEC-1998 (first entry)
XX
DE
   Human pre-transforming growth factor-beta 1 cDNA.
XX
KW
   Transforming growth factor-beta 1; TGF-beta 1; human; ss.
XX
OS
   Homo sapiens.
XX
FΗ
   Key
                Location/Qualifiers
FT
                842..2014
   CDS
FT
                /*tag=a
FT
                1676..2011
   mat peptide
FΤ
                /*tag= b
FT
    stem loop
                37..113
                /*tag= b
FT
                /note= "putative stable hairpin loop"
FT
FT
   misc feature
                2015..2100
FT
                /*tag=c
                /note= "GC-rich sequence"
FT
FT
   polyA_signal
                2514..2520
FT
                /*tag=d
XX
PN
   US5801231-A.
XX
PD
   01-SEP-1998.
XX
PF
   30-MAY-1995;
              95US-0454468.
XX
PR
   13-MAR-1987;
              87US-0025423.
PR
   22-MAR-1985;
               85US-0715142.
```

```
PR
    04-AUG-1989;
                89US-0389929.
PR
    04-MAR-1992;
                92US-0845893.
PR
    05-NOV-1993;
                93US-0147364.
PR
    30-MAY-1995;
                95US-0454468.
XX
PΑ
    (GETH ) GENENTECH INC.
XX
PΙ
    Derynck RMA, Goeddel DV;
XX
DR
    WPI; 1998-494840/42.
DR
    P-PSDB; AAW78785.
XX
PT
    DNA encoding transforming growth factor-beta precursor sequence -
PT
    useful for analysis to perform manipulations to increase yield of
PT
    recombinant production of the protein
XX
PS
    Example 3; Fig 1B 1-3; 26pp; English.
XX
CC
    This nucleotide sequence codes for the human transforming growth
CC
    factor-beta 1 precursor (preTGF-beta 1, see AAW78785). It is a
CC
    composite of overlapping cDNA clones isolated from different cDNA
CC
    libraries (placenta, A172 glioblastoma, HT1080 fibroblastoma) using
CC
    TGF-beta exon (see AAV52936) restriction fragments as probes.
    The 3' region of the sequence was determined using cloned genomic
CC
CC
    DNA. The invention relates to the recombinant production of
    TGF-beta. Biologically active TGF-beta is defined as being capable
CC
CC
    of inducing EGF-potentiated anchorage independent growth of target
CC
    cell lines and/or growth inhibition of neoplastic cell lines.
CC
    Nucleic acids encoding TGF-beta have been isolated and cloned into
CC
    vectors which are replicated in bacteria and expressed in
CC
    eukaryotic cells. TGF-beta recovered from transformed cells is
CC
    used in known therapeutic applications. TGF-beta nucleic acids are
CC
    also useful in diagnosis and identification of TGF-beta clones.
CC
    (Updated on 25-MAR-2003 to correct PF field.)
XX
SO
    Sequence 2537 BP; 475 A; 895 C; 736 G; 431 T; 0 other;
 Query Match
                     73.1%; Score 986; DB 19; Length 2537;
 Best Local Similarity
                     85.3%; Pred. No. 4.3e-192;
 Matches 1143; Conservative
                          0; Mismatches 150; Indels
                                                     47; Gaps
                                                                2;
          Qу
               Db
         66 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
Qу
           Db
        897 TGGTGCTGACGCCTGGCCCGCCCGGGACTATCCACCTGCAAGACTATCGACATGG 956
        126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
Qу
           957 AGCAGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC 1016
Db
        Qу
           1017 TCGCCAGCCCCCGAGCCAGGGGGGGGGGCCGCCGGCCCGGCCCGAGGCCGTGCTCG 1076
Db
```

Qу	246	CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC	305
Db	1077		1136
Qу	306	CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC	365
Db	1137	CTGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG	1196
Qу	366	AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG	425
Db	1197	AAATCTATGACAAGTTCAAGCAGAGTACACACAGCATATATAT	1256
Qy	426	AGCTCCGGGAAGCGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA	485
Db	1257	AGCTCCGAGAAGCGGTACCTGAACCCGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGA	1316
Qу	486	GGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT	545
Db	1317	GGCTCAAGTTAAAAGTGGAGCACCACGTGGAGCTGTACCAGAAATACAGCAACAATTCCT	1376
Qу	546	GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG	605
Db	1377	GGCGATACCTCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTTG	1436
Qу	606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGGCTATAGAGGGTTTTCGCC	665
Db	1437	ATGTCACCGGAGTTGTGCGGCAGTGGTTGAGCCGTGGAGGAGAAATTGAGGGCTTTCGCC	1496
Qу	666	TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	725
Db	1497	TTAGCGCCCACTGCTCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACGGGT	1556
Qу	726	TCAATTCTGGCCGCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	1557	TCACTACCGGCCGCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGC	1616
Qу	786	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	1617	TTCTCATGGCCACCCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGCCGA-	1675
Qу		CCCTGGATACCAACGACTACAAGGATGACGACAAGGCCCTGGATACCAACTACTGCT	
Db	1676	GCCCTGGACACCAACTATTGCT	1697
Qy	906	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	965
Db	1698	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACC	1757
Qy	966	TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT	1025
Db	1758	TCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCT	1817
Qy	1026	GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC	1085
Db	1818	GCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGC	1877
Qy	1086	ACAACCCGGGCGCGCGCGCGCGCGCGCGCGCGCGCGCGC	1145

```
Db
Qу
       1146 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT 1205
           Db
       1938 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCT 1997
Qу
       1206 CCTGCAAGTGCAGCTGAGGCCCCGCCCGCCCACAGCCCGGCAGGCCCGGC 1265
           Db
       Qу
       1266 CCCACCCCGCCCGCCT-----CACCGGGGCTGTATTTAAGGACATCGTGCCCCAAG 1317
           Db
       2058 CCCGCCCCGCCCCCCTGCCTTGCCCATGGGGGCTGTATTTAAGGACACCGTGCCCCAAG 2117
Qу
       1318 CCCACTTGGGATCGATTAAA 1337
           Dh
       2118 CCCACCTGGGGCCCCATTAA 2137
RESULT 9
AA003268
   AAQ03268 standard; DNA; 1561 BP.
XX
AC
   AAQ03268;
XX
DT
   25-MAR-2003 (updated)
DT
   12-AUG-1990 (first entry)
XX
DE
   Simian transforming growth factor-beta cDNA.
XX
KW
   Transforming growth factor-beta; psoriasis; TGF-beta; ss.
XX
OS
   Monkey.
XX
FΗ
   Key
                Location/Qualifiers
FΤ
   sig peptide
                283..324
FT
                /*taq=a
FT
   mat peptide
                1096..1431
FT
                /*taq=b
FT
                /product=human transforming growth factor-beta
XX
PN
   EP353772-A.
XX
PD
   07-FEB-1990.
XX
PF
   04-AUG-1989;
               89EP-0114458.
XX
PR
   05-AUG-1988;
               88US-0229133.
XX
PΑ
    (ONCO ) ONCOGEN LP.
XX
PΙ
   Twardzik DR, Purchio AF, Ranchalis JE, Stevens V;
XX
   WPI; 1990-038499/06.
DR
DR
   P-PSDB; AAR03743.
XX
```

```
PΤ
   used to treat psoriasis by contacting cells with compositions
PT
   containing transforming growth factor-beta.
XX
PS
   Disclosure; fig 1; 20pp; English.
XX
CC
   TGF-beta may be used in the treatment of hyperplasia
CC
   associated with acanthosis-categorised skin diseases, and
CC
   in alleviating psoriatic symptoms associated with cytokine-
   induced phenomena. See also AAQ03269 and AAR03750.
CC
CC
   (Updated on 25-MAR-2003 to correct PA field.)
XX
SO
   Sequence 1561 BP; 301 A; 547 C; 446 G; 267 T; 0 other;
                 72.9%; Score 983; DB 11; Length 1561;
 Query Match
 Best Local Similarity
                 85.6%; Pred. No. 1.6e-191;
 Matches 1148; Conservative 0; Mismatches 145; Indels
                                            48; Gaps
                                                    3;
        Qу
             Db
       66 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
Qу
         317 TGGTGCTGACGCCTAGCCGGCCGCCGCCGCAGGACTATCCACCTGCAAGACTATCGACATGG 376
Db
       126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
Qу
         377 AGCTGGTGAAGCGGAAGCGCATCGAGACCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC 436
Db
       186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245
Qу
         437 TCGCCAGCCCCCGAGCCAGGGGGAGGTGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCG 496
Db
       246 CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC 305
Qу
         Db
       306 CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC 365
QУ
         557 CGGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG 616
Db
       366 AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG 425
Qу
                       Dh
       426 AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA 485
Qу
         677 AGCTCCGAGAAGCAGTACCTGAACCTGTGTTGCTCCCCGGGCAGAGCTGCGTCTGCTGA 736
Db
       486 GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT 545
Qу
         737 GGCTCAAGTTAAAAGTGGAGCAGCATGTGGAGCTGTACCAGAAATACAGCAACAATTCCT 796
Db
       546 GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG 605
Qу
         797 GGCGATACCTCAGCAACCGGCTGCTGGCGCCCAGCAACTCGCCGGAGTGGTTGTCTTTTG 856
Db
```

Inhibition of proliferation of epidermal cells -

PΤ

Qy	606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCC	665
Db	857		916
QУ	666	TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	725
Db	917	TTAGCGCCCACTGCTCCTGTGACAGCAAAGATAACACACTGCAAGTGGACATCAACGGGT	976
Qy	726	TCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	977	TCACTACCGGCCGCCGAGGTGACCTGGCCACAATTCATGGCATGAACCGGCCTTTCCTGC	1036
Qy	786	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	1037	TTCTCATGGCCACCCCACTGGAGAGGGCCCAACATCTGCAAAGCTCCCGGCACCGCCGA-	1095
Qy	846	CCCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCT	905
Db	1096		1117
Qy	906	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	965
Db	1118		1177
Qу	966	TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT	1025
Db	1178	TCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTGGGGCCCT	1237
Qу	1026	GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC	1085
Db	1238		1297
Qу	1086	ACAACCCGGGCGCGCGCGCGCGCGCGCGCGCGCGCGCGC	1145
Db	1298	ATAACCCGGGCGCCTCGGCGGCGCGCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCA	1357
Qу	1146	TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT	1205
Db	1358	TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCT	1417
Qy	1206	CCTGCAAGTGCAGCTGAGGCCCCGCCCCCCCCCCCCCCC	1265
Db	1418	CCTGCAAATGCAGCTGAGGCCCCGCCCCGCCCCCCCCCC	1477
Qy	1266	CCCACCCCGCCGCCTCACCGGGGCTGTATTTAAGGACA-TCGTGCCCCAA	1316
Db	1478	CCCACCCCACCCCGCTGTCTTGCCCTTGGGGGCTGTATTTAAGGACACCCGTGCCCCAA	1537
Qу	1317	GCCCACTTGGGATCGATTAAA 1337	
Db	1538	GCCCACCTGGGGCCCCATTAA 1558	

```
XX
AC
    AAI58342;
XX
DT
     22-OCT-2001 (first entry)
XX
DE
     Human polynucleotide SEQ ID NO 545.
XX
KW
     Human; nootropic; immunosuppressant; cytostatic; gene therapy; cancer;
KW
     peripheral nervous system; neuropathy; central nervous system; CNS;
KW
     Alzheimer's; Parkinson's disease; Huntington's disease; haemostatic;
KW
     amyotrophic lateral sclerosis; Shy-Drager Syndrome; chemotactic;
KW
     chemokinetic; thrombolytic; drug screening; arthritis; inflammation;
KW
     leukaemia; ss.
XX
OS
     Homo sapiens.
XX
PN
    WO200153312-A1.
XX
     26-JUL-2001.
PD
XX
     26-DEC-2000; 2000WO-US34263.
ΡF
XX
PR
     21-JAN-2000; 2000US-0488725.
PR
     25-APR-2000; 2000US-0552317.
PR
     09-JUL-2000; 2000US-0598042.
     19-JUL-2000; 2000US-0620312.
PR
PR
     03-AUG-2000; 2000US-0653450.
     14-SEP-2000; 2000US-0662191.
PR
PR
     19-OCT-2000; 2000US-0693036.
PR
     29-NOV-2000; 2000US-0727344.
XX
     (HYSE-) HYSEQ INC.
PA
XX
PΙ
     Tang YT, Liu C, Asundi V, Chen R, Ma Y, Qian XB,
                                                            Ren F, Wang D;
     Wang J, Wang Z, Wehrman T, Xu C, Xue AJ, Yang Y,
PΙ
                                                            Zhang J;
     Zhao QA, Zhou P, Goodrich R, Drmanac RT;
PΙ
XX
DR
    WPI; 2001-442253/47.
DR
    P-PSDB; AAM39186.
XX
PT
     Novel nucleic acids and polypeptides, useful for treating disorders
PT
     such as central nervous system injuries -
XX
PS
     Claim 1; SEQ ID NO 545; 10078pp; English.
XX
CC
     The invention relates to human nucleic acids (AAI57798-AAI61369) and
CC
     the encoded polypeptides (AAM38642-AAM42213) with nootropic,
CC
     immunosuppressant and cytostatic activity. The polynucleotides are useful
CC
     in gene therapy. A composition containing a polypeptide or polynucleotide
CC
     of the invention may be used to treat diseases of the peripheral nervous
CC
     system, such as peripheral nervous injuries, peripheral neuropathy and
CC
     localised neuropathies and central nervous system diseases, such as
CC
    Alzheimer's, Parkinson's disease, Huntington's disease, amyotrophic
CC
     lateral sclerosis, and Shy-Drager Syndrome. Other uses include the
CC
    utilisation of the activities such as: Immune system suppression,
CC
    Activin/inhibin activity, chemotactic/chemokinetic activity, haemostatic
CC
     and thrombolytic activity, cancer diagnosis and therapy, drug screening,
```

```
assays for receptor activity, arthritis and inflammation, leukaemias and
CC
   C.N.S disorders.
CC
   Note: The sequence data for this patent did not form part of the printed
CC
   specification.
XX
SQ
   Sequence 2742 BP; 526 A; 938 C; 799 G; 479 T; 0 other;
 Query Match
                 72.8%; Score 981.4; DB 22; Length 2742;
 Best Local Similarity
                 85.5%; Pred. No. 3.8e-191;
 Matches 1147; Conservative
                      0; Mismatches 146;
                                    Indels
                                           48; Gaps
                                                    3;
        Qу
            Db
      66 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
Qу
         Db
      897 TGGTGCTGACGCCTGGCCGGCCGGCCGGGACTATCCACCTGCAAGACTATCGACATGG 956
      126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
Qу
         957 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC 1016
Db
      186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245
Qу
         1017 TCGCCAGCCCCCGAGCCAGGGGGGGGGGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCG 1076
Dh
      246 CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC 305
Qу
         Db
      1077 CCCTGTACAACAGCACCCGCGACCGGGTGGCCGGGGAGATGCAGAACCGGAGCCCGAGC 1136
      306 CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC 365
Qу
         1137 CTGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG 1196
Db
      366 AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG 425
Qу
         Db
      426 AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA 485
Qу
         Db
      1257 AGCTCCGAGAAGCGGTACCTGAACCCGTGTTGCTCCCCGGGCAGAGCTGCGTCTGCTGA 1316
Qу
      486 GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT 545
         Db
      1317 GGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTGTACCAGAAATACAGCAACAATTCCT 1376
      546 GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG 605
Qу
         1377 GGCGATACCTCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTTG 1436
Db
      606 ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCC 665
Qу
         Db
      1437 ATGTCACCGGAGTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTCGCC 1496
      666 TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT 725
Qу
```

CC

```
Db
      1497 TTAGCGCCCACTGCTCCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACGGGT 1556
       726 TCAATTCTGGCCGCCGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC 785
Qу
          Db
      1557 TCACTACCGGCCGCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGC 1616
       786 TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG 845
Qу
          1617 TTCTCATGGCCACCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGCCGA- 1675
Db
       846 CCCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCT 905
Qу
                                   1676 ------GCCCTGGACACCAACTATTGCT 1697
Db
       906 TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC 965
Qу
         1698 TCAGCTCCACGGAGAGAACTGCTGCGTGCGCGGCAGCTGTACATTGACTTCCGCAAGGACC 1757
Db
       966 TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT 1025
QУ
          1758 TCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCT 1817
Db
      1026 GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC 1085
Qу
         1818 GCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGC 1877
Db
      Qу
         1878 ATAACCCGGGCGCCTCGCGCGCGCGCGTGCTGCCGCAGGCGCTGGAGCCGCTGCCCA 1937
Db
      1146 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT 1205
Qу
         1938 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCT 1997
Db
      1206 CCTGCAAGTGCAGCTGAGGCCCCGCCCACAGCCCCGCCCACCCGGCAGGCCCGGC 1265
QУ
         Db
      1266 CCCACCCCGCCGCCT-----CACCGGGGCTGTATTTAAGGACA-TCGTGCCCCAA 1316
QУ
         2058 CCCGCCCCGCCCCCCCTGCCTTGCCCATGGGGGCTGTATTTAAGGACACCCGTGCCCCAA 2117
Db
QУ
      1317 GCCCACTTGGGATCGATTAAA 1337
         2118 GCCCACCTGGGGCCCCATTAA 2138
Db
RESULT 11
AAQ20289
ΙD
   AAQ20289 standard; cDNA; 1559 BP.
XX
AC
   AAQ20289;
XX
   25-MAR-2003 (updated)
DT
   16-APR-1992 (first entry)
DT
XX
DE
   Sequence encoding simian transforming growth factor (TGF) beta-1.
```

```
XX
KW
    Hypertension therapy; hypotensive agent; blood pressure modulator;
KW
    SS.
XX
OS
    Monkey.
XX
FH
                  Location/Qualifiers
    Key
FT
    CDS
                  262..282
FT
                  /*tag= a
FT
    sig peptide
                  283..324
FT
                  /*tag=b
FT
    CDS
                  325..1098
FT
                  /*tag= c
FT
    mat peptide
                  1099..1436
FT
                  /*tag= d
XX
PN
    W09119513-A.
XX
PD
    26-DEC-1991.
XX
ΡF
    20-JUN-1991;
                91WO-US04449.
XX
PR
    20-JUN-1990:
                90US-0541221.
XX
PΑ
    (BRIM ) BRISTOL-MYERS SOUIBB CO.
XX
    Oleson FB, Comereski CR;
PΙ
XX
DR
    WPI; 1992-024199/03.
DR
    P-PSDB; AAR20124.
XX
PΤ
    Use of transforming growth factor (TGF)-beta and their
PT
    antagonists - for modulating blood pressure, for treating
PT
    hypertension and hypotension
XX
PS
    Disclosure; Fig 1; 42pp; English.
XX
CC
    A new method for treating hypertension comprises administering a
CC
    transforming growth factor (TGF)-beta to an individual at a dose
CC
    effective for lowering blood pressure; the TGF-beta may be e.g.
    mature TGF-beta, TGF-beta2, a mature TGF-beta1/beta2 hybrid, TGF-
CC
CC
    betal precursor, a latent TGF-beta2 precursor, hybrid TGF-beta1/TGF-
CC
    beta2 precursor, a latent TGF-beta1 complex or a latent TGF-beta2
CC
CC
    (Updated on 25-MAR-2003 to correct PA field.)
XX
SQ
    Sequence 1559 BP; 300 A; 546 C; 446 G; 267 T; 0 other;
 Query Match
                       72.7%; Score 980.6; DB 13; Length 1559;
 Best Local Similarity
                       85.7%; Pred. No. 5.1e-191;
 Matches 1144; Conservative
                            0; Mismatches 144; Indels
                                                        47; Gaps
                                                                    3;
         Qу
            Db
        71 CTGACGCCTGGCCGGCCGCCGGACTGTCCACCTGCAAGACCATCGACATGGAGCTG 130
Qу
```

Db	321	CTGACGCCTAGCCGGCCGCCGCAGGACTATCCACCTGCAAGACTATCGACATGGAGCTG	380
Qy	131	GTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGCTTGCC	190
Db	381	GTGAAGCGGAAGCGCATCGAGACCATCCGCGGCCAGATCCTGTCCAAGCTGCGGCTCGCC	440
Qy	191	AGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGGCTCTT	250
Db	441	AGCCCCCGAGCCAGGGGGAGGTGCCGCCCGGCCCGGCCC	500
Qy	251	TACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGCCAGAG	310
Db	501	TACAACAGCACCCGCGACCGGGTGGCCGGGGGGGGGGGG	560
Qy	311	GCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACCAAATC	370
Db	561	GCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACGAAATC	620
Qy	371	TATGATAAATTCAAGGGCACCCCCACAGCTTATATATGCTGTTCAACACGTCGGAGCTC	430
Db	621	TATGACAAGTTCAAGCAGAGCACACACACACATCATATATAT	680
Qy	431	CGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGAGGCTC	490
Db	681	CGAGAAGCAGTACCTGAACCTGTGTTGCTCCCCGGGCAGAGCTGCGTCTGCTGAGGCTC	740
Qy	491	AAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCTGGCGC	550
Db	741	AAGTTAAAAGTCGAGCAGCATGTGGAGCTGTACCAGAAATACAGCAACAATTCCTGGCGA	800
Qy	551	TACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTGATGTC	610
Db	801	TACCTCAGCAACCGGCTGCTGGCGCCCAGCAACTCGCCGGAGTGGTTGTCTTTTGATGTC	860
Qу	611	ACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGGCTATAGAGGGTTTTCGCCTCAGT	670
Db	861	ACCGGAGTTGTGCGCCAGTGGTTGAGCCGCGGAGGGGAAATTGAGGGCTTTCGCCTTAGC	920
Qу	671	GCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGTTCAAT	730
Db	921	GCCCACTGCTCCTGTGACAGCAAAGATAACACACTGCAAGTGGACATCAACGGGTTCACT	980
Qу	731	TCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGCTCCTC	790
Db	981	ACCGGCCGCCGAGGTGACCTGGCCACAATTCATGGCATGAACCGGCCTTTCCTGCTTCTC	1040
Qу	791	ATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCCCGAGCCCTG	850
Db	1041	ATGGCCACCCCGCTGGAGAGGCCCCAACATCTGCAAAGCTCCCGGCACCGCCGA	1094
Qy	851	GATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCTTCAGC	910
Db	1095		1121
Qy	911	TCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGC	970

```
Db
       1122 TCCACGGAGAACTGCTGCGTGCGGCAGCTGTATATTGACTTCCGCAAGGACCTCGGC 1181
       971 TGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCC 1030
Qу
           Db
       1182 TGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTGGGGCCCTGTCCC 1241
       1031 TACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGCACAAC 1090
Qу
           Db
       1242 TACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAAC 1301
       1091 CCGGGCGCTCGGCGCGCCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTG 1150
Qу
           Db
       1302 CCGGGCGCTCGGCGGCGCCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCATCGTG 1361
       1151 TACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGC 1210
Qу
           Db
       1362 TACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGC 1421
       1211 AAGTGCAGCTGAGGCCCCGCCCCACAGCCCCGCCCACCCGGCAGGCCCGGCCCAC 1270
Qу
           Db
       1271 CCCCGCCCGC-----CTCACCGGGGCTGTATTTAAGGACA-TCGTGCCCCAAGCCCAC 1322
Qу
           Db
       1482 CCACCCCGCTGTCTTGCCCTTGGGGGCTGTATTTAAGGACACCCGTGCCCCAAGCCCAC 1541
Qу
       1323 TTGGGATCGATTAAA 1337
           Db
       1542 CTGGGGCCCCATTAA 1556
RESULT 12
AAQ13392
   AAQ13392 standard; DNA; 1821 BP.
ХX
AC
   AAQ13392;
XX
DT
   20-NOV-1991 (first entry)
XX
DE
   Human pro-TGF-beta 1 gene.
XX
KW
   Osteogenetic; tumoricidal; ss.
XX
OS
   Homo sapiens.
XX
FΗ
   Key
               Location/Qualifiers
FT
   CDS
                512..1684
FT
                /*tag= a
FT
   sig_peptide
                512..598
FT
                /*tag= b
FT
   misc RNA
                599..1684
FT
                /*tag= c
FT
                /note= "pro-TGF-beta 1"
FT
   mat_peptide
                1346..1684
FT
                /*tag= e
FT
                /note= "TGF-beta 1"
XX
```

```
PN
   JP03180192-A.
XX
PD
   06-AUG-1991.
XX
PF
   07-DEC-1989;
             89JP-0318243.
XX
PR
   07-DEC-1989:
             89JP-0318243.
XX
PΑ
   (KIRI ) KIRIN BREWERY KK.
XX
DR
   WPI; 1991-271579/37.
DR
   P-PSDB; AAR13813.
XX
PT
   Human pro-TGF-beta 1 prodn., for osteo-genetic activity - by
PT
   preparing DNA chain contg. base sequence coding for human
PΤ
   pre:pro-TGF-beta 1, forming expression vector etc.
XX
PS
   Claim 1; Fig 1; 16pp; Japanese.
XX
CC
   The DNA sequence encodes human prepro-TGF-beta 1 which can be
CC
   produced by recombinant methods, it has osteogenetic and
CC
   tumoricidal activity.
XX
   Sequence 1821 BP; 326 A; 679 C; 508 G; 308 T; 0 other;
SO
 Query Match
                  72.7%; Score 980.2; DB 12; Length 1821;
 Best Local Similarity 85.6%; Pred. No. 6.3e-191;
 Matches 1133; Conservative
                      0; Mismatches 143; Indels
                                              47; Gaps
                                                        2;
        Qу
             Db
       66 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
Qу
          Db
       567 TGGTGCTGACGCCTGGCCCGCCGGCCGGGGACTATCCACCTGCAAGACTATCGACATGG 626
       126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
QУ
          Db
       627 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC 686
       186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245
Qу
          Db
       687 TGGCCAGCCCCCGAGCCAGGGGGAGGTGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCG 746
       246 CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC 305
Qу
          Db
       747 CCCTGTACAACAGCACCCGCGACCGGGTGGCCGGGGGAGAGTGCAGAACCGGAGCCCGAGC 806
       306 CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC 365
Qу
          Db
       807 CTGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG 866
       366 AAATCTATGATAAATTCAAGGGCACCCCCACAGCTTATATATGCTGTTCAACACGTCGG 425
Qу
          Db
```

Qy	426	AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA	485
Db	927	AGCTCCGAGAAGCGGTACCTGAACCCGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGA	986
Qy	486	GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT	545
Db	987	GGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTGTACCAGAAATACAGCAACAATTCCT	1046
Qy	546	GGCGCTACCTCAGCAACCGGCTGCTCGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG	605
Db	1047	GGCGATACCTCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTTG	1106
Qy	606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCC	665
Db	1107	ATGTCACCGGAGTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTCGCC	1166
Qу	666	TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	725
Db	1167	TTAGCGCCCACTGCTCCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACGGGT	1226
Qy	726	TCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	1227	TCACTACCGGCCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGC	1286
Qy	786	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	1287	TTCTCATGGCCACCCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGCCGA-	1345
Qy	846	CCCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCT	905
Db	1346	GCCCTGGACACCAACTATTGCT	1367
Qу	906	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	965
Db	1368	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACC	1427
Qу	966	TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT	1025
Db	1428	TCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCT	1487
Qу	1026	GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC	1085
Db	1488	GCCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGC	1547
Qу	1086	ACAACCCGGGCGCGCGCGCGCGCGCGCGCGCGCGCGCGC	1145
Db	1548	ATAACCCGGGCGCCCTCGGCGCGCGCGCGCGCGCGCGCGC	1607
Qy	1146	TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT	1205
Db	1608		1667
Qy	1206	CCTGCAAGTGCAGCTGAGGCCCGCCCGCCCACAGCCCCGCCACCCGGCAGGCCCGGC	1265
Db	1668	CCTGCAAGTGCAGCTGAGGTCCCGCCCCGCCCCGCCCCG	1727
Qy	1266	CCCACCCCGCCCGCCTCACCGGGGCTGTATTTAAGGACATCGTGCCCCAAG	1317

```
1728 CCCGCCCCGCCCCCCTGCCTTGCCCATGGGGGCTGTATTTAAGGACACCGTGCCCCCAA 1787
Db
        1318 CCC 1320
QУ
        1788 GCC 1790
Db
RESULT 13
AAN81084
    AAN81084 standard; cDNA; 1560 BP.
ΙD
XX
AC
    AAN81084;
XX
DT
     25-MAR-2003 (updated)
DT
     09-OCT-1990 (first entry)
XX
DE
     Coding sequence of simian transforming growth factor-beta 1.
XX
KW
     Transforming growth factor-beta 1; tumour treatment; ss cDNA.
XX
OS
    Cercopithecus aethiops.
XX
FΗ
    Key
                    Location/Qualifiers
FT
    CDS
                    261..1433
FT
                    /*tag= a
FT
    sig_peptide
                    282..323
FT
                    /*tag=b
FT
                    1095..1433
    mat peptide
FT
                    /*tag= c
XX
PN
    EP293785-A.
XX
PD
    07-DEC-1988.
XX
PF
    27-MAY-1988;
                  88EP-0108528.
XX
PR
    29-MAY-1987;
                   87US-0055662.
PR
    25-JAN-1988;
                   88US-0147842.
XX
PΑ
     (ONCO ) ONCOGEN.
PΑ
     (BRIM ) BRISTOL-MYERS CO.
XX
PΙ
     Purchio AG, Gentry L, Twardzik D;
XX
DR
    WPI; 1988-347488/49.
DR
    P-PSDB; AAP80647.
XX
PT
     Prodn. of simian transforming growth factor beta-1 - by culturing
PT
     transfected eucaryotic cells, and new precursor proteins, useful for
PΤ
     treating tumours.
XX
PS
    Disclosure; Page ?; pp; English.
XX
CC
    The cDNA is prepd. from African green monkey cell line BSC-40 and is
CC
     expressed in eukaryotic cells in plasmid pSV2. There is 100% homology
CC
     between mature simian and human TGF-beta 1. The plasmid also contains
```

```
CC
   the SV40 promoter and a selection marker, esp. DHFR.
CC
   (Updated on 25-MAR-2003 to correct PA field.)
CC
   (Updated on 25-MAR-2003 to correct PI field.)
XX
SQ
   Sequence 1560 BP; 301 A; 547 C; 445 G; 267 T; 0 other;
 Query Match
                  72.6%; Score 979.6; DB 9; Length 1560;
                  85.6%; Pred. No. 8.2e-191;
 Best Local Similarity
                      0; Mismatches 144; Indels
 Matches 1144; Conservative
                                             48: Gaps
                                                      3:
Qу
       Db
Qу
       71 CTGACGCCTGGCCGGCCGCCGGACTGTCCACCTGCAAGACCATCGACATGGAGCTG 130
          321 CTGACGCCTAGCCGGCCGCCGCAGGACTATCCACCTGCAAGACTATCGACATCGAGCTG 380
Db
       131 GTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGCTTGCC 190
QУ
          Db
       381 GTGAAGCGGAAGCGCATCGAGACCATCCGCGGCCAGATCCTGTCCAAGCTGCGGCTCGCC 440
       191 AGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGGCTCTT 250
Qу
          441 AGCCCCCGAGCCAGGGGAGGTGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCGCCCTG 500
Db
       251 TACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGCCAGAG 310
Qу
          501 TACAACAGCACCGGGGCGGGTGGCCGGGGGAGAGCGGAGCCGGAACCGGAG 560
Db
       311 GCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACCAAATC 370
Qу
          561 GCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACGAAATC 620
Db
       371 TATGATAAATTCAAGGGCACCCCCACAGCTTATATATGCTGTTCAACACGTCGGAGCTC 430
Qу
          621 TATGACAAGTTCAAGCAGAGCACACACAGCATATATATGTTCTTCAACACATCAGAGCTC 680
Db
       431 CGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGAGGCTC 490
QУ
          Db
       681 CGAGAAGCAGTACCTGAACCTGTGTTGCTCCCCGGGCAGAGCTGCGTCTGCTGAGGCTC 740
       491 AAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCTGGCGC 550
QУ
          741 AAGTTAAAAGTCGAGCAGCATGTGGAGCTGTACCAGAAATACAGCAACAATTCCTGGCGA 800
Db
Qу
       551 TACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTGATGTC 610
          Db
       801 TACCTCAGCAACCGGCTGCTGGCGCCCAGCAACTCGCCGGAGTGGTTGTCTTTTGATGTC 860
       611 ACCGGAGTTGTGCGCCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCCTCAGT 670
Qу
          861 ACCGGAGTTGTGCGGCAGTGGTTGAGCCGCGGAGGGGAAATTGAGGGCTTTCGCCTTAGC 920
Db
       671 GCCCACTCTTCCTCTGACAGCAAAGATAACACTCCACGTGGAAATTAACGGGTTCAAT 730
Qу
          921 GCCCACTGCTCCTGTGACAGCAAAGATAACACACTGCAAGTGGACATCAACGGGTTCACT 980
Db
```

```
Qу
        731 TCTGGCCGCCGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGCTCCTC 790
            Db
        981 ACCGGCCGCGAGGTGACCTGGCCACAATTCATGGCATGAACCGGCCTTTCCTGCTTCTC 1040
       791 ATGGCCACCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAGCCCTG 850
Qу
           Db
       1041 ATGGCCACCCGCTGGAGAGGGCCCAACATCTGCAAAGCTCCCGGCACCCCCGA----- 1094
       851 GATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCTTCAGC 910
Qу
                                    Db
                                   -GCCCTGGACACCAACTACTGCTTCAGC 1121
       911 TCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGC 970
Qу
           Db
       1122 TCCACGGAGAAGAACTGCTGCGTGCGGCAGCTGTATATTGACTTCCGCAAGGACCTCGGC 1181
        971 TGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCC 1030
Qу
           1182 TGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTGGGGGCCCTGTCCC 1241
Db
       1031 TACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGCACAAC 1090
Qу
           1242 TACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAAC 1301
Db
       1091 CCGGGCGCGTCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTG 1150
Qу
           1302 CCGGGCGCCTCGGCGGCGCCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTG 1361
Db
       1151 TACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGC 1210
Qу
           Db
       1362 TACTACGTGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGA 1421
       1211 AAGTGCAGCTGAGGCCCCGCCCCACAGCCCCGCCCACCCGGCAGGCCCGGCCCAC 1270
Qу
           1422 AAATGCAGCTGAGGCCCCGCCCCCCCCCCCCCCCGGCAGGCCCGGCCCGAC 1481
Db
       1271 CCCCGCCCGCCT------CACCGGGGCTGTATTTAAGGACA-TCGTGCCCCAAGCCCA 1321
Qу
           7111111111111111
       1482 CCCACCCCGCTGTCTTGCCCTTGGGGGCTGTATTTAAGGACACCCGTGCCCCAAGCCCA 1541
Db
       1322 CTTGGGATCGATTAAA 1337
Qу
           | |||| | | | ||
Dh
       1542 CCTGGGGCCCCATTAA 1557
RESULT 14
AAQ03508
   AAQ03508 standard; DNA; 1560 BP.
ID
XX
AC
   AAQ03508;
XX
DT
   25-MAR-2003
              (updated)
DT
   09-JAN-2003
              (updated)
DT
   14-AUG-1990
              (first entry)
XX
DE
   Simian Transforming growth factor - Betal.
```

```
ХX
KW
    HIV; AIDS; SIV; vaccine; AZT; CD4; cytokines; growth
KW
    factors; ds.
XX
OS
    Cebus apella.
XX
FΗ
    Key
                 Location/Qualifiers
FT
    CDS
                 267..1437
FT
                 /*taq= a
                 1103..1437
FT
    mat peptide
FT
                 /*tag=b
XX
PN
    EP356935-A.
XX
PD
    07-MAR-1990.
XX
PF
    25-AUG-1989;
               89EP-0115719.
XX
PR
    25-AUG-1988; 88US-0236698.
XX
    (ONCO ) ONCOGEN LP.
PΑ
XX
    Brankovan V, Lioubin M, Purchio A;
ΡI
XX
DR
    WPI; 1990-068723/10.
DR
    P-PSDB; AAR05663.
XX
PΤ
    Compsns. contg. transforming growth factor beta -
PT
    used for inhibitions of HIV infection and replication in vivo.
XX
PS
    Disclosure; Fig 1; 20pp; English.
XX
CC
    TGF-beta may be used in vivo to prevent formation of synctia and
CC
    inhibit HIV infection. TGF may also be used with other HIV treatments
    (AZT, soluble CD4 etc.).
CC
CC
    (Updated on 09-JAN-2003 to add missing OS field.)
CC
    (Updated on 25-MAR-2003 to correct PA field.)
XX
SO
    Sequence 1560 BP; 301 A; 547 C; 445 G; 267 T; 0 other;
 Ouery Match
                     72.6%; Score 979.6; DB 11; Length 1560;
 Best Local Similarity 85.6%; Pred. No. 8.2e-191;
 Matches 1144; Conservative 0; Mismatches 144; Indels 48; Gaps
                                                               3:
Qу
         Db
        Qу
         71 CTGACGCCTGGCCGGCCGCCGGACTGTCCACCTGCAAGACCATCGACATGGAGCTG 130
           Db
        321 CTGACGCCTAGCCGGCCGCCGCAGGACTATCCACCTGCAAGACTATCGACATCGAGCTG 380
        131 GTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGCTTGCC 190
Qу
           Db
        381 GTGAAGCGGAAGCGCATCGAGACCATCCGCGGCCAGATCCTGTCCAAGCTGCGGCTCGCC 440
Qу
        191 AGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGGCTCTT 250
```

Db	441	AGCCCCCGAGCCAGGGGGAGGTGCCGCCCGCCCGCCCGAGGCCGTGCTCGCCCTG	500
Qу	251	TACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGCCAGAG	310
Db	501	TACAACAGCACCCGCGACCGGGTGGCCGGGGGGGGGGGG	560
Qy	311	GCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACCAAATC	370
Db		GCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACGAAATC	
Qу	371	TATGATAAATTCAAGGGCACCCCCACAGCTTATATATGCTGTTCAACACGTCGGAGCTC	430
Db		TATGACAAGTTCAAGCAGAGCACACACAGCATATATATGTTCTTCAACACATCAGAGCTC	
Qy 		CGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGAGGCTC	
Db		CGAGAAGCAGTACCTGAACCTGTTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGAGGCTC	
Qy Dh		AAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCTGGCGC	
Db		AAGTTAAAAGTCGAGCAGCATGTGGAGCTGTACCAGAAATACAGCAACAATTCCTGGCGA	
Qy Db		TACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTGATGTC	
Qy		ACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGGCTATAGAGGGTTTTCGCCTCAGT	
Db		ACCGGAGTTGTGCGGCAGTGGCTGACCGCGGAGGGGGAAATTGAGGGCTTTCGCCTTAGC	
Qy		GCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGTTCAAT	
Db			
Qу	731	TCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGCTCCTC	790
Db	981		1040
Qу	791	ATGGCCACCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAGCCCTG	850
Db	1041	ATGGCCACCCGCTGGAGAGGGCCCAACATCTGCAAAGCTCCCGGCACCGCCGA	1094
Qу	851	GATACCAACGACTACAAGGATGACGACAAGGCCCTGGATACCAACTACTGCTTCAGC	910
Db	1095		1121
Qу	911	TCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGC	970
Db	1122	TCCACGGAGAAGAACTGCTGCGTGCGGCAGCTGTATATTGACTTCCGCAAGGACCTCGGC	1181
Qу	971	TGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCC	1030
Db	1182	TGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTGGGGCCCTGTCCC	1241
Qy	1031	TACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGCACAAC	1090

```
Qу
       1091 CCGGGCGCGTCGGCGGCGCCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTG 1150
            Db
       1302 CCGGGCGCCTCGGCGCGCCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTG 1361
       1151 TACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGC 1210
Qу
            Db
       1362 TACTACGTGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGA 1421
       1211 AAGTGCAGCTGAGGCCCCGCCCCACAGCCCCGCCCACCCGGCAGGCCCGGCCCAC 1270
Qу
            1422 AAATGCAGCTGAGGCCCCGCCCCGCCCCACCCGGCAGGCCCGGCCCGCCCAC 1481
Db
       1271 CCCCGCCCGCCT------CACCGGGGCTGTATTTAAGGACA-TCGTGCCCCAAGCCCA 1321
Qу
            1482 CCCACCCCGCTGTCTTGCCCTTGGGGGCTGTATTTAAGGACACCCGTGCCCCAAGCCCA 1541
Db
       1322 CTTGGGATCGATTAAA 1337
Qу
            Db
       1542 CCTGGGGCCCCATTAA 1557
RESULT 15
AAT05876
ΙD
    AAT05876 standard; cDNA; 2745 BP.
XX
AC
    AAT05876;
XX
DT
    25-JUN-1996 (first entry)
XX
DE
    cDNA encoding transforming growth factor-beta 1.
XX
KW
    macrophage inducible nitric oxide synthase; iNOS; constitutive NOS;
    interleukin-1-beta; transforming growth factor-beta; TGF-beta; IL1-beta;
KW
KW
    nitric oxide production; hypotension; inflammation; septic shock;
KW
    treatment; ds.
XX
OS
    Mammalian sp.
XX
FΗ
    Key
                  Location/Qualifiers
FΤ
    CDS
                  842..2017
FT
                  /*tag=a
FT
                  /product= transforming growth factor-beta 1
XX
ΡN
    WO9526745-A1.
XX
PD
    12-OCT-1995.
XX
PF
    05-APR-1994;
                94WO-US03705.
XX
PR
    05-APR-1994;
                94WO-US03705.
XX
PΑ
    (HARD ) HARVARD COLLEGE.
ХХ
PI
    Lee M, Perrella MA;
XX
```

1242 TACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAAC 1301

Db

```
DR
   WPI; 1995-358443/46.
DR
   P-PSDB; AAR83054.
XX
PT
   Treatment of hypotension, esp. in septic shock - by administering
PT
   transforming growth factor-beta e.g. to inhibit inducible nitric
PT
   oxide synthase gene transcription
XX
PS
   Disclosure; Fig 15; 52pp; English.
XX
CC
   The cDNA encodes transforming growth factor-beta 1 (TGF-beta 1) which
CC
   has been found to inhibit inducible nitric oxide synthase (iNOS) gene
CC
   transcription, esp. in interleukin-1-beta (IL1-beta) stimulated rat
CC
   smooth muscle cells, and at a dose which does not inhibit constitutive
CC
   NOS. TGF-beta 1 or 2 (AAR83055) or their active fragments, can be used
CC
   in the treatment of hypotension, such as that associated with severe
CC
   inflammation or septic shock.
XX
SO
   Sequence 2745 BP; 527 A; 938 C; 801 G; 479 T; 0 other;
 Query Match
                   72.5%; Score 977.8; DB 16; Length 2745;
 Best Local Similarity
                   85.3%; Pred. No. 2.1e-190;
 Matches 1146; Conservative
                       0; Mismatches 147; Indels
                                               50; Gaps
                                                         3;
Qу
        Db
       66 TAGTGCTGACGCCTGGCCGGCCGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
Qу
          Db
       897 TGGTGCTGACGCCTGGCCCGCCGGCCGCGGGACTATCCACCTGCAAGACTATCGACATGG 956
       126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
Qу
          957 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC 1016
Db
       186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245
Qу
           1017 TCGCCAGCCCCCGAGCCAGGGGGGGGGGGCCGCCGCCGGCCGGCCGAGGCCGTGCTCG 1076
Db
QУ
       246 CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGGAAAGTGTCGAACCGGAGCCCGAGC 305
          1077 CCCTGTACAACAGCACCCGCGACCGGGTGGCCGGGGAGAGTGCAGAACCGGAGCCCGAGC 1136
Db
       306 CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC 365
Qу
          Db
      1137 CTGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG 1196
       366 AAATCTATGATAAATTCAAGGGCACCCCCACAGCTTATATATGCTGTTCAACACGTCGG 425
Qу
          Db
       426 AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCT - 483
Qу
          Dh
      1257 AGCTCCGAGAAGCGGTACCTGAACCCGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGA 1316
       484 -GAGGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTATACCAGAAATACAGCAATGATT 542
Qу
```

Db	1317	GGAGGCTCAAGTTAAAAGTGGAGCAGCACCATGGAGCTGTACCAGAAATACAGCAACAATT	1376
Qy	543	CCTGGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCT	602
Db	1377	CCTGGCGATACCTCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTT	1436
Qу	603	TTGATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTC	662
Db	1437	TTGATGTCACCGGAGTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTC	1496
Qу	663	GCCTCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACG	722
Db	1497	GCCTTAGCGCCCACTGCTCCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACG	1556
QУ	723	GGTTCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCC	782
Db	1557	GGTTCACTACCGGCCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCC	1616
Qy	783	TGCTCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCC	842
Db	1617	TGCTTCTCATGGCCACCCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGCC	1676
Qy		GAGCCCTGGATACCAACGACTACAAGGATGACGACAAGGCCCTGGATACCAACTACT	
Db	1677	GAGCCCTGGACACCAACTATT	1697
Qy	903	GCTTCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGG	962
Db	1698		1757
Qу	963	ACCTGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGC	1022
Db	1758	ACCTCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGC	1817
Qy	1023	CCTGTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACC	1082
Db	1818	CCTGCCCTACATTTGGAGCCTGGACACGCAGTACAGCCAAGGTCCTGGCCCTGTACAACC	1877
Qу	1083	AGCACAACCCGGGCGCGCGCGCGCGCGCGCGCGCGCGCG	1142
Db	1878	AGCATAACCCGGGCGCCCTCGCCGCGCGCCGCGCGCGCGC	1937
Qу	1143	CCATCGTGTACTACGTGGGCCGCAAGCCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGC	1202
Db	1938	CCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGC	1997
Qy	1203	GTTCCTGCAAGTGCAGCTGAGGCCCCGCCCGCCCACAGCCCCGCCACCCGGCAGGCCC	1262
Db	1998	GCTCCTGCAAGTGCAGCTGAGGTCCCGCCCCGCCCCGCC	2057
Qy	1263	GGCCCCACCCCGCCCGCCTCACCGGGGCTGTATTTAAGGACATCGTGCCCC	1314
Db	2058	CACCCGCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	2117
Qу		AAGCCCACTTGGGATCGATTAAA 1337	
Db	2118	AAGCCCACCTGGGGCCCCATTAA 2140	

Search completed: October 27, 2003, 19:11:13

Job time : 415.282 secs

GenCore version 5.1.6 Copyright (c) 1993 - 2003 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: October 27, 2003, 18:35:27; Search time 400.963 Seconds

(without alignments)

9022.658 Million cell updates/sec

Title: US-10-017-372E-32

Perfect score: 1349

Sequence: 1 tggtaccgagatggcgctt......gattaaagcggccgcgact 1349

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched: 1792395 segs, 1340900451 residues

Total number of hits satisfying chosen parameters: 3584790

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Published Applications NA:* Database :

1: /cgn2 6/ptodata/2/pubpna/US07 PUBCOMB.seq:*

/cgn2 6/ptodata/2/pubpna/PCT NEW PUB.seq:*

3: /cgn2_6/ptodata/2/pubpna/US06 NEW PUB.seq:*

4: /cgn2 6/ptodata/2/pubpna/US06 PUBCOMB.seq:*

5: /cgn2 6/ptodata/2/pubpna/US07 NEW PUB.seq:*

6: /cqn2 6/ptodata/2/pubpna/PCTUS PUBCOMB.seq:*

7: /cgn2 6/ptodata/2/pubpna/US08 NEW PUB.seq:*

8: /cgn2 6/ptodata/2/pubpna/US08 PUBCOMB.seq:* 9: /cgn2 6/ptodata/2/pubpna/US09A PUBCOMB.seq:*

10: /cgn2 6/ptodata/2/pubpna/US09B PUBCOMB.seq:*

11: /cgn2 6/ptodata/2/pubpna/US09C PUBCOMB.seq:*

12: /cgn2 6/ptodata/2/pubpna/US09 NEW PUB.seq:*

13: /cqn2 6/ptodata/2/pubpna/US10A PUBCOMB.seq:* 14: /cgn2 6/ptodata/2/pubpna/US10B PUBCOMB.seq:*

15: /cgn2 6/ptodata/2/pubpna/US10 NEW PUB.seq:*

/cgn2 6/ptodata/2/pubpna/US60 NEW PUB.seq:* 16:

17: /cgn2_6/ptodata/2/pubpna/US60 PUBCOMB.seq:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

D			8				
Res		Caoro	Query	Length	DB	ID	Description
	No.	Score		Length			Descripción
	1	981.8	72.8	1821	14	US-10-087-268-1	Sequence 1, Appli
	2	981.4	72.8	2742	14	US-10-037-270-220	Sequence 220, App
	3	980.2	72.7	1821	14	US-10-087-268-4	Sequence 4, Appli
	4	977.8	72.5	2745	11	US-09-948-002-28	Sequence 28, Appl
	5	859	63.7	2094	11	US-09-948-002-1	Sequence 1, Appli
	6	839.4	62.2	1585	11	US-09-948-002-27	Sequence 27, Appl
	7	654	48.5	1376	10	US-09-756-283A-19	Sequence 19, Appl
	8	591.4	43.8	1352	10	US-09-756-283A-21	Sequence 21, Appl
	9	366.4	27.2	489	11	US-09-911-904-167	Sequence 167, App
	10	308.6	22.9	339	10	US-09-813-271B-1	Sequence 1, Appli
	11	238.4	17.7	2574	11	US-09-906-158-3	Sequence 3, Appli
	12	238.4	17.7	2574	13	US-10-028-158-20	Sequence 20, Appl
	13	233.2	17.3	4382	12	US-09-957-458B-9	Sequence 9, Appli
	14	230	17.0	2879	11	US-09-906-158-10	Sequence 10, Appl
	15	227.2	16.8	336	10	US-09-813-271B-7	Sequence 7, Appli
	16	209.4	15.5	339	10	US-09-813-271B-5	Sequence 5, Appli
C	17	185.4	13.7	2381	12	US-10-311-455-2384	Sequence 2384, Ap
	18	184.8	13.7	4267	11	US-09-948-002-47	Sequence 47, Appl
	19	182.4	13.5	336	10	US-09-813-271B-11	Sequence 11, Appl
	20	181.2	13.4	2381	12	US-10-311-455-2383	Sequence 2383, Ap
	21	180.8	13.4	336	10	US-09-813-271B-9	Sequence 9, Appli
	22	160.4	11.9	2570	12	US-09-960-706-663	Sequence 663, App
	23	160.4	11.9	2912	13	US-10-044-090-323	Sequence 323, App
	24	158.2	11.7	339	10	US-09-813-271B-3	Sequence 3, Appli
С	25	141.6	10.5	597	9	US-09-864-761-15319	Sequence 15319, A
С	26	134.8	10.0	154	9	US-09-864-761-31841	Sequence 31841, A
С	27	131.8	9.8	206	10	US-09-833-381-577	Sequence 577, App
С	28	123.2	9.1	537	9	US-09-864-761-8844	Sequence 8844, Ap
С	29	122.2	9.1	148	9	US-09-864-761-25510	Sequence 25510, A
	30	113.8	8.4	181	10	US-09-833-381-1416	Sequence 1416, Ap
	31	104.8	7.8	851	13	US-10-027-632-152938	Sequence 152938,
_	32	102.2	7.6	29000	11	US-09-906-158-17	Sequence 17, Appl Sequence 73, Appl
С	33 34	100.4 79.4	7.4 5.9	224 450	10 11	US-09-833-381-73 US-09-918-995-6145	Sequence 6145, Ap
_	35	69.8	5.2	431	9	US-09-864-761-18644	Sequence 18644, A
С		69.4				US-09-833-381-571	Sequence 571, App
C	36		5.1				Sequence 9758, Ap
	37 38	69 68.2	5.1 5.1	584 176	12 12		Sequence 23458, Ap
C	39	64	4.7	363	10		Sequence 585, App
С	40	62.6	4.7	364	12	US-10-029-386-26476	Sequence 26476, A
	41	62.6	4.6	544	12		Sequence 12776, A
	42	62.6	4.6	927	12		Sequence 1, Appli
	43	57.4	4.3	486	11		Sequence 25641, A
	44	55.2	4.1	594	13		Sequence 141376,
	45	53.2	3.9	658	9	US-09-765-527-254	Sequence 254, App
	٠.	ے. د	5.7	0.50	,	00 00 100 021 204	boddened 254, App

ALIGNMENTS

```
; Publication No. US20030119010A1
; GENERAL INFORMATION:
  APPLICANT: Jonsonn, Julie Ruth
  APPLICANT: Powell, Elizabeth Ellen
 TITLE OF INVENTION: Polypeptides and polynucleotides linked to a disease or
condition
 FILE REFERENCE: Fibrosis
  CURRENT APPLICATION NUMBER: US/10/087,268
  CURRENT FILING DATE: 2002-03-01
  NUMBER OF SEQ ID NOS: 6
  SOFTWARE: PatentIn version 3.1
; SEQ ID NO 1
  LENGTH: 1821
  TYPE: DNA
  ORGANISM: Human
   FEATURE:
  NAME/KEY: 5'UTR
  LOCATION: (1)..(511)
  OTHER INFORMATION:
  NAME/KEY: CDS
  LOCATION: (512)..(1684)
  OTHER INFORMATION:
  NAME/KEY: sig peptide
  LOCATION: (512)..(598)
  OTHER INFORMATION:
  NAME/KEY: 3'UTR
  LOCATION: (1685)..(1821)
   OTHER INFORMATION:
US-10-087-268-1
 Query Match
                   72.8%; Score 981.8; DB 14; Length 1821;
 Best Local Similarity 85.7%; Pred. No. 3.6e-254;
 Matches 1134; Conservative 0; Mismatches 142; Indels
                                                47; Gaps
                                                          2;
Qу
         Db
       66 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
Qу
          Db
       567 TGGTGCTGACGCCTGGCCGGCCGGCCGGGACTATCCACCTGCAAGACTATCGACATGG 626
       126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
QУ
          Db
       627 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC 686
       186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245
QУ
          Db
       687 TCGCCAGCCCCCGAGCCAGGGGGAGGTGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCG 746
       246 CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC 305
QУ
            747 CCCTGTACAACAGCACCCGCGACCGGGTGGCCGGGGGAGATGCAGAACCGGAGCCCGAGC 806
Db
       306 CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC 365
Qу
          807 CTGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG 866
Db
```

Qу	366	AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG	425
Db	867	AAATCTATGACAAGTTCAAGCAGAGTACACACAGCATATATAT	926
Qу	426	AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA	485
Db	927	AGCTCCGAGAAGCGGTACCTGAACCCGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGA	986
Qy	486	GGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT	545
Db	987	GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTGTACCAGAAATACAGCAACAATTCCT	1046
Qу	546	GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG	605
Db	1047	GGCGATACCTCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTTG	1106
Qy	606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCC	665
Db	1107	ATGTCACCGGAGTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTCGCC	1166
Qy	666	TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	725
Db	1167	TTAGCGCCCACTGCTCCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACGGGT	1226
Qy	726	TCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	1227	TCACTACCGGCCGCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGC	1286
QУ	786	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	1287	TTCTCATGGCCACCCGGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGCCGA-	1345
Qу	846	CCCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCT	
Db	1346	GCCCTGGACACCAACTATTGCT	1367
Qу	906	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	965
Db	1368	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACC	1427
Qу	966	TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT	1025
Db	1428	TCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCT	1487
Qу	1026	GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC	1085
Db	1488	GCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGC	1547
Qу	1086	ACAACCCGGGCGCGTCGGCGCGCGCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCA	1145
Db	1548	ATAACCCGGGCGCCTCGGCGCGCGCGCGCGCGCGCGCGCCCCA	1607
Qу	1146	TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT	1205
Db	1608	TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCT	1667

```
1206 CCTGCAAGTGCAGCCCGGCCCGCCCCACAGCCCCGCCACCCGGCAGGCCCGGC 1265
Qу
            Db
       1266 CCCACCCCGCCGCCT-----CACCGGGGCTGTATTTAAGGACATCGTGCCCCAAG 1317
QУ
            Db
       1728 CCCGCCCCGCCCCCCTGCCTTGCCCATGGGGGCTGTATTTAAGGACACCGTGCCCCCAA 1787
       1318 CCC 1320
Qy
            Db
       1788 GCC 1790
RESULT 2
US-10-037-270-220
; Sequence 220, Application US/10037270
; Publication No. US20030104529A1
; GENERAL INFORMATION:
; APPLICANT: Tang, Y. Tom
 APPLICANT: Liu, Chenghua
 APPLICANT: Asundi, Vinod
 APPLICANT: Zhanq, Jie
 APPLICANT: Ren, Feiyan
; APPLICANT: Chen, Rui-hong
; APPLICANT: Zhao, Qing A.
 APPLICANT: Wehrman, Tom
 APPLICANT: Xue, Aidong J.
 APPLICANT: Yang, Yonghong
  APPLICANT: Wang, Jian-Rui
 APPLICANT: Zhou, Ping
 APPLICANT: Ma, Yunqing
 APPLICANT: Wang, Dunrui
 APPLICANT: Wang, Zhiwei
 APPLICANT: Tillinghast, John
 APPLICANT: Drmanac, Radoje T.
  TITLE OF INVENTION: No. US20030104529A1el Nucleic Acids and
  TITLE OF INVENTION: Polypeptides
; FILE REFERENCE: 784CIP2B
; CURRENT APPLICATION NUMBER: US/10/037,270
 CURRENT FILING DATE: 2002-01-04
 PRIOR APPLICATION NUMBER: 09/552,317
 PRIOR FILING DATE: 2000-04-25
 PRIOR APPLICATION NUMBER: 09/488,725
  PRIOR FILING DATE: 2000-01-21
; NUMBER OF SEQ ID NOS: 1104
 SOFTWARE: pt_FL_genes Version 1.0
; SEQ ID NO 220
  LENGTH: 2742
  TYPE: DNA
  ORGANISM: Homo sapiens
  FEATURE:
 NAME/KEY: CDS
  LOCATION: (842)..(2014)
US-10-037-270-220
                      72.8%; Score 981.4; DB 14; Length 2742;
 Query Match
 Best Local Similarity 85.5%; Pred. No. 5.1e-254;
```

Matches	1147	7; Cor	nserva	tive	0;	Mis	matche	es 1	46;	Inde	els	48;	Gaps	3;
Qy	6		ATGGCG		GGGC'								GGCTGC	65
Db	837													896
Qy	66												ACATGG	125
Db	897												ACATGG	956
Qy	126		GTGAAG										TTCGGC	185
Db	957												TGCGGC	1016
Qy	186		AGCCCC										TACTGG	245
Db	1017												TGCTCG	1076
Qy	246		racaac						_				CCGAGC	305
Db	1077												CCGAGC	1136
Qy	306		GCGGAC										GCAACC	365
Db	1137												ACAACG	1196
Qy	366		TATGAT			GCACC						CAACA	CGTCGG	425
Db	1197					AGÅGT							CATCAG	1256
Qy	426												TGCTGA	485
Db	1257												TGCTGA	1316
Qу	486		AAGTTA										ATTCCT	545
Db	1317												ATTCCT	1376
QУ	546												CCTTTG	605
Db	1377												CTTTTG	1436
Qу	606		ACCGGA						AGAGAC	GCTA	TAGA	GGGTT	TTCGCC	665
Db	1437	ATGTC	ACCGGA	ĠŤŤĠŤ¢	gegge	AGTGG	TTGAG	CCGTG	GAGG	GAAA	TTGA	GGGCT	TTCGCC	1496
Qу	666		GCCCAC		CTCTG	_	_		CACTO		TGGA.		ACGGGT	725
מט	1497	TTÄGC	GCCCAC								TGGA	CATCA	ACGGG'I'	1556
Qy	726	TCAAT	rctggc 		GGGTG				CACGG	CATGA	ACCG	GCCCT 	TCCTGC	785
Db	1557	TCACTA	ACCGGC	cccc	AGGTG	ACCTG	GCCAC	CATTO	CATGG	CATGA	ACCG	GCCTT	TCCTGC	1616
Qy	786		ATGGCC							CAGCI	CCCG	GCACC	GCCGAG	845
Db	1617									AGCT	CCCG	GCACC	GCCGA-	1675

```
846 CCCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCT 905
QУ
                                       1676 ------GCCCTGGACACCAACTATTGCT 1697
Db
       906 TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC 965
Qу
          1698 TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACC 1757
Db
       966 TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT 1025
Qу
          1758 TCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCT 1817
Db
      1026 GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC 1085
Qу
          1818 GCCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGC 1877
Db
      1086 ACAACCCGGGCGCGTCGCGCGCGCGCGTGCTGCGCGCAGGCGCTGGAGCCACTGCCCA 1145
Qу
          1878 ATAACCCGGGCGCCTCGGCGGCGCGCGTGCTGCGTGCCGCAGGCGCTGGAGCCGCTGCCCA 1937
Db
      1146 TCGTGTACTACGTGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT 1205
Qу
          Db
      1938 TCGTGTACTACGTGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCT 1997
      1206 CCTGCAAGTGCAGCTGAGGCCCCGCCCGCCCACAGCCCCGCCCACCCGGCAGGCCCGGC 1265
QУ
          Db
      1266 CCCACCCCGCCGCCT-----CACCGGGGCTGTATTTAAGGACA-TCGTGCCCCAA 1316
Qу
          2058 CCCGCCCGCCCCCGCTGCCTTGCCCATGGGGGCTGTATTTAAGGACACCCGTGCCCCAA 2117
Db
      1317 GCCCACTTGGGATCGATTAAA 1337
Qу
          11111 111 1 11
      2118 GCCCACCTGGGGCCCCATTAA 2138
Db
RESULT 3
US-10-087-268-4
; Sequence 4, Application US/10087268
; Publication No. US20030119010A1
; GENERAL INFORMATION:
  APPLICANT: Jonsonn, Julie Ruth
 APPLICANT: Powell, Elizabeth Ellen
 TITLE OF INVENTION: Polypeptides and polynucleotides linked to a disease or
condition
 FILE REFERENCE: Fibrosis
  CURRENT APPLICATION NUMBER: US/10/087,268
  CURRENT FILING DATE: 2002-03-01
  NUMBER OF SEQ ID NOS: 6
  SOFTWARE: PatentIn version 3.1
; SEQ ID NO 4
  LENGTH: 1821
   TYPE: DNA
   ORGANISM: Human
```

FEATURE:

```
NAME/KEY: 5'UTR
  LOCATION: (1)..(511)
  OTHER INFORMATION:
  NAME/KEY: CDS
  LOCATION: (512)..(1684)
  OTHER INFORMATION:
  NAME/KEY: sig peptide
  LOCATION: (512)..(598)
  OTHER INFORMATION:
  NAME/KEY: 3'UTR
  LOCATION: (1685)..(1821)
  OTHER INFORMATION:
US-10-087-268-4
                 72.7%; Score 980.2; DB 14; Length 1821;
 Query Match
 Best Local Similarity 85.6%; Pred. No. 9.8e-254;
 Matches 1133; Conservative 0; Mismatches 143; Indels 47; Gaps
                                                   2;
        Qу
            Db
       66 TAGTGCTGACGCCTGGCCGGCCGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
Qу
         567 TGGTGCTGACGCCTGGCCCGCCGGCCGGGGACTATCCACCTGCAAGACTATCGACATGG 626
Db
      126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
Qу
         627 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC 686
Db
      186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245
Qу
         687 TCGCCAGCCCCCGAGCCAGGGGGAGGTGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCG 746
Db
      246 CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC 305
Qу
          747 CCCTGTACAACAGCACCCGCGACCGGGTGGCCGGGGAGAGTGCAGAACCGGAGCCCGAGC 806
Db
      306 CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC 365
Qу
         807 CTGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG 866
Db
      366 AAATCTATGATAAATTCAAGGGCACCCCCACAGCTTATATATGCTGTTCAACACGTCGG 425
Qу
         Db
      426 AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA 485
QУ
         927 AGCTCCGAGAAGCGGTACCTGAACCCGTGTTGCTCCCCGGGCAGAGCTGCGTCTGCTGA 986
Db
      486 GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT 545
Qу
         987 GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTGTACCAGAAATACAGCAACAATTCCT 1046
Db
      546 GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG 605
Qу
         1047 GGCGATACCTCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTTG 1106
Db
```

Qy	606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGGCTATAGAGGGTTTTCGCC	665
Db	1107	ATGTCACCGGAGTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTCGCC	1166
Qy	666	TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	725
Db	1167	TTAGCGCCCACTGCTCCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACGGGT	1226
Qу	726	TCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	1227	TCACTACCGGCCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGC	1286
Qу	786	TCCTCATGGCCACCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	1287	TTCTCATGGCCACCCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGCCGA-	1345
Qу	846	CCCTGGATACCAACGACTACAAGGATGACGACAAGGCCCTGGATACCAACTACTGCT	905
Db	1346	GCCCTGGACACCAACTATTGCT	1367
Qy	906	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	965
Db	1368	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACC	1427
Qy	966	TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT	1025
Db	1428	TCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCT	1487
Qy	1026	GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC	1085
Db	1488	GCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGC	1547
Qу	1086	ACAACCCGGGCGCGTCGGCGGCGCCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCA	1145
Db	1548	ATAACCCGGGCGCCTCGGCGGCGCCGTGCTGCCCA	1607
Qу	1146	TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT	1205
Db	1608	TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCT	1667
Qy	1206	CCTGCAAGTGCAGCTGAGGCCCGGCCCGCCCACAGCCCCGCCACCCGGCAGGCCCGGC	1265
Db	1668	CCTGCAAGTGCAGCTGAGGTCCCGCCCCGCCCCGCCCCG	1727
Qy	1266	CCCACCCCGCCCGCCTCACCGGGGCTGTATTTAAGGACATCGTGCCCCAAG	1317
Db	1728	CCCGCCCCGCCCCCCTGCCTTGCCCATGGGGGCTGTATTTAAGGACACCGTGCCCCCAA	1787
Qу	1318	CCC 1320	
Db	1788	GCC 1790	

```
; Publication No. US20030050265A1
 GENERAL INFORMATION:
  APPLICANT: Nicholas M. Dean
 APPLICANT: Susan F. Murray
 TITLE OF INVENTION: ANTISENSE MODULATION OF TRANSFORMING GROWTH
 TITLE OF INVENTION: FACTOR BETA
                         EXPRESSION
 FILE REFERENCE: ISPH-0607
 CURRENT APPLICATION NUMBER: US/09/948,002
  CURRENT FILING DATE: 2000-09-05
  PRIOR APPLICATION NUMBER: 09/661,753
 PRIOR FILING DATE: 2000-09-14
 PRIOR APPLICATION NUMBER: 60/154,546
  PRIOR FILING DATE: 1999-09-17
 NUMBER OF SEO ID NOS: 71
 SEQ ID NO 28
  LENGTH: 2745
  TYPE: DNA
  ORGANISM: Homo sapiens
  FEATURE:
  NAME/KEY: CDS
  LOCATION: (842)...(2017)
US-09-948-002-28
 Query Match
                  72.5%; Score 977.8; DB 11; Length 2745;
 Best Local Similarity 85.3%; Pred. No. 4.8e-253;
 Matches 1146; Conservative
                      0; Mismatches 147; Indels 50; Gaps
                                                      3;
        QУ
             Db
       66 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
Qу
          Db
       897 TGGTGCTGACGCCTGGCCCGCCGGCCGGGACTATCCACCTGCAAGACTATCGACATGG 956
Qу
      126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
          Db
       957 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC 1016
      186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245
Qу
          1017 TCGCCAGCCCCCGAGCCAGGGGGGGGGGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCG 1076
Db
       246 CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC 305
Qу
          1077 CCCTGTACAACAGCACCCGCGACCGGGTGGCCGGGGAGAGTGCAGAACCGGAGCCCGAGC 1136
Db
Qу
       306 CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC 365
          Dh
      1137 CTGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG 1196
       366 AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG 425
Qу
          Db
      426 AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCT-- 483
Qу
```

Db	1257	${\tt AGCTCCGAGAAGCGGTACCTGAACCCGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGA}$	1316
Qу	484	-GAGGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTATACCAGAAATACAGCAATGATT	542
Db	1317	GGAGGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTGTACCAGAAATACAGCAACAATT	1376
Qy	543	CCTGGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCT	602
Db	1377	CCTGGCGATACCTCAGCAACCGGCTGCTGGCACCCCAGCGACTCGCCAGAGTGGTTATCTT	1436
Qy	603	TTGATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTC	662
Db	1437		1496
Qy	663	GCCTCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACG	722
Db	1497	GCCTTAGCGCCCACTGCTCCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACG	1556
Qy	723	GGTTCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCC	782
Db	1557	GGTTCACTACCGGCCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCC	1616
Qу	783	TGCTCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCC	842
Db	1617	TGCTTCTCATGGCCACCCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGCC	1676
Qy		GAGCCCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACT	902
Db	1677		1697
Qу	903	GCTTCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGG	962
Db	1698	GCTTCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGG	1757
Qу	963	ACCTGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGC	1022
Db	1758	ACCTCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGC	1817
Qу	1023	CCTGTCCCTACATCTGGAGCCTAGACACTCAGTACAGCCAAGGTCCTGGCTCTGTACAACC	1082
Db	1818	CCTGCCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACC	1877
Qy	1083	AGCACAACCCGGGCGCGCGCGCGCGCGCGCGCGCGCGCG	1142
Db	1878	AGCATAACCCGGGCGCCCTCGGCGCGCGCGCGCGCGCGCG	1937
Qу	1143	CCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGC	1202
Db	1938	CCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGC	1997
Qy	1203	GTTCCTGCAAGTGCAGCCCGGCCCGCCCCGCCCACCCGGCAGGCCC	1262
Db	1998	GCTCCTGCAAGTGCAGCTGAGGTCCCGCCCCGCCCCGCC	2057
Qy	1263	GGCCCCACCCCGCCCGCCTCACCGGGGCTGTATTTAAGGACATCGTGCCCC	1314
Db	2058	CACCCGCCCCGCCCCGCTGCCTTGCCCATGGGGGCTGTATTTAAGGACACCGTGCCCC	2117

```
1315 AAGCCCACTTGGGATCGATTAAA 1337
QУ
           Db
       2118 AAGCCCACCTGGGGCCCCATTAA 2140
RESULT 5
US-09-948-002-1
; Sequence 1, Application US/09948002
; Publication No. US20030050265A1
; GENERAL INFORMATION:
  APPLICANT: Nicholas M. Dean
  APPLICANT: Susan F. Murray
  TITLE OF INVENTION: ANTISENSE MODULATION OF TRANSFORMING GROWTH
  TITLE OF INVENTION: FACTOR BETA
                              EXPRESSION
  FILE REFERENCE: ISPH-0607
  CURRENT APPLICATION NUMBER: US/09/948,002
  CURRENT FILING DATE: 2000-09-05
  PRIOR APPLICATION NUMBER: 09/661,753
 PRIOR FILING DATE: 2000-09-14
  PRIOR APPLICATION NUMBER: 60/154,546
  PRIOR FILING DATE: 1999-09-17
  NUMBER OF SEQ ID NOS: 71
; SEO ID NO 1
  LENGTH: 2094
   TYPE: DNA
   ORGANISM: Mus musculus
   FEATURE:
   NAME/KEY: CDS
   LOCATION: (868)...(2040)
US-09-948-002-1
 Query Match
                     63.7%; Score 859; DB 11; Length 2094;
 Best Local Similarity 81.5%; Pred. No. 4.1e-221;
 Matches 1038; Conservative
                         0; Mismatches 190; Indels 45; Gaps
                                                              2;
Qу
         Db
        863 CCCCCATGCCGCCCTCGGGGCTGCGGCTACTGCCGCTTCTGCTCCCACTCCCGTGGCTTC 922
        66 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
QУ
           Db
        923 TAGTGCTGACGCCCGGGAGGCCACCGCGGGACTCTCCACCTGCAAGACCATCGACATGG 982
        126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
Оv
           Db
        983 AGCTGGTGAAACGGAAGCGCATCGAAGCCATCCGTGGCCAGATCCTGTCCAAACTAAGGC 1042
QУ
        186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245
           Db
       1043 TCGCCAGTCCCCCAAGCCAGGGGGAGGTACCGCCCGGCCCGCTGCCCGAGGCGGTGCTCG 1102
        246 CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC 305
Qу
           Db
       1103 CTTTGTACAACAGCACCCGCGACCGGGTGGCAGGCGAGAGCGCCGAGCCCAGAGCCGGAGC 1162
Qу
        306 CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC 365
```

Dh	1162		1000
Db		CCGAAGCGGACTACTATGCTAAAGAGGTCACCCGCGTGCTAATGGTGGACCGCAACAACG	
Qy		AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG	
Db	1223	CCATCTATGAGAAAACCAAAGACATCTCACACAGTATATATA	1282
Qу	426	AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA	485
Db	1283	ACATTCGGGAAGCAGTGCCCGAACCCCCATTGCTGTCCCGTGCAGAGCTGCGCTTGCAGA	1342
Qу	486	GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT	545
Db	1343	GATTAAAATCAAGTGTGGAGCAACATGTGGAACTCTACCAGAAATATAGCAACAATTCCT	1402
Qy	546	GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG	605
Db	1403	GGCGTTACCTTGGTAACCGGCTGCTGACCCCCACTGATACGCCTGAGTGGCTGTCTTTTG	1462
Qу	606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCC	665
Db	1463		1522
Qy	666	TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	725
Db	1523		1582
Qy	726	TCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	1583	TCAGCCCCAAACGTCGGGGCGACCTGGGCACCATCCATGACATGAACCGGCCCTTCCTGC	1642
Qу	786	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	1643	TCCTCATGGCCACCCCCTGGAAAGGCCCCAGCACCTGCACAGCTCACGGCACCGGAGA-	1701
Qy	846	CCCTGGATACCAACGACTACAAGGATGACGACAAGGCCCTGGATACCAACTACTGCT	
Db	1702		1723
Qу	906	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	965
Db	1724	TCAGCTCCACAGAGAAGAACTGCTGTGTGCGGCAGCTGTACATTGACTTTAGGAAGGA	1783
Qy	966	TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT	1025
Db	1784	TGGGTTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGTCTG	1843
Qy	1026	GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC	1085
Db	1844		1903
Qу	1086	ACAACCCGGGCGCGTCGGGCGCCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCA	1145
Db	1904	ACAACCCGGGCGCTTCGGCGTCACCGTGCTGCCGCAGGCTTTGGAGCCACTGCCCA	1963
Qу	1146	TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT	1205

```
1964 TCGTCTACTACGTGGGTCGCAAGCCCAAGGTGGAGCAGTTGTCCAACATGATTGTGCGCT 2023
Db
Qу
       1206 CCTGCAAGTGCAGCTGAGGCCCCGCCCACAGCCCCGCCCACCCGGCAGGCCCGGC 1265
           2024 CCTGCAAGTGCAGCTGAAGCCCCGCCCCCCC-----CCCGCCCCTCCCGGCAGGCCCGGC 2077
Db
       1266 CCCACCCCGCCC 1278
Qу
           Db
       2078 CCCGCCCCCGCCC 2090
RESULT 6
US-09-948-002-27
; Sequence 27, Application US/09948002
; Publication No. US20030050265A1
; GENERAL INFORMATION:
 APPLICANT: Nicholas M. Dean
 APPLICANT: Susan F. Murray
  TITLE OF INVENTION: ANTISENSE MODULATION OF TRANSFORMING GROWTH
  TITLE OF INVENTION: FACTOR BETA
                             EXPRESSION
  FILE REFERENCE: ISPH-0607
 CURRENT APPLICATION NUMBER: US/09/948,002
 CURRENT FILING DATE: 2000-09-05
 PRIOR APPLICATION NUMBER: 09/661,753
 PRIOR FILING DATE: 2000-09-14
 PRIOR APPLICATION NUMBER: 60/154,546
 PRIOR FILING DATE: 1999-09-17
 NUMBER OF SEQ ID NOS: 71
 SEO ID NO 27
  LENGTH: 1585
  TYPE: DNA
  ORGANISM: Rattus norvegicus
  FEATURE:
  NAME/KEY: CDS
   LOCATION: (413)...(1585)
US-09-948-002-27
                     62.2%; Score 839.4; DB 11; Length 1585;
 Query Match
 Best Local Similarity 81.9%; Pred. No. 7.2e-216;
 Matches 997; Conservative 0; Mismatches 181; Indels
                                                   39; Gaps
         Qу
               Db
        408 CCCCCATGCCGCCCTCGGGGCTGCGGCTGCTGCCGCTTCTGCTCCCACTCCCGTGGCTTC 467
        66 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
Qу
           Dh
        468 TAGTGCTGACGCCCGGGAGGCCAGCCGCGGGACTCTCCACCTGCAAGACCATCGACATGG 527
        126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
Qу
           528 AGCTGGTGAAACGGAAGCGCATCGAAGCCATCCGTGGCCAGATCCTGTCCAAACTAAGGC 587
Db
        186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245
Qу
           Db
        588 TCGCCAGTCCCCCGAGCCAGGGGGGGGGTACCGCCGGGCCCGCTGCCCGAGGCGGTGCTCG 647
```

QУ	246	CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC	305
Db	648		707
Qу	306	CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC	365
Db	708	CCGAGGCGGACTACTACGCCAAAGAAGTCACCCGCGTGCTAATGGTGGACCGCAACAACG	767
Qy	366	AAATCTATGATAAATTCAAGGGCACCCCCACAGCTTATATATGCTGTTCAACACGTCGG	425
Db	768	CAATCTATGACAAAACCAAAGACATCACACACAGTATATATGTTCTTCAATACGTCAG	827
Qy	426	AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA	485
Db	828	ACATTCGGGAAGCAGTGCCAGAACCCCCATTGCTGTCCCGTGCAGAGCTGCGCCTGCAGA	887
Qу	486	GGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT	545
Db	888	GATTCAAGTCAACTGTGGAGCAACACGTAGAACTCTACCAGAAATATAGCAACAATTCCT	947
Qу	546	GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG	605
Db	948	GGCGTTACCTTGGTAACCGGCTGCTGACCCCCACTGATACGCCTGAGTGGCTGTCTTTTG	1007
Qy	606	ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGGCTATAGAGGGTTTTCGCC	665
Db	1008	ACGTCACTGGAGTTGTCCGGCAGTGGCTGAACCAAGGAGACGGAATACAGGGCTTTCGCT	1067
Qy	666	TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT	725
Db	1068	TCAGTGCTCACTGCTCTTGTGACAGCAAAGATAATGTACTCCACGTGGAAATCAATGGGA	1127
Qy	726	TCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC	785
Db	1128	TCAGTCCCAAACGTCGAGGTGACCTGGGCACCATCCATGACATGAACCGACCCTTCCTGC	1187
Qy	786	TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG	845
Db	1188	TCCTCATGGCCACCCCCTGGAAAGGGCTCAACACCTGCACAGCTCCAGGCACCGGAGA-	1246
Qy	846	CCCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCT	
Db	1247	GCCCTGGATACCAACTACTGCT	1268
Qу	906	TCAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACC	965
Db	1269	TCAGCTCCACAGAGAACTGCTGTGTACGGCAGCTGTACATTGACTTTAGGAAGGA	1328
Qy	966	TGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCT	1025
Db	1329	TGGGTTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGTCTG	1388
Qy	1026	GTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGC	1085
Db		GCCCCTACATTTGGAGCCTGGACACACAGTACAGCAAGGTCCTTGCCCTCTACAACCAAC	
Qу	1086	${\tt ACAACCCGGGCGCGCGCGCGCGCGCGCGCGCGCGCGCGC$	1145

```
1449 ACAACCCGGGTGCTTCCGCATCACCGTGCTGCCGCAGGCTTTGGAGCCACTGCCCA 1508
Db
       1146 TCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTT 1205
Qу
           1509 TCGTCTACTACGTGGGTCGCAAGCCCAAGGTGGAGCAGTTGTCCAACATGATCGTGCGCT 1568
Db
       1206 CCTGCAAGTGCAGCTGA 1222
Qу
           1111111111111
       1569 CCTGCAAGTGCAGCTGA 1585
Dh
RESULT 7
US-09-756-283A-19
; Sequence 19, Application US/09756283A
; Patent No. US20020151478A1
: GENERAL INFORMATION:
 APPLICANT: Chernajovsky, Yuti
 APPLICANT: Dreja, Hanna Stina
APPLICANT: Adams, Gillian
  TITLE OF INVENTION: Latent Fusion Protein
 FILE REFERENCE: 0623.1000000
 CURRENT APPLICATION NUMBER: US/09/756,283A
  CURRENT FILING DATE: 2001-01-09
  NUMBER OF SEO ID NOS: 100
  SOFTWARE: PatentIn version 3.0
; SEQ ID NO 19
  LENGTH: 1376
   TYPE: DNA
   ORGANISM: Artificial Sequence
   FEATURE:
   OTHER INFORMATION: LAP-mIFNbeta construct
   NAME/KEY: CDS
   LOCATION: (1)..(1368)
US-09-756-283A-19
                    48.5%; Score 654; DB 10; Length 1376;
 Query Match
 Best Local Similarity 88.1%; Pred. No. 5.3e-166;
 Matches 724: Conservative 0: Mismatches 95: Indels
                                                 3: Gaps
                                                           1:
        Qу
           Db
        71 CTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGGAGCTG 130
Qу
           61 CTGACGCCTGGCCCGCCGGCCGCGGGACTATCCACCTGCAAGACTATCGACATGGAGCTG 120
Db
       131 GTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGCTTGCC 190
Qу
           121 GTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGCTCGCC 180
Db
       191 AGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGGCTCTT 250
Qу
           181 AGCCCCCGAGCCAGGGGGAGGTGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCGCCCTG 240
Db
       251 TACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGCCAGAG 310
QУ
```

```
241 TACAACAGCACCCGCGACCGGGTGGCCGGGGAGAGTGCAGAACCGGAGCCCGAGCCTGAG 300
Db
       311 GCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACCAAATC 370
QУ
          301 GCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACGAAATC 360
Db
       371 TATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGGAGCTC 430
Qу
          361 TATGACAAGTTCAAGCAGAGTACACACAGCATATATATGTTCTTCAACACATCAGAGCTC 420
Db
       431 CGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCT---GAGG 487
Qу
          421 CGAGAAGCGGTACCTGAACCCGTGTTGCTCCCCGGGCAGAGCTGCGTCTGCTGAGGAGG 480
Db
       488 CTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCTGG 547
Qу
          Db
       481 CTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTGTACCAGAAATACAGCAACAATTCCTGG 540
       548 CGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTGAT 607
Qу
          Db
       541 CGATACCTCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTTGAT 600
       608 GTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCCTC 667
Qy
          601 GTCACCGGAGTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTCGCCTT 660
Db
       668 AGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGTTC 727
Qу
          661 AGCGCCCACTGCTCCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACGGGTTC 720
Db
       728 AATTCTGGCCGCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGCTC 787
Qy
          Db
       721 ACTACCGGCCGCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGCTT 780
       788 CTCATGGCCACCCGGTGGAGAGGGCCCAGCACCTGCACAGC 829
Qу
          Db
       781 CTCATGGCCACCCGCTGGAGAGGGCCCAGCATCTGCAAAGC 822
```

RESULT 8 US-09-75

```
US-09-756-283A-21
```

```
; Sequence 21, Application US/09756283A
```

[;] Patent No. US20020151478A1

[;] GENERAL INFORMATION:

[;] APPLICANT: Chernajovsky, Yuti ; APPLICANT: Dreja, Hanna Stina ; APPLICANT: Adams, Gillian

[;] TITLE OF INVENTION: Latent Fusion Protein

[;] FILE REFERENCE: 0623.1000000

[;] CURRENT APPLICATION NUMBER: US/09/756,283A

[;] CURRENT FILING DATE: 2001-01-09

[;] NUMBER OF SEQ ID NOS: 100

[;] SOFTWARE: PatentIn version 3.0

[;] SEQ ID NO 21

LENGTH: 1352

[;] TYPE: DNA

```
ORGANISM: Artificial Sequence
   FEATURE:
   OTHER INFORMATION: mIFNbeta-LAP construct
   NAME/KEY: CDS
   LOCATION: (1)..(1344)
US-09-756-283A-21
 Query Match
                   43.8%; Score 591.4; DB 10; Length 1352;
 Best Local Similarity
                   87.0%; Pred. No. 3.7e-149;
 Matches 662; Conservative
                         0; Mismatches
                                     96;
                                         Indels
                                                 3; Gaps
                                                          1;
Qу
        73 GACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGGAGCTGGT 132
          1 11
              582 GGCGGAGGGGGCTCAGCGGCCGCACTATCCACCTGCAAGACTATCGACATGGAGCTGGT 641
Db
       133 GAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGCTTGCCAG 192
Qу
          Db
       642 GAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGCTCGCCAG 701
       193 CCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGGCTCTTTA 252
Qy
          702 CCCCCGAGCCAGGGGGAGGTGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCGCCCTGTA 761
Db
       253 CAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGCCAGAGGC 312
Qу
          762 CAACAGCACCCGCGACCGGGTGGCCGGGGAGAGTGCAGAACCGGAGCCCGAGCCTGAGGC 821
Db
       313 GGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACCAAATCTA 372
Qу
           822 CGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACGAAATCTA 881
Db
       373 TGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGGAGCTCCG 432
Qу
                        882 TGACAAGTTCAAGCAGAGTACACACAGCATATATATGTTCTTCAACACATCAGAGCTCCG 941
Db
       433 GGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCT---GAGGCT 489
Qу
           11111
Db
       942 AGAAGCGGTACCTGAACCCGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGAGGAGGCT 1001
Qу
       490 CAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCTGGCG 549
          Db
      1002 CAAGTTAAAAGTGGAGCACCACGTGGAGCTGTACCAGAAATACAGCAACAATTCCTGGCG 1061
Qу
       550 CTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTGATGT 609
           1062 ATACCTCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTTGATGT 1121
Db
       610 CACCGGAGTTGTGCGCAGTGGCTGACCCGCAGAGAGGGCTATAGAGGGTTTTCGCCTCAG 669
Qу
          Db
      1122 CACCGGAGTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTCGCCTTAG 1181
       670 TGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGTTCAA 729
Qу
           111111
                 Dh
      1182 CGCCCACTGCTCCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACGGGTTCAC 1241
       730 TTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGCTCCT 789
Qу
```

```
Db
       1242 TACCGGCCGCCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGCTTCT 1301
QУ
        790 CATGGCCACCCGCTGGAGAGGGCCCAGCACCTGCACAGCT 830
           Db
       1302 CATGGCCACCCGCTGGAGAGGGCCCAGCATCTGCAAAGCT 1342
RESULT 9
US-09-911-904-167
; Sequence 167, Application US/09911904
; Publication No. US20030096234A1
; GENERAL INFORMATION:
 APPLICANT: Farr, Spencer B.
  APPLICANT: Pickett, Gavin G.
 APPLICANT: Neft, Robin Eileen
 APPLICANT: Dunn, II, Robert Thomas
 TITLE OF INVENTION: CANINE TOXICITY GENES
 FILE REFERENCE: 400742000200
 CURRENT APPLICATION NUMBER: US/09/911,904
  CURRENT FILING DATE: 2002-04-09
  PRIOR APPLICATION NUMBER: US 60/220.057
  PRIOR FILING DATE: 2000-07-21
 NUMBER OF SEQ ID NOS: 386
  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 167
  LENGTH: 489
  TYPE: DNA
  ORGANISM: Canis familiaris
   FEATURE:
  NAME/KEY: misc_feature
   LOCATION: (1)...(489)
   OTHER INFORMATION: n = A, T, C or G
US-09-911-904-167
                     27.2%; Score 366.4; DB 11; Length 489;
 Query Match
 Best Local Similarity 86.1%; Pred. No. 1e-88;
 Matches 445; Conservative 0; Mismatches 32; Indels 40; Gaps
                                                              2:
Qу
        774 GGCCCTTCCTGCTCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCC 833
           1 GACCCTTCCTGCTCCTCATGGCCACCCCACTGGAGAGGGCCCAGCACCTGCACAGCTCCC 60
Db
        834 GGCACCGCCGAGCCCTGGATACCAACGACTACAAGGATGACGACGACGACGAGGCCCTGGATA 893
Qу
           111111111
        61 GGCAGCGCCG------GGCCCTGGACA 81
Db
        Qу
           Dh
        82 CCAACTACTGCTTCAGCTCCACGGAGAAGAACTGCTGCGTCCGGCAGCTCTACATTGACT 141
        954 TCCGGAAGGACCTGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCT 1013
Qу
           142 TCCGCAAGGATCTGGGCTGGAAGTGGATCCATGAGCCCAAGGGTTACCACGCTAACTTCT 201
Db
       1014 GCCTGGGGCCCTGTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTC 1073
Qу
           202 GCCTGGGGCCCTGCCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCC 261
Db
```

```
Qу
       1074 TGTACAACCAGCACAACCCGGGCGCGTCGGCGCGCGTGCTGCCGCAGGCGCTGG 1133
            Db
        262 TGTACAACCAGCACAACCCGGGCGCGTCGGCGGCGCCGTGCTGCGCAGGCGCTGG 321
       1134 AGCCACTGCCCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACA 1193
Qу
            Db
        322 AGCCACTGCCCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCGAACA 381
       1194 TGATCGTGCGTTCCTGCAAGTGCAGCTGAGGCCCCGCCCCG-CCCACAGCCCCGCCCACC 1252
Qу
            Db
        1253 CGGCAGGCCCGGCCCACCCCGCCCGCCTCACCGGG 1289
Qу
            Dh
        442 CGGCAGGNCCGGCCCGCCCCGCCCGCTGCGCCGGG 478
RESULT 10
US-09-813-271B-1
; Sequence 1, Application US/09813271B
; Patent No. US20020115834A1
   GENERAL INFORMATION:
       APPLICANT:
                 (A) Nico Cerletti
       TITLE OF INVENTION: New process for the production of
                        biologically active protein
       NUMBER OF SEQUENCES: 13
       CORRESPONDENCE ADDRESS:
            ADDRESSEE: No. US20020115834Alartis Patent Department
           STREET: 564 Morris Avenue
           CITY: Summit
            STATE: New Jersey
            COUNTRY: USA
           ZIP: 07901
       COMPUTER READABLE FORM:
           MEDIUM TYPE: Floppy disk
           COMPUTER: IBM PC compatible
           OPERATING SYSTEM: PC-DOS/MS-DOS
           SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
       CURRENT APPLICATION DATA:
           APPLICATION NUMBER: US/09/813,271B
           FILING DATE: 20-Mar-2001
       PRIOR APPLICATION DATA:
           APPLICATION NUMBER: PCT/EP95/02719
           FILING DATE: 12-Jul-95
           APPLICATION NUMBER: EPO 94810439.3
           FILING DATE: 25-Jul-94
       ATTORNEY/AGENT INFORMATION:
           NAME: Pfeiffer, Hesna J.
           REGISTRATION NUMBER: 22640
           REFERENCE/DOCKET NUMBER: 4-20039C/C1C1/USN
       TELECOMMUNICATION INFORMATION:
           TELEPHONE: (908) 522-6940
           TELEFAX: (908) 522-6955
   INFORMATION FOR SEQ ID NO: 1:
       SEQUENCE CHARACTERISTICS:
```

```
LENGTH: 339 base pairs
          TYPE: nucleic acid
          STRANDEDNESS: double
          TOPOLOGY: linear
      MOLECULE TYPE: cDNA to mRNA
      HYPOTHETICAL: NO
      IMMEDIATE SOURCE:
          CLONE: E. coli LC137/pPLMu.hTGF-beta1 (DSM 5656)
      FEATURE:
          NAME/KEY: CDS
          LOCATION: 1..336
          OTHER INFORMATION: /product= "human TGF-beta1"
      SEQUENCE DESCRIPTION: SEQ ID NO: 1:
US-09-813-271B-1
 Query Match
                    22.9%; Score 308.6; DB 10; Length 339;
 Best Local Similarity 94.4%; Pred. No. 3.3e-73;
 Matches 320; Conservative 0; Mismatches 19; Indels
Qy
       Db
         944 TACATTGACTTCCGGAAGGACCTGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCAT 1003
Qу
           Db
        61 TACATTGACTTCCGCAAGGACCTCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCAT 120
      1004 GCCAATTTCTGCCTGGGGCCCTGTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAG 1063
Qу
           121 GCCAACTTCTGCCTCGGGCCCTGCCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAG 180
Db
      1064 GTCCTGGCTCTGTACAACCAGCACAACCCGGGCGCGTCGGCGGCGCGTGCTGCGTGCCG 1123
Qу
          Db
       181 GTCCTGGCCCTGTACAACCAGCATAACCCGGGCGCCTCGGCGGCGCGCGTGCTGCCGCCGCCA
      1124 CAGGCGCTGGAGCCACTGCCCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAG 1183
Qу
           241 CAGGCGCTGGAGCCGCTGCCCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAG 300
Db
      1184 CTGTCCAACATGATCGTGCGTTCCTGCAAGTGCAGCTGA 1222
Qу
          Db
       301 CTGTCCAACATGATCGTGCGCTCCTGCAAGTGCAGCTGA 339
RESULT 11
US-09-906-158-3
; Sequence 3, Application US/09906158
; Publication No. US20030078217A1
; GENERAL INFORMATION:
 APPLICANT: Brett P. Monia
 APPLICANT: Susan M. Freier
  TITLE OF INVENTION: ANTISENSE MODULATION OF TRANSFORMING GROWTH FACTOR-BETA 3
EXPRESSION
 FILE REFERENCE: RTS-0257
 CURRENT APPLICATION NUMBER: US/09/906,158
  CURRENT FILING DATE: 2001-07-14
  NUMBER OF SEQ ID NOS: 168
```

```
LENGTH: 2574
  TYPE: DNA
  ORGANISM: Homo sapiens
  FEATURE:
  NAME/KEY: CDS
  LOCATION: (254)...(1492)
US-09-906-158-3
                   17.7%; Score 238.4; DB 11; Length 2574;
 Query Match
 Best Local Similarity 53.6%; Pred. No. 4.1e-54;
 Matches 668; Conservative 0; Mismatches 521; Indels 57; Gaps
                                                          6:
Qу
        261 TGCACTTGCAAAGGGCTCTGGTGGTCCTGGCCCTGCTGAACTTTGCCACGGTCAGCCTCT 320
Db
        96 GACTGTCCACCTGCAAGACCATCGACATGGAGCTGGTGAAGCGGAAGCGCATCGAGGCCA 155
Qу
            321 CTCTGTCCACTTGCACCACCTTGGACTTCGGCCACATCAAGAAGAAGAGGGTGGAAGCCA 380
Db
       156 TTCGCGGCCAGATTCTGTCCAAGCTTCGGCTTGCCAGCCCCCGAGCCAGGGGGACGTGC 215
Qу
          381 TTAGGGGACAGATCTTGAGCAAGCTCAGGCTCACCAGCCCCCTGAGCCAACGGTGATGA 440
Db
       216 CGCCCGGCCCGCTGCCTGAGGCAGTACTGGCTCTTTACAACAGTACCCGCGACCGGGTAG 275
Qу
           441 CCCACG-----TCCCCTATCAGGTCCTGGCCCTTTACAACAGCACCCGGGAGCTGCTGG 494
Db
       276 CCGGGGAAAGTGTCGAACCGGAGCCCG-------AGCCAGAGGCGGACTACT 320
Qу
                 1 11111111
       495 AGGAGATGCATGGGGAGAGGGGAGGGCTGCACCCAGGAAAACACCGAGTCGGAATACT 554
Db
       321 ACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACCAAATCTATGATAAAT 380
Qу
          Db
       555 ATGCCAAAGAAATCCATAAATTCGACATGATCCAGGGGCTGGCGGAGCACAACGAACTGG 614
       381 TCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGGAGCTCCGGGAAGCGG 440
Qу
               Db
       615 CTGTCTGCCCTAAAGGAATTACCTCCAAGGTTTTCCGCTTCAATGTGTCCTCAGTGGAGA 674
       441 TGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGAGGCTCAAGTTAAAAG 500
Qу
                1
Db
       675 AAAATAGAACCAACCTATTCCGAGCAGAATTCCGGGTCTTGCGGGTGCCCAACCCCAGCT 734
       501 TGGAGCAGCACGTGGAG------CTATACCAGAAATACAGCAATG 539
Qу
             735 CTAAGCGGAATGAGCAGAGGATCGAGCTCTTCCAGATCCTTCGGCCAGATGAGCACATTG 794
Db
       540 ATTCCTGGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGT 599
Qу
                795 CCAAACAGCGCTATATCGGTGGCAAGAATCTGCCCACACGGGGCACTGCCGAGTGGCTGT 854
Db
       600 CCTTTGATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTT 659
Qу
          111111111111
                        855 CCTTTGATGTCACTGACACTGTGCGTGAGTGGCTGTTGAGAAGAGAGTCCAACTTAGGTC 914
Db
```

; SEQ ID NO 3

```
660 TTCGCCTCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACA-----CACTCCACGTGG 713
Qу
                   Db
      915 TAGAAATCAGCATTCACTGTCCATGTCACACCTTTCAGCCCAATGGAGATATCCTGGAAA 974
      714 AAATTAACGGGTTCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACC 773
Qу
         Db
      975 ACATTCACGAGGTGATGGAAATCAAATTCAAAGGCGTGGACAATGAGGATGACCATGGCC 1034
      774 GGCCCTTCCTGCTCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCC 833
Qу
               1035 GTGGAGATCTGGGGCGCCTCAAGAAGCAGAAGGATCACCACAACCCTCATCTAATCCTCA 1094
Db
      834 GG-----CACCGCCGAGCCCTGGATACCAACGACTACAAGGATGACGACGACAA---GG 884
Qу
              1095 TGATGATTCCCCCACACCGGCTCGACAACCCGGGCCAGGGGGGGTCAGAGGAAGAAGCGGG 1154
Db
      Qу
           Db
      1155 CTTTGGACACCAATTACTGCTTCCGCAACTTGGAGGAGAACTGCTGTGTGCGCCCCCTCT 1214
      945 ACATTGACTTCCGGAAGGACCTGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATG 1004
Qу
         Db
      1215 ACATTGACTTCCGACAGGATCTGGGCTGGAAGTGGGTCCATGAACCTAAGGGCTACTATG 1274
Qу
      1005 CCAATTTCTGCCTGGGGCCCTGTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGG 1064
         11111 11
Dh
      1065 TCCTGGCTCTGTACAACCAGCACAACCCGGGCGCGTCGGCGGCGCGCGTGCTGCGTCCGC 1124
Qу
              1335 TGCTGGGACTGTACAACACTCTGAACCCTGAAGCATCTGCCTCGCCTTGCTGCGTGCCCC 1394
Db
      1125 AGGCGCTGGAGCCACTGCCCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGC 1184
Qу
            1395 AGGACCTGGACCCCTGACCATCCTGTACTATGTTGGGAGGACCCCCAAAGTGGAGCAGC 1454
Db
      1185 TGTCCAACATGATCGTGCGTTCCTGCAAGTGCAGCTGAGGCCCCGC 1230
Qу
         Db
      1455 TCTCCAACATGGTGGTGAAGTCTTGTAAATGTAGCTGAGACCCCAC 1500
```

RESULT 12

US-10-028-158-20

- ; Sequence 20, Application US/10028158
- ; Publication No. US20020110833A1
- ; GENERAL INFORMATION:
- ; APPLICANT: Caniggia, Isabella
- ; APPLICANT: Post, Martin
- ; APPLICANT: Lye, Stephen
- ; TITLE OF INVENTION: METHODS TO DIAGNOSE A REQUIRED REGULATION OF
- ; TITLE OF INVENTION: TROPHOBLAST
- ; FILE REFERENCE: 11757.38USWO
- ; CURRENT APPLICATION NUMBER: US/10/028,158
- CURRENT FILING DATE: 2001-12-20
- ; PRIOR APPLICATION NUMBER: US/09/380,662
- PRIOR FILING DATE: 1999-12-21
- ; PRIOR APPLICATION NUMBER: PCT/CA98/00180

```
PRIOR APPLICATION NUMBER: US 60/039,919
  PRIOR FILING DATE: 1997-03-07
  NUMBER OF SEQ ID NOS: 24
  SOFTWARE: PatentIn version 3.0
SEQ ID NO 20
  LENGTH: 2574
  TYPE: DNA
  ORGANISM: Homo sapiens
  FEATURE:
  NAME/KEY: CDS
  LOCATION: (254)..(1492)
US-10-028-158-20
 Query Match
                  17.7%; Score 238.4; DB 13; Length 2574;
 Best Local Similarity 53.6%; Pred. No. 4.1e-54;
 Matches 668; Conservative 0; Mismatches 521; Indels 57; Gaps
                                                         6:
        Qу
          Db
       261 TGCACTTGCAAAGGGCTCTGGTGGTCCTGGCCCTGCTGAACTTTGCCACGGTCAGCCTCT 320
        96 GACTGTCCACCTGCAAGACCATCGACATGGAGCTGGTGAAGCGGAAGCGCATCGAGGCCA 155
Qу
            Db
       321 CTCTGTCCACTTGCACCACCTTGGACTTCGGCCACATCAAGAAGAAGAGGGTGGAAGCCA 380
       156 TTCGCGGCCAGATTCTGTCCAAGCTTCGGCTTGCCAGCCCCCGAGCCAGGGGGACGTGC 215
Qу
          381 TTAGGGGACAGATCTTGAGCAAGCTCAGGCTCACCAGCCCCCTGAGCCAACGGTGATGA 440
Db
       216 CGCCCGGCCCGCTGCCTGAGGCAGTACTGGCTCTTTACAACAGTACCCGCGACCGGGTAG 275
Qу
          441 CCCACG-----TCCCCTATCAGGTCCTGGCCCTTTACAACAGCACCCGGGAGCTGCTGG 494
Db
       276 CCGGGGAAAGTGTCGAACCGGAGCCCG------AGCCAGAGGCGGACTACT 320
Qу
           495 AGGAGATGCATGGGGAGAGGGAGGCACCCAGGAAAACACCGAGTCGGAATACT 554
Db
       321 ACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACCAAATCTATGATAAAT 380
Qу
          555 ATGCCAAAGAAATCCATAAATTCGACATGATCCAGGGGCTGGCGGAGCACCAACGAACTGG 614
Db
       381 TCAAGGGCACCCCCACAGCTTATATATGCTGTTCAACACGTCGGAGCTCCGGGAAGCGG 440
QУ
              615 CTGTCTGCCCTAAAGGAATTACCTCCAAGGTTTTCCGCTTCAATGTGTCCTCAGTGGAGA 674
Db
       441 TGCCGGAACCTGTATTGCTCTCCGGCAGAGCTGCGCCTGAGGCTCAAGTTAAAAG 500
Qу
                    1 11
                            Db
       675 AAAATAGAACCAACCTATTCCGAGCAGAATTCCGGGTCTTGCGGGTGCCCAACCCCAGCT 734
       501 TGGAGCACGTGGAG------CTATACCAGAAATACAGCAATG 539
Qу
            735 CTAAGCGGAATGAGCAGAGCATCGAGCTCTTCCAGATCCTTCGGCCAGATGAGCACATTG 794
Db
       540 ATTCCTGGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGT 599
Qу
               Db
       795 CCAAACAGCGCTATATCGGTGGCAAGAATCTGCCCACACGGGGCACTGCCGAGTGGCTGT 854
```

PRIOR FILING DATE: 1998-03-05

```
600 CCTTTGATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTT 659
Qу
                       1111111111
                                      855 CCTTTGATGTCACTGACACTGTGCGTGAGTGGCTGTTGAGAAGAGAGTCCAACTTAGGTC 914
Dh
       660 TTCGCCTCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACA-----CACTCCACGTGG 713
Qу
                    \{\{\}\}\}
                                               III
       915 TAGAAATCAGCATTCACTGTCCATGTCACACCTTTCAGCCCAATGGAGATATCCTGGAAA 974
Db
       714 AAATTAACGGGTTCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACC 773
Qу
          - 1
                                            975 ACATTCACGAGGTGATGGAAATCAAATTCAAAGGCGTGGACAATGAGGATGACCATGGCC 1034
Db
       774 GGCCCTTCCTGCTCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCC 833
Qу
                1035 GTGGAGATCTGGGGCGCCTCAAGAAGCAGAAGGATCACCACAACCCTCATCTAATCCTCA 1094
Db
       834 GG-----CACCGCCGAGCCCTGGATACCAACGACTACAAGGATGACGACGACAA---GG 884
Qу
                1095 TGATGATTCCCCCACACCGGCTCGACAACCCGGGCCAGGGGGGTCAGAGGAAGAAGCGGG 1154
Db
       Qу
            1155 CTTTGGACACCAATTACTGCTTCCGCAACTTGGAGGAGAACTGCTGTGTGCGCCCCCTCT 1214
Db
       945 ACATTGACTTCCGGAAGGACCTGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATG 1004
QУ
          1215 ACATTGACTTCCGACAGGATCTGGGCTGGAAGTGGGTCCATGAACCTAAGGGCTACTATG 1274
Db
      1005 CCAATTTCTGCCTGGGGCCCTGTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGG 1064
Qу
                   1275 CCAACTTCTGCTCAGGCCCTTGCCCATACCTCCGCAGTGCAGACACAACCCACAGCACGG 1334
Db
      1065 TCCTGGCTCTGTACAACCAGCACAACCCGGGCGCGTCGGCGGCGCCGTGCTGCCGC 1124
Qу
          1335 TGCTGGGACTGTACAACACTCTGAACCCTGAAGCATCTGCCTCGCCTTGCTGCGTGCCCC 1394
Db
      1125 AGGCGCTGGAGCCACTGCCCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGC 1184
Qу
          Db
      1395 AGGACCTGGAGCCCTGACCATCCTGTACTATGTTGGGAGGACCCCCAAAGTGGAGCAGC 1454
      1185 TGTCCAACATGATCGTGCGTTCCTGCAAGTGCAGCTGAGGCCCCGC 1230
Qу
          Db
      1455 TCTCCAACATGGTGGTGAAGTCTTGTAAATGTAGCTGAGACCCCAC 1500
```

RESULT 13

US-09-957-458B-9

- ; Sequence 9, Application US/09957458B
- ; Publication No. US20030166271A1
- ; GENERAL INFORMATION:
- ; APPLICANT: Chen, Una
- TITLE OF INVENTION: Method for growing stem cells
- FILE REFERENCE: P66567US0
- ; CURRENT APPLICATION NUMBER: US/09/957,458B
- ; CURRENT FILING DATE: 2001-09-21
- ; PRIOR APPLICATION NUMBER: PCT/EP00/08247

```
PRIOR FILING DATE: 2000-08-24
  PRIOR APPLICATION NUMBER: EP 99116533
  PRIOR FILING DATE: 1999-08-24
  NUMBER OF SEO ID NOS: 10
  SOFTWARE: PatentIn version 3.2
; SEO ID NO 9
   LENGTH: 4382
   TYPE: DNA
   ORGANISM: Artificial Sequence
   FEATURE:
   OTHER INFORMATION: Vector for transforming supporting cell with a foreign to
   OTHER INFORMATION: a gene product of interest
US-09-957-458B-9
 Query Match
                    17.3%; Score 233.2; DB 12; Length 4382;
 Best Local Similarity 52.8%; Pred. No. 1.2e-52;
 Matches 660; Conservative 0; Mismatches 533; Indels 57; Gaps
        26 CTGCGGCTCTTGCCGCTGCTGCCGCTGCTGTGGCTGCTGACGCCTGGCCGG 85
Qу
           Db
        455 CTGCAGCCCATGCACTTGCAAAGGGCTCTGGTAGTCCTGGCCCTGCTGAACTTGGCCACA 514
        86 CCGGCCGCCGGACTGTCCACCTGCAAGACCATCGACATGGAGCTGGTGAAGCGGAAGCGC 145
Qу
               Db
        515 ATCAGCCTCTCTCTCTCCACTTGCACCACGTTGGACTTCGGCCACATCAAGAAGAAGAGG 574
        146 ATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGCTTGCCAGCCCCCCGAGCCAG 205
Qу
            575 GTGGAAGCCATTAGGGGACAGATCTTGAGCAAGCTCAGGCTCACCAGCCCCCTGAGCCA 634
Db
        206 GGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGGCTCTTTACAACAGTACCCGC 265
Qу
               Db
        635 TCGGTGATGACCCACG-----TCCCCTATCAGGTCCTGGCACTTTACAACAGCACCCGG 688
        266 GACCGGGTAGCCG-------GGGAAAGTGTCGAACCGGAGCCCGAGCCAGAG 310
Qу
           1 1
        689 GAGTTGCTGGAAGAGTGCACGGGGAGAGGGGAGGGAGGCTGCACTCAGGAGACCTCGGAG 748
Db
        311 GCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACCAAATC 370
QУ
            749 TCTGAGTACTATGCCAAAGAGATCCATAAATTCGACATGATCCAGGGACTGGCGGAGCAC 808
Db
        371 TATGATAAATTCAAGGGCACCCCCACAGCTTATATATGCTGTTCAACACGTCGGAGCTC 430
Qу
                809 AATGAACTGGCCGTCTGCCCCAAAGGAATTACCTCTAAGGTTTTTCGTTTCAATGTGTCC 868
Db
        431 CGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGAGGCTC 490
Qу
                     869 TCAGTGGAGAAAATGGAACCAATCTGTTCCGGGCAGAGTTCCGGGTCTTGCGGGTGCCC 928
Db
        491 A-----GTTAAAAGTGGAGCAGCACGTGGAGCTATACCAGAAA 529
Qу
                            929 AACCCCAGCTCCAAGCGCACAGAGCAGAGAATTGAGCTCTTCCAGATACTTCGACCGGAT 988
Db
        530 TACAGCAATGATTCCTGGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCG 589
Qу
```

Db	989	GAGCACATAGCCAAGCAGCGCTACATAGGTGGCAAGAATCTGCCCACAAGGGGCACCGCT	1048
Qy	590	GAGTGGCTGTCCTTTGATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCT	649
Db	1049	GAATGGCTGTCTTTCGATGTCACTGACACTGTGCGCGAGTGGCTGTTGAGGAGAGAGTCC	1108
Qy	650	ATAGAGGGTTTTCGCCTCAGTGCCCACTCTTCCTCTGACAGCAAAGATAAC	700
Db	1109	AACTTGGGTCTGGAAATCAGCATCCACTGTCCATGTCACACCTTTCAGCCCAATGGAGAC	1168
Qу	701	ACACTCCACGTGGAAATTAACGGGTTCAATTCTGGCCGCCGGGGTGACCTGGCCACCATT	760
Db	1169	ATACTGGAAAATGTTCATGAGGTGATGGAAATCAAATTCAAAGGAGTGGACAATGAAGAT	1228
Qу	761	CACGGCATGAACCGGCCCTTCCTGCTCCTCATGGCCACCCCGCTGGAGAGGGCCCCAGCAC	820
Db	1229	GACCATGGCCGTGGAGACCTGGGGCGTCTCAAGAAGCAAAAGGATCACCACACCCACAC	1288
Qy	821	CTGCACAGCTCCCGGCACCGCCGAGCCCTGGATACCAACGACTACAAGGATGAC	874
Db		$\tt CTGATCCTCATGATGATCCCCCCACACCGACTGGACAGCCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCCAGGCAGAGAGAGAGAGAAGA$	
Qy	875	GACGACAAGGCCCTGGATACCAACTACTGCTTCAGCTCCACGGAGAAGAACTGCTGCGTG	934
Db	1349	AAGAAGAGGGCCCTGGACACCAATTACTGCTTCCGCAACCTGGAGGAGAACTGCTGTGTA	1408
Qy		CGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTGGAAGTGGATTCATGAACCCAAG	
Db		$\tt CGCCCCTTTATATTGACTTCCGGCAGGATCTAGGCTGGAAATGGGTCCACGAACCTAAG$	
QУ		GGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTACATCTGGAGCCTAGACACTCAG	
Db		GGTTACTATGCCAACTTCTGCTCAGGCCCTTGCCCATACCTCCGCAGCGCAGACACAACC	
QУ		TACAGCAAGGTCCTGGCTCTGTACAACCAGCACAACCCGGGCGCGCGC	
Db		CATAGCACGGTGCTTGGACTATACAACACCCTGAACCCAGAGGCGTCTGCCTCGCCATGC	
Qy		TGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTACTACGTGGGCCGCAAGCCCAAG	
Db		TGCGTCCCCCAGGACCTGGAGCCCCTGACCATCTTGTACTATGTGGGCAGAACCCCCAAG	1648
Qу		GTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAAGTGCAGCTGAGG 1224	
Db	1649	GTGGAGCAGCTGTCCAACATGGTGGTGAAGTCGTGTAAGTGCAGCTGAGG 1698	

RESULT 14

US-09-906-158-10

- ; Sequence 10, Application US/09906158
- ; Publication No. US20030078217A1
- ; GENERAL INFORMATION:
- ; APPLICANT: Brett P. Monia
- ; APPLICANT: Susan M. Freier
- ; TITLE OF INVENTION: ANTISENSE MODULATION OF TRANSFORMING GROWTH FACTOR-BETA 3 EXPRESSION
- ; FILE REFERENCE: RTS-0257

```
CURRENT FILING DATE: 2001-07-14
  NUMBER OF SEQ ID NOS: 168
 SEQ ID NO 10
  LENGTH: 2879
  TYPE: DNA
  ORGANISM: Mus musculus
  FEATURE:
  NAME/KEY: CDS
  LOCATION: (611) ... (1843)
US-09-906-158-10
                   17.0%; Score 230; DB 11; Length 2879;
 Query Match
 Best Local Similarity 52.7%; Pred. No. 7.7e-52;
 Matches 655; Conservative 0; Mismatches 530; Indels 57; Gaps 5;
        Qу
                   Db
       612 TGCACTTGCAAAGGGCTCTGGTAGTCCTGGCCCTGCTGAACTTGGCCACAATCAGCCTCT 671
        96 GACTGTCCACCTGCAAGACCATCGACATGGAGCTGGTGAAGCGGAAGCGCATCGAGGCCA 155
QУ
            672 CTCTGTCCACTTGCACCACGTTGGACTTCGGCCACATCAAGAAGAAGAGGGTGGAAGCCA 731
Db
Qу
       156 TTCGCGGCCAGATTCTGTCCAAGCTTCGGCTTGCCAGCCCCCCGAGCCAGGGGGACGTGC 215
          Dh
       732 TTAGGGGACAGATCTTGAGCAAGCTCAGGCTCACCAGCCCCCTGAGCCATCGGTGATGA 791
       216 CGCCCGCCCGCTGCCTGAGGCAGTACTGGCTCTTTACAACAGTACCCGCGACCGGGTAG 275
Qу
          792 CCCACG-----TCCCCTATCAGGTCCTGGCACTTTACAACAGCACCCGGGAGTTGCTGG 845
Db
       276 CCG------GGGAAAGTGTCGAACCGGAGCCGAGCCAGAGGCGGACTACT 320
Qу
                        846 AAGAGATGCACGGGGAGAGGGAGGGAGGCTGCACTCAGGAGACCTCGGAGTCTGAGTACT 905
Db
       321 ACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACCAAATCTATGATAAAT 380
Qу
          906 ATGCCAAAGAGATCCATAAATTCGACATGATCCAGGGACTGGCGGAGCACAATGAACTGG 965
Db
       381 TCAAGGGCACCCCCACAGCTTATATATGCTGTTCAACACGTCGGAGCTCCGGGAAGCGG 440
Qу
           966 CCGTCTGCCCCAAAGGAATTACCTCTAAGGTTTTTCGTTTCAATGTGTCCTCAGTGGAGA 1025
Db
       441 TGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGAGGCTCA----- 491
Qу
              1026 AAAATGGAACCAATCTGTTCCGGGCAGAGTTCCGGGTCTTGCGGGTGCCCAACCCCAGCT 1085
Db
Qу
       492 -----AGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATG 539
                   Db
      1086 CCAAGCGCACAGAGCAGAGAATTGAGCTCTTCCAGATACTTCGACCGGATGAGCACATAG 1145
       540 ATTCCTGGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGT 599
Qу
                Db
      1146 CCAAGCAGCGCTACATAGGTGGCAAGAATCTGCCCACAAGGGGCACCGCTGAATGGCTGT 1205
Qу
       600 CCTTTGATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTT 659
```

CURRENT APPLICATION NUMBER: US/09/906,158

```
Db
      1206 CTTTCGATGTCACTGACACTGTGCGCGAGTGGCTGTTGAGGAGAGAGTCCAACTTGGGTC 1265
       660 TTCGCCTCAGTGCCCACTCTTCCTCTGACA-----GCAAAGATAACACACTCCACG 710
Qу
               111 | 111 | 1
Db
      1266 TGGAAATCAGCATCCACTGTCCATGTCACACCTTTCAGCCCAATGGAGACATACTGGAAA 1325
Qу
       711 TGGAAATTAACGGGTTCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGA 770
               1 11
Db
      1326 ATGTTCATGAGGTGATGGAAATCAAATTCAAAGGAGTGGACAATGAAGATGACCATGGCC 1385
Qу
       771 ACCGGCCCTTCCTGCTCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCT 830
               | |
Db
      1386 GTGGAGACCTGGGGCGTCTCAAGAAGCAAAAGGATCACCACAACCCACACCTGATCCTCA 1445
Qу
       831 CCCGGCACCGCGAGCCCTGGATACCAACGACTACAAGG-----ATGACGACGACAAGG 884
              Db
      Qу
          Db
      1506 CCCTGGACACCAATTACTGCTTCCGCAACCTGGAGGAGAACTGCTGTGTACGCCCCCTTT 1565
       945 ACATTGACTTCCGGAAGGACCTGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATG 1004
Qу
          1566 ATATTGACTTCCGGCAGGATCTAGGCTGGAAATGGGTCCACGAACCTAAGGGTTACTATG 1625
Db
      1005 CCAATTTCTGCCTGGGGCCCTGTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGG 1064
Qу
          Db
      1626 CCAACTTCTGCTCAGGCCCTTGCCCATACCTCCGCAGCGCAGACACACCCATAGCACGG 1685
      1065 TCCTGGCTCTGTACAACCAGCACAACCCGGGCGCGTCGGCGGCGCGCGTGCTGCCGC 1124
Qу
          1686 TGCTTGGACTATACAACACCCTGAACCCAGAGGCGTCTGCCTCGCCATGCTGCGTCCCCC 1745
Db
      1125 AGGCGCTGGAGCCACTGCCCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGC 1184
Qу
             1746 AGGACCTGGAGCCCTGACCATCTTGTACTATGTGGGCAGAACCCCCAAGGTGGAGCAGC 1805
Db
      1185 TGTCCAACATGATCGTGCGTTCCTGCAAGTGCAGCTGAGGCC 1226
Qу
          1806 TGTCCAACATGGTGGTGAAGTCGTGTAAGTGCAGCTGAGGCC 1847
Db
RESULT 15
US-09-813-271B-7
; Sequence 7, Application US/09813271B
 Patent No. US20020115834A1
  GENERAL INFORMATION:
      APPLICANT:
              (A) Nico Cerletti
      TITLE OF INVENTION: New process for the production of
                     biologically active protein
      NUMBER OF SEQUENCES: 13
      CORRESPONDENCE ADDRESS:
          ADDRESSEE: No. US20020115834Alartis Patent Department
```

STREET: 564 Morris Avenue

```
CITY: Summit
              STATE: New Jersey
              COUNTRY: USA
              ZIP: 07901
         COMPUTER READABLE FORM:
              MEDIUM TYPE: Floppy disk
              COMPUTER: IBM PC compatible
              OPERATING SYSTEM: PC-DOS/MS-DOS
              SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
         CURRENT APPLICATION DATA:
              APPLICATION NUMBER: US/09/813,271B
              FILING DATE: 20-Mar-2001
         PRIOR APPLICATION DATA:
              APPLICATION NUMBER: PCT/EP95/02719
              FILING DATE: 12-Jul-95
              APPLICATION NUMBER: EPO 94810439.3
              FILING DATE: 25-Jul-94
        ATTORNEY/AGENT INFORMATION:
              NAME: Pfeiffer, Hesna J. .
              REGISTRATION NUMBER: 22640
              REFERENCE/DOCKET NUMBER: 4-20039C/C1C1/USN
         TELECOMMUNICATION INFORMATION:
              TELEPHONE: (908) 522-6940
              TELEFAX: (908) 522-6955
  INFORMATION FOR SEQ ID NO: 7:
         SEQUENCE CHARACTERISTICS:
              LENGTH: 336 base pairs
              TYPE: nucleic acid
              STRANDEDNESS: double
              TOPOLOGY: linear
        MOLECULE TYPE: other nucleic acid
              DESCRIPTION: /desc = "recombinant hybrid DNA of
        IMMEDIATE SOURCE:
              CLONE: E. coli LC137/pPLMu.TGF-betal(44/45)beta3
        FEATURE:
              NAME/KEY: mat peptide
              LOCATION: 1..132
              OTHER INFORMATION: /product= "N-terminal 44 amino
              acids of human TGF-betal"
        FEATURE:
              NAME/KEY: mat peptide
              LOCATION: 133..336
              OTHER INFORMATION: /product = "C-terminal 68 amino
              acids of human TGF-beta3"
        FEATURE:
              NAME/KEY: CDS
              LOCATION: 1..336
              OTHER INFORMATION: /product = "hybrid TGF-beta named
              TGF-beta1-3"
        SEQUENCE DESCRIPTION: SEQ ID NO: 7:
US-09-813-271B-7
  Query Match
                          16.8%; Score 227.2; DB 10; Length 336;
  Best Local Similarity 79.8%; Pred. No. 2.6e-51;
 Matches 268; Conservative
                               0; Mismatches
                                                  68; Indels
                                                                 0; Gaps
```

Qу

Db	1		60
Qу	944	TACATTGACTTCCGGAAGGACCTGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCAT	1003
Db	61	TACATTGACTTCCGCAAGGACCTCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCAT	120
Qy	1004	GCCAATTTCTGCCTGGGGCCCTGTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAG	1063
Db	121		180
Qy	1064	GTCCTGGCTCTGTACAACCAGCACAACCCGGGCGCGCGTCGGCGGCGCGCGTGCTGCCG	1123
Db	181	GTGCTGGGACTGTACAACACTCTGAACCCTGAAGCATCTGCCTCGCCTTGCTGCGTGCCC	240
Qy	1124	CAGGCGCTGGAGCCACTGCCCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAG	1183
Db	241	CAGGACCTGGAGCCCTGACCATCCTGTACTATGTTGGGAGGACCCCCAAAGTGGAGCAG	300
Qy	1184	CTGTCCAACATGATCGTGCGTTCCTGCAAGTGCAGC 1219	
Db	301		

Search completed: October 28, 2003, 09:04:27 Job time: 409.106 secs

> GenCore version 5.1.6 Copyright (c) 1993 - 2003 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: October 27, 2003, 10:47:27; Search time 3347.62 Seconds

(without alignments)

9794.056 Million cell updates/sec

Title: US-10-017-372E-32

Perfect score: 1349

Sequence: 1 tggtaccgagatggcgcctt.....gattaaagcggccgcgact 1349

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched: 22781392 seqs, 12152238056 residues

Total number of hits satisfying chosen parameters: 45562784

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : EST:*

1: em_estba:*

```
2: em_esthum:*
3: em_estin:*
4: em_estmu:*
5: em_estov:*
6: em_estpl:*
7: em_estro:*
8: em_htc:*
9: gb est1:*
10: gb_est2:*
11: gb htc:*
12: gb_est3:*
13: gb_est4:*
14: gb_est5:*
15: em_estfun:*
16: em estom:*
    em_gss_hum:*
17:
18: em_gss_inv:*
19:
    em_gss_pln:*
20:
    em_gss_vrt:*
    em_gss_fun:*
21:
22: em_gss_mam:*
23: em_gss_mus:*
24:
    em_gss_pro:*
25: em gss_rod:*
    em_gss_phg:*
26:
27: em_gss_vrl:*
28:
    gb_gss1:*
29: gb_gss2:*
```

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Res	sult No.	Score	% Query Match	Length	DB	ID	Description
	1	715.6	53.0	1072	12	BM562135	BM562135 AGENCOURT
С	2	710.4	52.7	1201	13	BX355682	BX355682 BX355682
C	3	699.4	51.8	983	13	BX335351	BX335351 BX335351
	4	690	51.1	900	13	BX349319	BX349319 BX349319
С	5	658	48.8	1041	13	BX324511	BX324511 BX324511
С	6	619.2	45.9	888	13	BX434425	BX434425 BX434425
	7	619	45.9	1043	12	BM555996	BM555996 AGENCOURT
C	8	612	45.4	950	13	BX383773	BX383773 BX383773
	9	577.4	42.8	859	9	AL530081	AL530081 AL530081
	10	570.6	42.3	713	10	BE312000	BE312000 601154768
	11	562.6	41.7	717	10	BE260971	BE260971 601153715
	12	561.6	41.6	902	13	BQ675698	BQ675698 AGENCOURT
	13	534.4	39.6	925	12	BI818841	BI818841 603037307
С	14	533.8	39.6	841	9	AL530080	AL530080 AL530080
C	15	533.4	39.5	956	12	BI084718	BI084718 602869722
	16	518.6	38.4	1093	12	BQ054305	BQ054305 AGENCOURT
	17	513.8	38.1	871	13	BQ952138	BQ952138 AGENCOURT
	18	510.8	37.9	1049	12	BQ053417	BQ053417 AGENCOURT
	19	506.6	37.6	1013	12	BM469326	BM469326 AGENCOURT

С	20	505.2	37.4	757	14	CA309731	CA309731 UI-H-FT1-
	21	504.8	37.4	943	12	BI909079	BI909079 603070060
	22	502	37.2	821	10	BG748049	BG748049 602705544
	23	501.8	37.2	773	12	BI195242	BI195242 602944518
С	24	498	36.9	1047	13	BX325288	BX325288 BX325288
C	25	478.2	35.4	727	9	AI131171	AI131171 qc15c11.x
С	26	473	35.1	785	9	AI148173	AI148173 qb56d01.x
	27	472.8	35.0	675	10	BE261764	BE261764 601147839
	28	471.8	35.0	637	12	BG938856	BG938856 cn28g07.y
	29	467.8	34.7	748	10	BF682938	BF682938 602117568
	30	464.2	34.4	960	13	BU957001	BU957001 AGENCOURT
С	31	462.6	34.3	722	13	BU632686	BU632686 UI-H-FE1-
С	32	460.8	34.2	928	13	BX412434	BX412434 BX412434
С	33	460.6	34.1	695	14	CA425775	CA425775 UI-H-FE1-
	34	459.6	34.1	659	10	BG500488	BG500488 602544826
	35	458.8	34.0	565	14	CD287835	CD287835 1_M15.abd
C	36	458.6	34.0	697	13	BU633535	BU633535 UI-H-FL1-
C	37	458	34.0	700	13	BU633922	BU633922 UI-H-FL1-
C	38	457.4	33.9	690	13	BU625377	BU625377 UI-H-FG1-
С	39	457.4	33.9	697	14	CA426391	CA426391 UI-H-FE1-
С	40	456.6	33.8	778	9	AI743724	AI743724 wg53b06.x
	41	456.2	33.8	814	12	BI686959	BI686959 603313837
С	42	454	33.7	1015	10	BG683840	BG683840 602651694
	43	453.6	33.6	599	12	BI905963	BI905963 603062849
	44	452.2	33.5	548	12	BM068788	BM068788 ie85a02.y
С	45	451.2	33.4	720	14	CA416525	CA416525 UI-H-FE0-

ALIGNMENTS

```
RESULT 1
BM562135
                                                       linear EST 20-FEB-2002
LOCUS
            BM562135
                                    1072 bp
                                               mRNA
DEFINITION AGENCOURT 6562032 NIH MGC 118 Homo sapiens cDNA clone IMAGE:5745463
            5', mRNA sequence.
ACCESSION
            BM562135
VERSION
            BM562135.1 GI:18807966
KEYWORDS
            EST.
SOURCE
            Homo sapiens (human)
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
            1 (bases 1 to 1072)
  AUTHORS
            NIH-MGC http://mgc.nci.nih.gov/.
  TITLE
            National Institutes of Health, Mammalian Gene Collection (MGC)
            Unpublished
  JOURNAL
COMMENT
            Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue Procurement: Life Technologies, Inc.
             cDNA Library Preparation: Life Technologies, Inc.
             cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
             DNA Sequencing by: Agencourt Bioscience Corporation
             Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
```

Plate: LLAM12768 row: h column: 08

```
High quality sequence stop: 647.
FEATURES
               Location/Qualifiers
               1. .1072
   source
               /organism="Homo sapiens"
               /mol type="mRNA"
               /db_xref="taxon:9606"
               /clone="IMAGE:5745463"
               /tissue type="leukocyte"
               /lab host="DH10B"
               /clone_lib="NIH_MGC_118"
               /note="Vector: pCMV-SPORT6; Site_1: NotI; Site_2: EcoRV
               (destroyed); RNA source leukocytes from anonymous pool of
               non-activated adult donors. Library is oligo-dT primed
               and directionally cloned (EcoRV site is destroyed upon
               cloning). Average insert size 1.7 kb, insert size range
               1.2-3.3 kb. Library is normalized and enriched for
               full-length clones and was constructed by C. Gruber
               (Invitrogen). Research Genetics tracking code 027. Note:
               this is a NIH MGC Library."
BASE COUNT
           217 a
                  356 c
                        313 q
ORIGIN
 Query Match
                   53.0%; Score 715.6; DB 12; Length 1072;
 Best Local Similarity 82.5%; Pred. No. 2.4e-145;
 Matches 886; Conservative
                        0; Mismatches 144; Indels
                                              44; Gaps
                                                        4;
Qу
       127 GCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGCT 186
          Db
        20 GCTGGTGAAGCGGAAGCGCATCTAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGCT 79
       Qу
           Db
       247 TCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGCC 306
Qу
           140 CCTGTACAACAGCACCCGCGACCGGGTGGCCGGGGAGAGTGCAGAACCGGAGCCCGAGCC 199
Db
       307 AGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACCA 366
Qу
           200 TGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACGA 259
Dh
       367 AATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGGA 426
Qу
          Db
Qу
       427 GCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGAG 486
          320 GCTCCGAGAAGCGGTACCTGAACCCGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGAG 379
Db
       487 GCTCAAGTTAAAAGTGGAGCACCTGGAGCTATACCAGAAATACAGCAATGATTCCTG 546
Qу
          380 GCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTGTACCAGAAATACAGCAACAATTCCTG 439
Db
       547 GCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTGA 606
Qу
```

High quality sequence start: 9

Db 4	GCGATACCTCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTTGA	499
Qy 6	TGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCCT	666
Db 5	TGTCACCGGAGTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTCGCCT	559
Qy 6	CAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGTT	726
Db 5	TAGCGCCCACTGCTCCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACGGGTT	619
Qy 7	CAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGCT	786
Db 6	CACTACCGGCCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGCT	679
Qy 7	CCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAGC	846
Db 6	TCTCATGGCCACCCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGCCGAGC	739
	CCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCTT	
Db 7		761
Qy 9	CAGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCT	966
Db 7	CAGCTCCCCGGAGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAGGGACCT	821
Qy 9	GGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTG	1026
Db 8	CĠĠĊŦĠĠĂĀĠŦĠĠĂŦĊĊĂĊĠĂĠĊĊĊĊĂĀĠĠĊŦĂĊĊĂŦĠĊĊĊĀĊŦŦĊŦĠĊĊŦĊĠĠĠĊĊĊŦĠ	881
Qy 10	TCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGCA	1086
Db 8	CCCCTACATTTGGAGCCTGGACACGCGTACCAGCAAGTCCCTGGCCCTGTACACCCGCCA	941
Qy 10	CAACCCGGGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCG	1144
Db 9	TÄÄCCGĠĠCGCCTCĠĠĊĠĊĠĊĠĠGTTTĠĊTĠĠGCĊCAĠĠĊĊĊŤĠĠĂĊĊĊĊŤĠĊĊĊ	1001
Qy 11	ATCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACAT 1194	
Db 10	CTTCGGGGTACTACCTGGGGCGCCAAGCCCCAAGTGGGAACACCTGTCCCACAT 1055	
RESULT 2 BX355682/c LOCUS DEFINITION ACCESSION	355682 1201 bp mRNA linear EST 05-MAY 355682 Homo sapiens PLACENTA COT 25-NORMALIZED Homo sapiens one CS0DI002YJ05 3-PRIME, mRNA sequence. 355682	
VERSION VERSION KEYWORDS SOURCE ORGANISM	355682.1 GI:30371987 T. mo sapiens (human) mo sapiens karyota; Metazoa; Chordata; Craniata; Vertebrata; Euteleoston	ni:
REFERENCE AUTHORS	mmalia; Eutheria; Primates; Catarrhini; Hominidae; Homo. (bases 1 to 1201) ,W.B., Gruber,C., Jessee,J. and Polayes,D.	,

```
TITLE
          Full-length cDNA libraries and normalization
  JOURNAL
          Unpublished
COMMENT
          Contact: Genoscope
          Genoscope - Centre National de Sequencage
          BP 191 91006 EVRY cedex - France
          Email: seqref@genoscope.cns.fr, Web: www.genoscope.cns.fr
          Library was constructed by Life Technologies, a division of
          Invitrogen. This sequence belongs to sequence cluster 9160.r For
          more information about this cluster, see
          http://www.genoscope.cns.fr/
          cgi-bin/cluster.cgi?seq=CS0DI002CE03NP1&cluster=9160.r. Contact :
          Feng Liang Email : fliang@lifetech.com URL :
          http://fulllength.invitrogen.com/ InVitroGen Corporation 1600
          Faraday Avenue Genoscope sequence ID: CS0DI002CE03NP1.
FEATURES
                  Location/Qualifiers
                  1. .1201
    source
                  /organism="Homo sapiens"
                  /mol type="mRNA"
                  /db xref="taxon:9606"
                  /clone="CS0DI002YJ05"
                  /tissue type="PLACENTA COT 25-NORMALIZED"
                  /clone lib="Homo sapiens PLACENTA COT 25-NORMALIZED"
                  /note="1st strand cDNA was primed with a NotI-oligo(dT)
                  primer. Five prime end enriched, double-strand cDNA was
                  digested with Not I and cloned into the Not I and EcoR V
                  sites of the pCMVSPORT 6 vector. Library was normalized."
BASE COUNT
              198 a
                     326 c
                             386 q
                                     253 t
                                              38 others
ORIGIN
  Query Match
                      52.7%; Score 710.4; DB 13; Length 1201;
 Best Local Similarity 82.8%; Pred. No. 3.4e-144;
 Matches 902; Conservative 8; Mismatches 126; Indels
                                                       53; Gaps
                                                                  7;
        260 ACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGCCAGAG-GCGGACTA 318
Qу
            Db
        1046 AACCGCGACCGGGTGGCCGGG--AGAKKCAGAACCGGAGCCCGAGCCTGAGCCCGRACTA 989
        319 CTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACCAAATCTATGATAA 378
Qу
            Db
        988 CTACGCCAAGGAGGTMACCCGCGTGCTAATGGTGGAAACCCACAACGAAATCTATGACAA 929
Qу
        379 ATTCAAGGCACCCCCACAGCTTATATATGCTGTTCAACACGTCGGAGCTCCGGGAAGC 438
                   Db
        928 GTTCAAGCAGAGTACACAGCATATATATGTTCTTCAACACATCAGAGCTCCGAGAAGC 869
        439 GGTGCCGGAACCTGTATTGCTCT-CTCGGGCAGAGCTGCGCCTGCTGAGGCTCAAGTTAA 497
Qу
            Db
        868 GGTACCTGAACCCGTGTTGCTCTCCCCGGGCAGAGCTGCGTCTGCTGAGGCTCAAGTTAA 809
        498 AAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCTGGCGCTACCTCA 557
Qу
            Db
        808 AAGTGGAGCACCACGAGCTGTACCAGAAATACAGCAACAATTCCTGGCGATACCTCA 749
Qу
        558 GCAACCGGCTGCTGGCCCCAGTGACTCACCGGAGTGGCTGTCCTTTGATGTCACCGGAG 617
            Db
        748 GCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTTGATGTCACCGGAG 689
```

Qу	618	TTGTGCGGCAGTGGCTGACCCGCAGAGAGGGCTATAGAGGGTTTTCGCCTCAGTGCCCACT	677
Db	688	TTGTGCGGCAGTGGTTGAGCCCTGGAGGGGAAATTGA-GGCTTTCGCCTTAGCGCCCACT	630
Qу	678	CTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGTTCAATTCTGGCC	737
Db	629		570
Qу	738	GCCGGGGTGACCTGCCACCATTCACGGCATGAACCGGCCCTTCCTGCTCCTCATGGCCA	797
Db	569	GCCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGCTTCTCATGGCCA	510
Qy	798	CCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAGCCCTGGATACCA	857
Db	509	CCCCGCTGGAGAGGCCCAGCATCTGCAAAGCTCCCGGCACCGCCGAGCCCTGGAC	454
Qу	858	ACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCTTCAGCTCCACGG	917
Db	453	ACCAACTATTGCTTCAGCTCCACGG	429
Qу	918	AGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTGGAAGT	977
Db	428	AGAAGNACTGCTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTGGAAGT	369
Qу	978	GGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTACATCT	1037
Db	368		309
Qу	1038	GGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGCACAACCCGGGCG	1097
Db	308	GGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCCGGGCG	249
Qу	1098	CGTCGGCGGCGCCGTGCTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTACTACG	1157
Db	248	CCTCGGCGGCGCCGTGCTGCGCGCAGGCGCTGGAGCCGCTGCCCATCGTGTACTACG	189
Qу	1158	TGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAAGTGCA	1217
Db	188	TGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAAGTGCA	129
Qу	1218	GCTGAGGCCCGCCCCACAGCCCCGCCCACCCGGCAGGCCCGGCCCACCCCCGCC	1277
Db	128	GCTGAGGTCCCGCCCGCCCCGCCCCGCCCCGCCCGCCCCGCCCCCC	69
Qy	1278	CGCCTCACCGGGGCTGTATTTAAGGACATCGTGCCCCAAGCCCACTTGGGAT	1329
Db	68	CCGCTGCCTTGCCCATGGGGGCTGTATTTAA-GACACCCGTCCCCAAGCCCACNNAMNNM	10
Qy	1330	CGATTAAAG 1338 :: : :	
Db	9	MDATHAAAS 1	

RESULT 3 BX335351/c

LOCUS BX335351 983 bp mRNA linear EST 01-MAY-2003 DEFINITION BX335351 Homo sapiens PLACENTA COT 25-NORMALIZED Homo sapiens CDNA

```
ACCESSION
          BX335351
VERSION
          BX335351.1 GI:30308367
KEYWORDS
          EST.
SOURCE
          Homo sapiens (human)
 ORGANISM Homo sapiens
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
             (bases 1 to 983)
          Li, W.B., Gruber, C., Jessee, J. and Polayes, D.
 AUTHORS
 TITLE
          Full-length cDNA libraries and normalization
 JOURNAL
          Unpublished
COMMENT
          Contact: Genoscope
          Genoscope - Centre National de Sequencage
          BP 191 91006 EVRY cedex - France
          Email: segref@genoscope.cns.fr, Web : www.genoscope.cns.fr
          Library was constructed by Life Technologies, a division of
          Invitrogen. This sequence belongs to sequence cluster 9160.r For
          more information about this cluster, see
          http://www.genoscope.cns.fr/cgi-bin/cluster.cgi?seq=CS0DI013DD08NP1
          &cluster=9160.r. Contact : Feng Liang Email : fliang@lifetech.com
          URL: http://fulllength.invitrogen.com/ InVitroGen Corporation 1600
          Faraday Avenue Genoscope sequence ID : CS0DI013DD08NP1.
FEATURES
                  Location/Qualifiers
    source
                  1. .983
                  /organism="Homo sapiens"
                   /mol type="mRNA"
                   /db xref="taxon:9606"
                   /clone="CS0DI013YH16"
                  /tissue type="PLACENTA COT 25-NORMALIZED"
                   /clone lib="Homo sapiens PLACENTA COT 25-NORMALIZED"
                  /note="1st strand cDNA was primed with a NotI-oligo(dT)
                  primer. Five prime end enriched, double-strand cDNA was
                  digested with Not I and cloned into the Not I and EcoR V
                  sites of the pCMVSPORT 6 vector. Library was normalized."
BASE COUNT
              170 a
                      280 c
                              323 g
                                      203 t
                                                7 others
ORIGIN
                       51.8%; Score 699.4; DB 13; Length 983;
 Query Match
 Best Local Similarity 84.4%; Pred. No. 7.9e-142;
 Matches 857: Conservative 5: Mismatches 107: Indels
                                                        47: Gaps
Qу
         278 GGGGAAAGTGTCGAACCGGAGCCCGAGCCAGAGGCGGACTACTACGCCAAGGAGGTCACC 337
            983 GGGGAGAGTGCAGAACCGGAGCCCGAGCCTGAGGCCGACTACTACGCCAAGGAGGTCACC 924
Db
         338 CGCGTGCTAATGGTGGAAAGCGGCAACCAAATCTATGATAAATTCAAGGGCACCCCCCAC 397
Qу
            Db
         923 CGCGTGCTAATGGTGGARACCCACAACGAAATCTATGACAAGTTCAAGCAGAGTACACAC 864
         398 AGCTTATATATGCTGTTCAACACGTCGGAGCTCCGGGAACCGGTGCCGGAACCTGTATTG 457
Qу
            863 AGCATATATGTTCTTCAACACATCAGAGCTCCGAGAAGCGGTACCTGAACCCGTGTTG 804
Db
         458 CTCTCTCGGGCAGAGCTGCGCCTGCTGAGGCTCAAGTTAAAAGTGGAGCAGCACGTGGAG 517
Qу
            Db
```

clone CS0DI013YH16 3-PRIME, mRNA sequence.

QУ	518	CTATACCAGAAATACAGCAATGATTCCTGGCGCTACCTCAGCAACCGGCTGCTGGCCCCC	577
Db	743		684
Qy	578	AGTGACTCACCGGAGTGGCTGTCCTTTGATGTCACCGGAGTTGTGCGGCAGTGGCTGACC	637
Db	683		624
Qу	638	CGCAGAGAGGCTATAGAGGGTTTTCGCCTCAGTGCCCACTCTTCCTCTGACAGCAAAGAT	697
Db	623	CGTGGAGGGGAAATTGA-GGCTTTCGCCTTAGCGCCCACTGCTCCTGTGACAGCAGGGAT	565
Qу	698	AACACACTCCACGTGGAAATTAACGGGTTCAATTCTGGCCGCCGGGGTGACCTGGCCACC	757
Db	564	AACACACTGCAAGTGGACATCAACGGGTTCACTACCGGCCGCCGAGGTGACCTGGCCACC	505
Qy	758	ATTCACGGCATGAACCGGCCCTTCCTGCTCCTCATGGCCACCCCGCTGGAGAGGGCCCAG	817
Db	504	ATTCATGGCATGAACCGGCCTTTCCTGCTTCTCATGGCCACCCCGCTGGAGAGGGCCCAG	445
Qy	818	CACCTGCACAGCTCCCGGCACCGCCGAGCCCTGGATACCAACGACTACAAGGATGACGAC	877
Db	444	CATCTGCAAAGCTCCCGGCACCGCCGA	418
Qy	878	GACAAGGCCCTGGATACCAACTACTGCTTCAGCTCCACGGAGAAGAACTGCTGCGTGCG	937
Db	417	GCCCTGGACACCAACTATTGCTTCAGCTCCACGGAGAAGAACTGCTGCGTGCG	364
Qy	938	CAGCTCTACATTGACTTCCGGAAGGACCTGGGCTGGAAGTGGATTCATGAACCCAAGGGC	997
Db	363	CAGCTGTACATTGACTTCCGCAAGGACCTCGGCTGGAAGTGGATCCACGAGCCCAAGGGC	304
Qy	998	TACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTACATCTGGAGCCTAGACACTCAGTAC	1057
Db	303	TACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTACATTTGGAGCCTGGACACGCAGTAM	244
Qy :	1058	AGCAAGGTCCTGGCTCTGTACAACCAGCACAACCCGGGCGCGTCGGCGGCGCCGTGCTGC :	1117
Db	243	MMCAAGGTCCTGGCCMTGTACAACCAGCATAACCC-GGCGCCTCGGCGGCGCCGTNGT-C	186
Qy :	1118	GTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTG	1177
Db	185	GTGCCGCAGGCGCTGCCCATCGTGTACTACGTGGGCTGCAAGCCCAAGGTG	126
Qy :	1178	GAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAAGTGCAGCTGAGGCCCCGCCCCCCCC	1237
Db	125	GAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAAGTGCAGCTGAGGTCCCGCCCCGCC-	67
Qy 1	1238	ACAGCCCGCCCACCCGGCAGGCCCGGCCCACCCCGCCGCC	3
Db	66	CCGCCCCGCCCGGCAGGCCCGCCCCCCCCCCCCCC	

```
DEFINITION BX349319 Homo sapiens B CELLS (RAMOS CELL LINE) COT 25-NORMALIZED
          Homo sapiens cDNA clone CS0DL010YL07 5-PRIME, mRNA sequence.
ACCESSION
          BX349319
          BX349319.1 GI:30379410
VERSION
KEYWORDS
          EST.
SOURCE
          Homo sapiens (human)
 ORGANISM Homo sapiens
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
          1 (bases 1 to 900)
          Li, W.B., Gruber, C., Jessee, J. and Polayes, D.
 AUTHORS
 TITLE
          Full-length cDNA libraries and normalization
 JOURNAL
          Unpublished
          Contact: Genoscope
COMMENT
          Genoscope - Centre National de Sequencage
          BP 191 91006 EVRY cedex - France
          Email: segref@genoscope.cns.fr, Web : www.genoscope.cns.fr
          Library was constructed by Life Technologies, a division of
          Invitrogen. This sequence belongs to sequence cluster 9160.r For
          more information about this cluster, see
          http://www.genoscope.cns.fr/
          cgi-bin/cluster.cgi?seq=CS0BAG059ZD04_CS05596_1&cluster=9160.r.
          Contact : Feng Liang Email : fliang@lifetech.com URL :
          http://fulllength.invitrogen.com/ InVitroGen Corporation 1600
          Faraday Avenue Genoscope sequence ID: CS0BAG059ZD04 CS05596 1.
FEATURES
                  Location/Qualifiers
                  1. .900
    source
                  /organism="Homo sapiens"
                  /mol_type="mRNA"
                  /db_xref="taxon:9606"
                  /clone="CS0DL010YL07"
                  /cell_type="B CELLS (RAMOS CELL LINE) COT 25-NORMALIZED"
                  /cell line="RAMOS CELL LINE"
                  /clone lib="Homo sapiens B CELLS (RAMOS CELL LINE) COT
                  25-NORMALIZED"
                  /note="1st strand cDNA was primed with a NotI-oligo(dT)
                  primer. Five prime end enriched, double-strand cDNA was
                  digested with Not I and cloned into the Not I and EcoR V
                  sites of the pCMVSPORT 6 vector. Library was normalized."
                                               4 others
BASE COUNT
              179 a
                      292 c
                              270 q
                                     155 t
ORIGIN
                       51.1%; Score 690; DB 13; Length 900;
  Query Match
 Best Local Similarity 87.6%; Pred. No. 8.5e-140;
 Matches 753: Conservative 0: Mismatches 107: Indels
          QУ
                 Db
          66 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
Qу
             Db
          90 TGGTGCTGACGCCTGGCCGGCCGGCCGCGGGACTATCCACCTGCAAGACTATCGACATGG 149
         126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
Qу
            150 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC 209
Db
```

Qу	86 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245
Db	
Qу	46 CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC 305
Db	70 CCCTGTACAACAGCACCCGCGACCGGGTGGCCGGGGAGAGTGCAGAACCGGAGCCCGAGC 329
Qу	06 CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC 365
Db	30 CTGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG 389
Qу	66 AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG 425
Db	90 AAATCTATGACAAGTTCAAGCAGAGTACACACAGCATATATAT
Qy	26 AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA 485
Db	50 AGCTCCGAGAAGCGGTACCTGAACCCGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGA 509
Qy	86 GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT 545
Db	10 GGCTCAAGTTAAAAGTGGAGCAGCACGTGGAGCTGTACCAGAAATACAGCAACAATTCCT 569
Qy	46 GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTG 605
Db	70 GGCGATACCTCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTTG 629
Qy	06 ATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCC 665
Db	30 ATGTCACCGGAGTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTCGCC 689
Qу	66 TCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGT 725
Db	90 TTAGCGCCCACTGCTCCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACGGGT 749
Qу	26 TCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGC 785
Db	50 TCACTACCGGCCGCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTTCTGC 809
Qу	86 TCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAG 845
Db	10 TTCTCATGGCCACCCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGNCGAG 869
Qу	46 CCCTGGATACCAACGACTAC 865
Db	70 CCCTGGNACACCACTATTGC 889

RESULT 5 BX324511/c

LOCUS BX324511 1041 bp mRNA linear EST 02-MAY-2003 DEFINITION BX324511 Homo sapiens NEUROBLASTOMA COT 25-NORMALIZED Homo sapiens CDNA clone CS0DC024YD20 3-PRIME, mRNA sequence.

ACCESSION BX324511

VERSION BX324511.1 GI:30332381

```
KEYWORDS
          EST.
SOURCE
          Homo sapiens (human)
 ORGANISM
          Homo sapiens
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
             (bases 1 to 1041)
 AUTHORS
          Li, W.B., Gruber, C., Jessee, J. and Polayes, D.
          Full-length cDNA libraries and normalization
 TITLE
 JOURNAL
          Unpublished
          Contact: Genoscope
COMMENT
          Genoscope - Centre National de Sequencage
          BP 191 91006 EVRY cedex - France
          Email: segref@genoscope.cns.fr, Web: www.genoscope.cns.fr
          Library was constructed by Life Technologies, a division of
          Invitrogen. This sequence belongs to sequence cluster 9160.r For
          more information about this cluster, see
          http://www.genoscope.cns.fr/
          cgi-bin/cluster.cgi?seq=CSOACO24DB10NP2&cluster=9160.r. Contact :
          Feng Liang Email : fliang@lifetech.com URL :
          http://fulllength.invitrogen.com/ InVitroGen Corporation 1600
          Faraday Avenue Genoscope sequence ID : CSOACO24DB10NP2.
FEATURES
                  Location/Qualifiers
                  1. .1041
    source
                  /organism="Homo sapiens"
                  /mol type="mRNA"
                  /db xref="taxon:9606"
                  /clone="CS0DC024YD20"
                  /tissue_type="NEUROBLASTOMA COT 25-NORMALIZED"
                  /clone lib="Homo sapiens NEUROBLASTOMA COT 25-NORMALIZED"
                  /note="1st strand cDNA was primed with a NotI-oligo(dT)
                  primer. Five prime end enriched, double-strand cDNA was
                  digested with Not I and cloned into the Not I and EcoR V
                  sites of the pCMVSPORT 6 vector. Library was normalized."
                                      219 t
BASE COUNT
              176 a
                      283 C
                              346 g
                                              17 others
ORIGIN
                       48.8%; Score 658; DB 13; Length 1041;
 Query Match
 Best Local Similarity 81.3%; Pred. No. 8.1e-133;
 Matches 868; Conservative 10; Mismatches 135; Indels
                                                         55:
        279 GGGAAAGTGTCGAACCGGAGCCCAGCCAGAGGCGGACTACTACGCCAAGGAGGTCACCC 338
Qу
            1022 SGGGAGAKGSAGAACCGGAGCCCGACCCTRASCCR---ACTAYACCCCAAGRAGTCACCC 966
Db
        339 GCGTGCTAATGGTGGAAAGCGGCAACCAAATCTATGATAAATTCAAGGGCACCCCCCACA 398
Qу
            Db
        965 GCGTGYTAATGKT-GAAACCCACAACGAAATCTATGACAAGTTCAAGCAGAGTACACACA 907
        399 GCTTATATATGCTGTTCAACACGTCGGAGCTCCGGGAAGCGGTGCCGGAACCTGTATTGC 458
Qу
            906 GCATATATATGTTCTTCAACACATCAGAGCTCCGAGAAGCGGTACCTGAACCCGTGTTGC 847
Db
         Qу
            Db
        846 TCTCCCSGGCAGAGCTGCGTCTGCTGAGGCTCAAGTTAAAAGTGGAGCACCACGTGGAG 787
        518 CTATACCAGAAATACAGCAATGATTCCTGGCGCTACCTCAGCAACCGGCTGCTGGCCCCC 577
Qу
```

Db	786		727
Qу	578	AGTGACTCACCGGAGTGGCTGTCCTTTGATGTCACCGGAGTTGTGCGGCAGTGGCTGACC	637
Db	726		667
Qу	638	CGCAGAGAGGCTATAGAGGGTTTTCGCCTCAGTGCCCACTCTTCCTCTGACAGCAAAGAT	697
Db	666	CGTGGAGGGGAAATTGA-GGCTTTCGCCTTAGCGCCCACTGCTCCTGTGACAGCAGGGAT	608
Qy	698	AACACACTCCACGTGGAAATTAACGGGTTCAATTCTGGCCGCCGGGGTGACCTGGCCACC	757
Db	607	AACACACTGCAAGTGGACATCAACGGGTTCACTACCGGCCGCCGAGGTGACCTGGCCACC	548
Qу	758	ATTCACGGCATGAACCGGCCCTTCCTGCTCCTCATGGCCACCCCGCTGGAGAGGGCCCAG	817
Db	547	ATTCATGGCATGAACCGGCCTTTCCTGCTTCTCATGGCCACCCCGCTGGAGAGGGCCCAG	488
Qy	818	CACCTGCACAGCTCCCGGCACCGCCGAGCCCTGGATACCAACGACTACAAGGATGACGAC	877
Db	487	CATCTGCAAAGCTCCCGGCACCGCCGAGCCCTGGAC	452
Qy	878	GACAAGGCCCTGGATACCAACTACTGCTTCAGCTCCACGGAGAAGAACTGCTGCGTGCG	937
Db	451	ACCAACTATTGCTTCAGCTCCACGGAGAAGAACTGCTGCGTGCG	407
Qy	938	CAGCTCTACATTGACTTCCGGAAGGACCTGGGCTGGAAGTGGATTCATGAACCCAAGGGC	997
Db	406	CAGCTGTACATTGACTTCCGCAAGGACCTCGGCTGGAAGTGGATCCACGAGCCCAAGGGC	347
Qy	998	TACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTACATCTGGAGCCTAGACACTCAGTAC	1057
Db	346	TACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTACATTTGGAGCCTGGACACGCAGTAC	287
Qy	1058	AGCAAGGTCCTGGCTCTGTACAACCAGCACAACCCGGGCGCGTCGGCGGCGCCGTGCTGC	1117
Db	286	AGCAAGGTCCTGGCCCTGTACAACCAGCATAACCC-GGCGCCTCGGCGCCGCGCGCCTG-TGC	229
Qу	1118	GTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTG	1177
Db	228	GTGCCGCAGGCGCTGCCCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTG	169
Qy	1178	GAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAAGTGCAGCTGAGGCCCCGCCCCCCCC	1237
Db	168	GAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAAGTGCAGCTGAGGTCCCGCCCCCCCC	109
Qy	1238	ACAGCCCCGCCACCCGGCAGGCCCGGCCCCACCCCGCCCGCCTCACCGGG	1289
Db	108	CGCCCGGCCCGGCCCGGCCCCACCCCGCCCCCCCGCTGCCTTGCCCATGGGG	49
Qy	1290	GCTGTATTTAAGGACATCGTGCCCCAAGCCCACTTGGGATCGATTAAA 1337	
Db	48	GCTGTATTTAAGGACACCCGTCCCCAAGCCCACCTGGSCACCCAYTAA 1	

```
BX434425/c
                                                            EST 15-MAY-2003
LOCUS
                                  888 bp
                                            mRNA
                                                   linear
           BX434425
DEFINITION BX434425 Homo sapiens PLACENTA Homo sapiens cDNA clone CS0DE014YE16
           3-PRIME, mRNA sequence.
ACCESSION
           BX434425
           BX434425.1 GI:30779291
VERSION
KEYWORDS
           EST.
SOURCE
           Homo sapiens (human)
 ORGANISM Homo sapiens
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
           1 (bases 1 to 888)
           Li, W.B., Gruber, C., Jessee, J. and Polayes, D.
 AUTHORS
 TITLE
           Full-length cDNA libraries and normalization
           Unpublished
 JOURNAL
COMMENT
           Contact: Genoscope
           Genoscope - Centre National de Sequencage
           BP 191 91006 EVRY cedex - France
           Email: segref@genoscope.cns.fr, Web: www.genoscope.cns.fr
           Library was constructed by Life Technologies, a division of
           Invitrogen. This sequence belongs to sequence cluster 9160 r For
           more information about this cluster, see
           http://www.genoscope.cns.fr/
           cqi-bin/cluster.cqi?seq=CS0BAK028AB08NM1&cluster=9160.r. Contact :
           Feng Liang Email : fliang@lifetech.com URL :
           http://fulllength.invitrogen.com/ InVitroGen Corporation 1600
           Faraday Avenue Genoscope sequence ID : CS0BAK028AB08NM1.
FEATURES
                    Location/Qualifiers
                    1. .888
    source
                    /organism="Homo sapiens"
                    /mol_type="mRNA"
                    /db xref="taxon:9606"
                    /clone="CS0DE014YE16"
                    /tissue type="PLACENTA"
                    /clone lib="Homo sapiens PLACENTA"
                    /note="Vector: pCMVSPORT 6; 1st strand cDNA was primed
                    with a NotI-oligo(dT) primer. Five prime end enriched,
                    double-strand cDNA was digested with Not I and cloned into
                    the Not I and EcoRV sites of the pCMVSPORT 6 vector.
                   Library was not normalized."
BASE COUNT
               156 a
                       253 c
                                302 q
                                        176 t
                                                 1 others
ORIGIN
                        45.9%; Score 619.2; DB 13; Length 888;
 Best Local Similarity
                        83.4%; Pred. No. 2.1e-124;
 Matches 770; Conservative
                              0; Mismatches 104; Indels
                                                            49; Gaps
         428 CTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGAGG 487
Qу
                   1 111111111111111111111111
Db
         888 CTCCAAAAAGCGGTACCTGAACCCTTGTTGTCTNCCCGGGCAGAGCTGCGTCTGCTGA-G 830
         488 CTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCTGG 547
Qу
             Db
         829 CTCAAGTTTAAAATGGAGCAGCACGTGGAGCTGTACCAGAAATACAGCAACAATTCCTGG 770
         548 CGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTGAT 607
Qу
```

Db	769	$\tt CGATACCTCAGCAACCGGCTGCTGGCACACAGCGACTCGCCAGAGTGGTTATCTTTTGAT$	710
Qу	608	GTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCCTC	667
Db	709		650
Qу	668	AGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGTTC	727
Db	649	AGCGCCCACTGCTCCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACGGGTTC	590
Qу	728	AATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGCTC	787
Db	589	ACTACCGGCCGCCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGCTT	530
Qу	788	CTCATGGCCACCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAGCC	847
Db	529	CTCATGGCCACCCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGCCGA	473
Qу	848	CTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCTTC	907
Db	472	GCCCTGGACACCAACTATTGCTTC	449
Qу	908	AGCTCCACGGAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTG	967
Db	448	AGCTCCACGGAGAACAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTC	389
Qу	968	GGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGT	1027
Db	388	GGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGC	329
Qу	1028	CCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGCAC	1087
Db	328	CCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCAT	269
Qу	1088	AACCCGGGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGC	1147
Db	268	AACCCGGGCGCCTCGGCGCGCGCGCGCGCGCGCGCGCGCCATC	209
Qу	1148	GTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCC	1207
Db	208	GTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCC	149
Qу	1208	TGCAAGTGCAGCTGAGGCCCCGCCCCACAGCCCCGCCCACCCGGCAGGCCCGGCCC	1267
Db	148	TGCAAGTGCAGCTGAGGTCCCGCCCCGCCCCGCCCCGCC	89
Qy	1268	CACCCCGCCCGCCTCACCGGGGCTGTATTTAAGGACA-TCGTGCCCCAAGC	1318
Db	88	CGCCCGCCCCCGCTGCCCATGGGGGCTGTATTTAAGGACACCCGTGCCCCAAGC	29
Qy	1319	CCACTTGGGATCGATTAAAGCGG 1341	
Db	28	CCACCTGGGCCCCATTAAAGAGG 6	

```
1043 bp
                                           mRNA
LOCUS
          BM555996
DEFINITION AGENCOURT 6544437 NIH MGC 88 Homo sapiens cDNA clone IMAGE:5550039
           5', mRNA sequence.
ACCESSION
          BM555996
VERSION
          BM555996.1 GI:18796907
KEYWORDS
          EST.
SOURCE
          Homo sapiens (human)
 ORGANISM Homo sapiens
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
          1 (bases 1 to 1043)
REFERENCE
          NIH-MGC http://mgc.nci.nih.gov/.
 AUTHORS
          National Institutes of Health, Mammalian Gene Collection (MGC)
 TITLE
 JOURNAL
          Unpublished
COMMENT
          Contact: Robert Strausberg, Ph.D.
           Email: cgapbs-r@mail.nih.gov
           Tissue Procurement: ATCC
            cDNA Library Preparation: Life Technologies, Inc.
           cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
           DNA Sequencing by: Agencourt Bioscience Corporation
            Clone distribution: MGC clone distribution information can be
           found through the I.M.A.G.E. Consortium/LLNL at:
           http://image.llnl.gov
           Plate: LLAM12261 row: i column: 16
           High quality sequence stop: 702.
                   Location/Qualifiers
FEATURES
                   1. .1043
    source
                   /organism="Homo sapiens"
                   /mol type="mRNA"
                   /db xref="taxon:9606"
                   /clone="IMAGE:5550039"
                   /tissue type="duodenal adenocarcinoma, cell line"
                   /lab host="DH10B (phage-resistant)"
                   /clone_lib="NIH_MGC_88"
                   /note="Organ: small intestine; Vector: pCMV-SPORT6;
                   Site 1: NotI; Site 2: SalI; Cloned unidirectionally;
                   oligo-dT primed. Average insert size 1.767 kb. Library
                   enriched for full-length clones and constructed by Life
                   Technologies. Note: this is a NIH MGC Library."
BASE COUNT
              202 a
                      329 c
                              345 q
                                       154 t
                                                13 others
ORIGIN
                        45.9%; Score 619; DB 12; Length 1043;
 Query Match
 Best Local Similarity 82.0%; Pred. No. 2.5e-124;
 Matches 734; Conservative 0; Mismatches 122; Indels
                                                          39; Gaps
         396 ACAGCTTATATATGCTGTTCAACACGTCGGAGCTCCGGGAAGCGGTGCCGGAACCTGTAT 455
Qу
             dU
           1 ACAGCATATATGTTCTTCAACACATCAGAGCTCCGAGAAGCGGTACCTGAACCCGTGT 60
         456 TGCTCTCTCGGGCAGAGCTGCGCCTGCTGAGGCTCAAGTTAAAAGTGGAGCACGTGG 515
Qу
             Db
          61 TGCTCTCCCGGGCAGAGCTGCGTCTGCTGAGGCTCAAGTTAAAAGTGGAGCACGTGG 120
Qу
         516 AGCTATACCAGAAATACAGCAATGATTCCTGGCGCTACCTCAGCAACCGGCTGCTGGCCC 575
             Db
         121 AGCTGTACCAGAAATACAGCAACAATTCCTGGCGATACCTCAGCAACCGGCTGCTGGCAC 180
```

linear

EST 20-FEB-2002

Qy	576	CCAGTGACTCACCGGAGTGGCTGTCCTTTGATGTCACCGGAGTTGTGCGGCAGTGGCTGA	635
Db	181	CCAGCGACTCGCCAGAGTGGTTATCTTTTGATGTCACCGGAGTTGTGCGGCAGTGGTTGA	240
Qу	636	CCCGCAGAGAGGCTATAGAGGGTTTTCGCCTCAGTGCCCACTCTTCCTCTGACAGCAAAG	695
Db	241	GCCGTGGAGGGGAAATTGAGGGCTTTCGCCTTAGCGCCCACTGCTCCTGTGACAGCAGGG	300
Qу	696	ATAACACACTCCACGTGGAAATTAACGGGTTCAATTCTGGCCGCCGGGGTGACCTGGCCA	755
Db	301	ATAACACACTGCAAGTGGACATCAACGGGTTCACTACCGGCCGCCGAGGTGACCTGGCCA	360
Qy	756	CCATTCACGGCATGAACCGGCCCTTCCTGCTCCTCATGGCCACCCCGCTGGAGAGGGCCC	815
Db	361	CCATTCATGGCATGAACCGGCCTTTCCTGCTTCTCATGGCCACCCCGCTGGAGAGGGCCC	420
Qy	816	AGCACCTGCACAGCTCCCGGCACCGCCGAGCCCTGGATACCAACGACTACAAGGATGACG	875
Db	421	AGCATCTGCAAAGCTCCCGGCACCGCCGA	449
Qy	876	ACGACAAGGCCCTGGATACCAACTACTGCTTCAGCTCCACGGAGAAGAACTGCTGCGTGC	935
Db	450	GCCCTGGACACCAACTATTGCTTCAGCTCCACGGAGAAGAACTGCTGCGTGC	501
Qy	936	GGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTGGAAGTGGATTCATGAACCCAAGG	995
Db	502	GGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTGGAAGTGGATCCACGAGCCCAAGG	561
Qy	996	GCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTACATCTGGAGCCTAGACACTCAGT	1055
Db	562	GCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTACATTTGGAGCCTGGACACGCAGT	621
QУ	1056	ACAGCAAGGTCCTGGCTCTGTACAACCAGCACAACCCGGGCGCGCGC	1115
Db	622	ACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCCGGGCGCCCTCGGCGCGCCCTGCT	681
Qy	1116	GCGTGCCGCAGGCGCTGGAGCCCATCGTGTACTACGTGGGCCGCAAGCCCAAGG	1175
Db	682	GCGTGCCGCAGGCGCTGCCCATCGTGTACTACGTGGGCCGCAAGCCCAAGG	741
Qу	1176	TGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAAGTGCAGCTGAGGCCCCGCCCCGC	1235
Db	742	TGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAGTGCACCTTGAAGGGTCCGGCCCC	801
Qy	1236	CCACAGCCCGCCCACCCGGCAGGCCCGGCCCACCCCGCCG	
Db	802	CACNCGGGNCNNNNNGGNNNNGGGGGGCCCCGGGGCCCCGCGGCCCGGG	

RESULT 8 BX383773/c

LOCUS BX383773 950 bp mRNA linear EST 08-MAY-2003 DEFINITION BX383773 Homo sapiens HELA CELLS COT 25-NORMALIZED Homo sapiens

cDNA clone CS0DK001YA15 3-PRIME, mRNA sequence.

ACCESSION BX383773

VERSION BX383773.1 GI:30457168

```
KEYWORDS
           EST.
SOURCE
           Homo sapiens (human)
 ORGANISM
          Homo sapiens
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
             (bases 1 to 950)
 AUTHORS
          Li, W.B., Gruber, C., Jessee, J. and Polayes, D.
          Full-length cDNA libraries and normalization
 TITLE
 JOURNAL
          Unpublished
COMMENT
           Contact: Genoscope
           Genoscope - Centre National de Sequencage
           BP 191 91006 EVRY cedex - France
           Email: seqref@genoscope.cns.fr, Web : www.genoscope.cns.fr
           Library was constructed by Life Technologies, a division of
           Invitrogen. This sequence belongs to sequence cluster 9160.r For
           more information about this cluster, see
          http://www.genoscope.cns.fr/
           cgi-bin/cluster.cgi?seq=CS0DK001AA08NP1&cluster=9160.r. Contact :
           Feng Liang Email : fliang@lifetech.com URL :
           http://fulllength.invitrogen.com/ InVitroGen Corporation 1600
           Faraday Avenue Genoscope sequence ID : CS0DK001AA08NP1.
FEATURES
                   Location/Qualifiers
                   1. .950
    source
                   /organism="Homo sapiens"
                   /mol type="mRNA"
                   /db xref="taxon:9606"
                   /clone="CS0DK001YA15"
                   /cell_type="HELA CELLS COT 25-NORMALIZED"
                   /cell line="HELA"
                   /clone lib="Homo sapiens HELA CELLS COT 25-NORMALIZED"
                   /note="1st strand cDNA was primed with a NotI-oligo(dT)
                   primer. Five prime end enriched, double-strand cDNA was
                   digested with Not I and cloned into the Not I and EcoR V
                   sites of the pCMVSPORT 6 vector. Library was normalized."
BASE COUNT
              171 a
                      260 c
                              312 q
                                      195 t
                                                12 others
ORIGIN
                       45.4%; Score 612; DB 13; Length 950;
 Query Match
                       80.2%; Pred. No. 8e-123;
 Best Local Similarity
 Matches 789; Conservative 8; Mismatches 136; Indels
                                                          51; Gaps
         353 GAAAGCGGCAACCAAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTG 412
Qу
            Db
         943 GRAACCCACAACGAAATCTATGACAAGTTCAAGCAGAGMACACACAGCATATATATGTTC 884
         413 TTCAACACGTCGGAGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAG 472
Qу
            Db
         883 TTCAAMACATCAGAGCTCCGAGAAGCGGTACCTGVACCCGTGTTGCTCCCGGGCAGAG 824
         473 CTGCGCCTGCTGAGGCTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATAC 532
Qу
             Db
         823 CTGCGTCTGCTGAGGCTCAAGTTAAAAGTGGAGCACGTGGAGCTGTACCAGAAATAC 764
         533 AGCAATGATTCCTGGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAG 592
Qу
            Db
         763 AGCAACAATAMCTGGCGATACCTCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAG 704
```

Qy	593	TGGCTGTCCTTTGATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATA	652
Db	703	TGGTTATCTTTTGATGTCACCGGAGTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATT	644
Qy	653	GAGGGTTTTCGCCTCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTG	712
Db	643	GA-GGCTTTCGCCTTAGCGCCCACTGCTCCTGTTACAGCAGGGATTACACACTGCAAGTG	585
Qу	713	GAAATTAACGGGTTCAATTCTGGCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAAC	772
Db	584		525
Qу	773	CGGCCCTTCCTGCTCCTCATGGCCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCC	832
Db	524	CGGCCTTTCCTGCTTCTCATGGCCACCCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCC	465
Qy	833	CGGCACCGCCGAGCCCTGGATACCAACGACTACAAGGATGACGACGACAAGGCCCTGGAT	892
Db	464	CGGCACCGCCGAGCMCTGGAC	444
Qy	893	ACCAACTACTGCTTCAGCTCCACGGAGAAGAACTGCTGCGTGCG	952
Db	443	ACCAACTATTGCTTCAGCTCCACGGAGAAGAACTGCTGCGTGCG	384
Qy	953	TTCCGGAAGGACCTGGGCTGGAAGTGGATTCATGAACCCAAGGGCTACCATGCCAATTTC	1012
Db	383	TTCCGCAAGGACCTCGGCTGGAAGTGGATCCACGAGCCCAAGGGCTACCATGCCGACTTC	324
Qy	1013	TGCCTGGGGCCCTGTCCCTACATCTGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCT	1072
Db	323	TGCCTCGGGCCCTACATTTGGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCG	264
Qy	1073	CTGTACAACCAGCACAACCCGGGCGCGTCGGCGGCGCGCGTGCTGCGCAGGCGCTG	1132
Db	263	CCTGTACAACCAGCATAACCCGGCGCCCTCGGCGGCGCCGTG-TGCGTGCCGCAGGCGCTG	205
Qy	1133	GAGCCACTGCCCATCGTGTACTACGTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAAC	1192
Db	204	GAGCCGCTGCCCATCGTGTACTACGTGGGCKKCAAGCCCAAGGTGGAGCAGCTGTCCNAC	145
Qy	1193	ATGATCGTGCGTTCCTGCAAGTGCAGCTGAGGCCCCGCCCG	1252
Db	144	ATGATCGTGCGCTCCTGCAAGTGCAGCTGAGATCCCGCCCCGCCCCCGCCCCGGAA	85
Qy	1253	CGGCAGGCCCGCCCCCCCCCCCCCCCCCCCCCCCCCCC	1303
Db	84	GGCCGCGCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	25
Qy	1304	-CATCGTGCCCCAAGCCCACTTGG 1326	
Db	24	CCCCCTGGCCCAAGCCCACCTGG 1	

RESULT 9

AL530081

LOCUS AL530081 859 bp mRNA linear EST 23-MAY-2003

DEFINITION AL530081 Homo sapiens NEUROBLASTOMA COT 50-NORMALIZED Homo sapiens

```
ACCESSION
          AL530081
          AL530081.2 GI:31067916
VERSION
KEYWORDS
SOURCE
          Homo sapiens (human)
 ORGANISM Homo sapiens
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
            (bases 1 to 859)
REFERENCE
 AUTHORS
          Li, W.B., Gruber, C., Jessee, J. and Polayes, D.
          Full-length cDNA libraries and normalization
 TITLE
 JOURNAL
          Unpublished
          On Feb 13, 2001 this sequence version replaced gi:12793574.
COMMENT
          Contact: Genoscope
          Genoscope - Centre National de Sequencage
          BP 191 91006 EVRY cedex - France
          Email: segref@genoscope.cns.fr, Web: www.genoscope.cns.fr
          was normalized. Library was constructed by Life Technologies, a
          division of Invitrogen. This sequence belongs to sequence cluster
          9160.r For more information about this cluster, see
          http://www.genoscope.cns.fr/
          cgi-bin/cluster.cgi?seq=CS0DD009BG03QP1&cluster=9160.r. Contact :
          Feng Liang Email : fliang@lifetech.com URL :
          http://fulllength.invitrogen.com/ InVitroGen Corporation 1600
          Faraday Avenue Genoscope sequence ID : CSODD009BG03QP1.
                  Location/Qualifiers
FEATURES
                  1. .859
    source
                  /organism="Homo sapiens"
                  /mol type="mRNA"
                  /db xref="taxon:9606"
                  /clone="CS0DD009YM06"
                  /tissue type="NEUROBLASTOMA COT 50-NORMALIZED"
                  /clone lib="Homo sapiens NEUROBLASTOMA COT 50-NORMALIZED"
                  /note="1st strand cDNA was primed with a NotI-oligo(dT)
                  primer. Five prime end enriched, double-strand cDNA was
                  digested with Not I and cloned into the Not I and EcoR V
                  sites of the pCMVSPORT 6 vector. Library was normalized."
BASE COUNT
              179 a
                      272 c
                                     148 t
                                               3 others
                             257 q
ORIGIN
                      42.8%; Score 577.4; DB 9; Length 859;
 Ouery Match
 Best Local Similarity 87.0%; Pred. No. 2.6e-115;
 Matches 643; Conservative 2; Mismatches
                                           93; Indels
                                                         1; Gaps
                                                                   1:
          Qу
                Db
         66 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
Qу
            181 TGGTGCTGACGCCTGGCCGGCCGGCCGGGACTATCCACCTGCAAGACTATCGACATGG 240
Db
        126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
Qу
            241 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC 300
Db
        186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245
Οv
```

cDNA clone CS0DD009YM06 5-PRIME, mRNA sequence.

Db	3 (
Qy	24	6 CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC 305
Db	36	
Qy	3 (06 CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC 365
Db	42	
Qy	36	56 AAATCTATGATAAATTCAAGGGCACCCCCACAGCTTATATATGCTGTTCAACACGTCGG 425
Db	4 8	
Qу	42	26 AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA 485
Db	54	
Qy	4 8	66 GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT 545
Db	60	
Qy	54	6 GGCGCTACCTCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTG-GCTGTCCTTT 604
Db	66	51 GGCGATACCTCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGTGTTATCTTTT 720
Qу	6(05 GATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGC 664
Db	72	21 GATGTCACCGGAGTTGTGCGGCAGTKGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTCGC 780
Qy	66	55 CTCAGTGCCCACTCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGG 724
Db	78	31 CTTAGCGCCCACTGCTCCTGTGACAGCAGGGATAACACACTGCAAGTGRACATCAACGGG 840
Qy	72	25 TTCAATTCTGGCCGCGGG 743
Db	8 4	1 TTCACTACCGGCCGAG 859
RESULT 10)	
LOCUS DEFINITIO	N	BE312000 713 bp mRNA linear EST 26-OCT-2000 601154768F1 NIH MGC 19 Homo sapiens cDNA clone IMAGE:3510592 5',
ACCESSION		mRNA sequence. BE312000
VERSION KEYWORDS		BE312000.1 GI:9130128 EST.
SOURCE ORGANIS	M	Homo sapiens (human) Homo sapiens
ONGANIS	,1-1	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE AUTHORS		1 (bases 1 to 713) NIH-MGC http://mgc.nci.nih.gov/.
TITLE JOURNAL		National Institutes of Health, Mammalian Gene Collection (MGC) Unpublished
COMMENT	•	Contact: Robert Strausberg, Ph.D.

```
Email: cgapbs-r@mail.nih.gov
          Tissue Procurement: ATCC
           cDNA Library Preparation: Ling Hong/Rubin Laboratory
           cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
           DNA Sequencing by: Incyte Genomics, Inc.
           Clone distribution: MGC clone distribution information can be
          found through the I.M.A.G.E. Consortium/LLNL at: image.llnl.gov
          Plate: LLCM195 row: h column: 17
          High quality sequence start: 2
          High quality sequence stop: 713.
FEATURES
                  Location/Qualifiers
    source
                  1. .713
                  /organism="Homo sapiens"
                  /mol type="mRNA"
                  /db xref="taxon:9606"
                  /clone="IMAGE:3510592"
                  /tissue type="neuroblastoma"
                  /lab host="DH10B (phage-resistant)"
                  /clone lib="NIH MGC 19"
                  /note="Organ: brain; Vector: pOTB7; Site 1: XhoI; Site 2:
                  EcoRI; cDNA made by oligo-dT priming. Directionally
                  cloned into EcoRI/XhoI sites using the following 5'
                  adaptor: GGCACGAG(G). Library constructed by Ling Hong
                  in the laboratory of Gerald M. Rubin (University of
                  California, Berkeley) using ZAP-cDNA synthesis kit
                  (Stratagene) and Superscript II RT (Life Technologies).
                  Note: this is a NIH MGC Library."
BASE COUNT
             157 a
                     226 c
                             211 q
ORIGIN
                      42.3%; Score 570.6; DB 10; Length 713;
 Best Local Similarity 87.5%; Pred. No. 7.4e-114;
 Matches 624; Conservative
                            0; Mismatches
                                          89; Indels
                                                        0; Gaps
                                                                  0;
        135 AGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGCTTGCCAGCC 194
QУ
            1 AGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGCTCGCCAGCC 60
Db
        195 CCCCGAGCCAGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGGCTCTTTACA 254
Qу
            61 CCCCGAGCCAGGGGGAGGTGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCGCCCTGTACA 120
Db
        255 ACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGCCAGAGGCGG 314
Qу
            121 ACAGCACCCGCGACCGGGTGGCCGGGGAGAGTGCAGAACCGGAGCCCGAGCCTGAGGCCG 180
Db
        315 ACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACCAAATCTATG 374
Qу
            Dh
        181 ACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACGAAATCTATG 240
        375 ATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGGAGCTCCGGG 434
Qу
                      Db
        241 ACAAGTTCAAGCAGAGTACACACACATATATATGTTCTTCAACACATCAGAGCTCCGAG 300
        435 AAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGAGGCTCAAGT 494
Qу
            Dh
        301 AAGCGGTACCTGAACCCGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGAGGCTCAAGT 360
```

```
495 TAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCTGGCGCTACC 554
Qу
            Db
        361 TAAAAGTGGAGCACGTGGAGCTGTACCAGAAATACAGCAACAATTCCTGGCGATACC 420
        555 TCAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTGATGTCACCG 614
Qу
            Db
        421 TCAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTTGATGTCACCG 480
        615 GAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGGCTATAGAGGGTTTTCGCCTCAGTGCCC 674
QУ
            Db
        481 GAGTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTCGCCTTAGCGCCC 540
Qу
        675 ACTCTTCCTCTGACAGCAAAGATAACACTCCACGTGGAAATTAACGGGTTCAATTCTG 734
            Db
        541 ACTGCTCCTGTGACAGCAGGGATAACACTGCAAGTGGACATCAACGGGTTCACTACCG 600
        735 GCCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGCTCCTCATGG 794
Qу
            601 GCCGCCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGCTTCTCATGG 660
Db
        795 CCACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAGCC 847
Qу
            661 CCACCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCCGGCACCGCGAGCC 713
Db
RESULT 11
BE260971
LOCUS
          BE260971
                               717 bp
                                        mRNA
                                               linear
                                                      EST 26-OCT-2000
DEFINITION 601153715F1 NIH MGC 19 Homo sapiens cDNA clone IMAGE:3509931 5',
          mRNA sequence.
ACCESSION
          BE260971
VERSION
          BE260971.1 GI:9132709
KEYWORDS
          EST.
SOURCE
          Homo sapiens (human)
 ORGANISM Homo sapiens
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
            (bases 1 to 717)
 AUTHORS
          NIH-MGC http://mgc.nci.nih.gov/.
          National Institutes of Health, Mammalian Gene Collection (MGC)
 TITLE
 JOURNAL
          Unpublished
COMMENT
          Contact: Robert Strausberg, Ph.D.
          Email: cgapbs-r@mail.nih.gov
          Tissue Procurement: ATCC
           cDNA Library Preparation: Ling Hong/Rubin Laboratory
           cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
           DNA Sequencing by: Incyte Genomics, Inc.
           Clone distribution: MGC clone distribution information can be
          found through the I.M.A.G.E. Consortium/LLNL at: image.llnl.gov
          Plate: LLCM193 row: m column: 04
          High quality sequence stop: 713.
FEATURES
                 Location/Qualifiers
    source
                 1. .717
                 /organism="Homo sapiens"
                 /mol type="mRNA"
                  /db xref="taxon:9606"
```

```
/clone="IMAGE:3509931"
                /tissue_type="neuroblastoma"
                /lab_host="DH10B (phage-resistant)"
                /clone lib="NIH MGC 19"
                /note="Organ: brain; Vector: pOTB7; Site_1: XhoI; Site_2:
                EcoRI; cDNA made by oligo-dT priming. Directionally
                cloned into EcoRI/XhoI sites using the following 5'
                adaptor: GGCACGAG(G). Library constructed by Ling Hong
                in the laboratory of Gerald M. Rubin (University of
                California, Berkeley) using ZAP-cDNA synthesis kit
                (Stratagene) and Superscript II RT (Life Technologies).
                Note: this is a NIH_MGC Library."
                   226 c
BASE COUNT
            158 a
                          213 q
                                 120 t
ORIGIN
 Query Match
                    41.7%; Score 562.6; DB 10; Length 717;
                    87.4%; Pred. No. 4.1e-112;
 Best Local Similarity
 Matches 627; Conservative
                         0; Mismatches
                                      89; Indels
                                                   1;
                                                      Gaps
        136 GCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGCTTGCCAGCCC 195
Qу
           1 GCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGCTCGCCAGCCC 60
Db
        196 CCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGGCTCTTTACAA 255
Qу
           61 CCCGAGCCAGG-GGAGGTGCCGCCCGGCCCGCTGCCCGAGGCCGTGCTCGCCCTGTACAA 119
Db
        256 CAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGCCAGAGGCGGA 315
QУ
           120 CAGCACCCGCGACCGGGTGGCCGGGGAGATGCAGAACCGGAGCCCGAGCCTGAGGCCGA 179
Db
        316 CTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACCAAATCTATGA 375
Qу
           180 CTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACGAAATCTATGA 239
Db
        376 TAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGGAGCTCCGGGA 435
Qу
                        11 111111
        240 CAAGTTCAAGCAGAGTACACAGCATATATATGTTCTTCAACACATCAGAGCTCCGAGA 299
Db
        436 AGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGAGGCTCAAGTT 495
Qу
           300 AGCGGTACCTGAACCCGTGTTGCTCTCCCGGGCAGAGCTGCGTCTGCTGAGGCTCAAGTT 359
Db
Qу
        496 AAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCTGGCGCTACCT 555
           360 AAAAGTGGAGCACGTGGAGCTGTACCAGAAATACAGCAACAATTCCTGGCGATACCT 419
Dh
Qу
       556 CAGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTGATGTCACCGG 615
           420 CAGCAACCGGCTGCTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTTGATGTCACCGG 479
Db
       616 AGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTCGCCTCAGTGCCCA 675
Qy
           480 AGTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATTGAGGGCTTTCGCCTTAGCGCCCA 539
Db
       676 CTCTTCCTCTGACAGCAAAGATAACACTCCACGTGGAAATTAACGGGTTCAATTCTGG 735
Qу
```

```
Db
         540 CTGCTCCTGTGACAGCAGGGATAACACTGCAAGTGGACATCAACGGGTTCACTACCGG 599
Qу
          736 CCGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGCTCCTCATGGC 795
              Db
          600 CCGCCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGCTTCTCATGGC 659
         796 CACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAGCCCTGGA 852
Qу
              11 111
          660 CACCCGCTGGAGAGGGCCCAGCATCTGCAAAGCTCCCGGCACCGCGAGCCCTGGGA 716
Db
RESULT 12
BQ675698
LOCUS
           BQ675698
                                    902 bp
                                             mRNA
                                                     linear
                                                             EST 15-JUL-2002
DEFINITION AGENCOURT 8036532 NIH MGC 102 Homo sapiens cDNA clone IMAGE:6211917
           5', mRNA sequence.
           B0675698
ACCESSION
VERSION
           BQ675698.1 GI:21786532
KEYWORDS
           EST.
SOURCE
           Homo sapiens (human)
  ORGANISM Homo sapiens
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
              (bases 1 to 902)
 AUTHORS
           NIH-MGC http://mgc.nci.nih.gov/.
  TITLE
           National Institutes of Health, Mammalian Gene Collection (MGC)
  JOURNAL
           Unpublished
COMMENT
           Contact: Robert Strausberg, Ph.D.
           Email: cgapbs-r@mail.nih.gov
           Tissue Procurement: ATCC
            cDNA Library Preparation: Rubin Laboratory
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA Sequencing by: Agencourt Bioscience Corporation
            Clone distribution: MGC clone distribution information can be
           found through the I.M.A.G.E. Consortium/LLNL at:
           http://image.llnl.gov
           Plate: LLCM2375 row: c column: 22
           High quality sequence stop: 599.
FEATURES
                    Location/Qualifiers
    source
                    1. .902
                    /organism="Homo sapiens"
                    /mol type="mRNA"
                    /db xref="taxon:9606"
                    /clone="IMAGE:6211917"
                    /tissue type="epidermoid carcinoma, cell line"
                    /lab host="DH10B (phage-resistant)"
                    /clone_lib="NIH_MGC_102"
                    /note="Organ: salivary gland; Vector: pOTB7; Site_1: XhoT;
                    Site 2: EcoRI; cDNA made by oligo-dT priming.
                    Directionally cloned into EcoRI/XhoI sites using the
                    following 5' adaptor: GGCACGAG(G). Library constructed
                    by Ling Hong in the laboratory of Gerald M. Rubin
                    (University of California, Berkeley) using ZAP-cDNA
                    synthesis kit (Stratagene) and Superscript II RT (Life
                    Technologies). Note: this is a NIH MGC Library."
BASE COUNT
               194 a
                       292 c
                                255 g
                                         161 t
ORIGIN
```

```
Query Match
                   41.6%; Score 561.6; DB 13; Length 902;
 Best Local Similarity
                   87.4%; Pred. No. 7.3e-112;
 Matches 615; Conservative
                        0; Mismatches
                                     89;
                                         Indels
                                                   Gaps
                                                          0;
       156 TTCGCGGCCAGATTCTGTCCAAGCTTCGGCTTGCCAGCCCCCGAGCCAGGGGGACGTGC 215
Qу
          1 TCCGCGGCCAGATCCTGTCCAAGCTGCGGCTCGCCAGCCCCCGAGCCAGGGGGAGGTGC 60
Db
       216 CGCCCGGCCCGCTGCCTGAGGCAGTACTGGCTCTTTACAACAGTACCCGCGACCGGGTAG 275
Qу
          61 CGCCGGCCCGCTGCCCGAGGCCGTGCTCGCCCTGTACAACAGCACCCGCGACCGGGTGG 120
Db
       276 CCGGGGAAAGTGTCGAACCGGAGCCGAGCCAGAGGCGGACTACTACGCCAAGGAGGTCA 335
Qу
          121 CCGGGGAGAGTGCAGAACCGGAGCCCGAGCCTGAGGCCGACTACTACGCCAAGGAGGTCA 180
Db
       336 CCCGCGTGCTAATGGTGGAAAGCGGCAACCAAATCTATGATAAATTCAAGGGCACCCCCC 395
Qу
          181 CCCGCGTGCTAATGGTGGAAACCCACAACGAAATCTATGACAAGTTCAAGCAGAGTACAC 240
Db
       396 ACAGCTTATATATGCTGTTCAACACGTCGGAGCTCCGGGAAGCGGTGCCGGAACCTGTAT 455
Qу
          Db
       241 ACAGCATATATATGTTCTTCAACACATCAGAGCTCCGAGAAGCGGTACCTGAACCCGTGT 300
       456 TGCTCTCTCGGGCAGAGCTGCGCCTGCTGAGGCTCAAGTTAAAAGTGGAGCAGCACGTGG 515
Qу
           Db
       301 TGCTCTCCCGGGCAGAGCTGCGTCTGCTGAGGCTCAAGTTAAAAGTGGAGCAGCACGTGG 360
       516 AGCTATACCAGAAATACAGCAATGATTCCTGGCGCTACCTCAGCAACCGGCTGCTGGCCC 575
Qу
          361 AGCTGTACCAGAAATACAGCAACAATTCCTGGCGATACCTCAGCAACCGGCTGCTGGCAC 420
Db
       576 CCAGTGACTCACCGGAGTGGCTGTCCTTTGATGTCACCGGAGTTGTGCGGCAGTGGCTGA 635
Qу
          Db
       421 CCAGCGACTCGCCAGAGTGGTTATCTTTTGATGTCACCGGAGTTGTGCGGCAGTGGTTGA 480
       636 CCCGCAGAGAGGCTATAGAGGGTTTTCGCCTCAGTGCCCACTCTTCCTCTGACAGCAAAG 695
QУ
              _ | | | | | | | | | | | | | | |
       481 GCCGTGGAGGGGAAATTGAGGGCTTTCGCCTTAGCGCCCACTGCTCCTGTGACAGCAGGG 540
Db
       696 ATAACACTCCACGTGGAAATTAACGGGTTCAATTCTGGCCGCGGGGTGACCTGGCCA 755
Qу
          541 ATAACACACTGCAAGTGGACATCAACGGGTTCACTACCGGCCGCCGAGGTGACCTGGCCA 600
Db
       756 CCATTCACGGCATGAACCGGCCCTTCCTGCTCCTCATGGCCACCCCGCTGGAGAGGGCCC 815
Qу
          Db
       601 CCATTCATGGCATGAACCGGCCTTTCCTGCTTCTCATGGCCACCCCGCTGGAGAGGGCCC 660
       816 AGCACCTGCACAGCTCCCGGCACCGCCGAGCCCTGGATACCAAC 859
Qу
          661 AGCATCTGCCAAGCTCCCGGCACCGCCGAGCCCTGGGACACCAC 704
Dh
```

```
DEFINITION 603037307F1 NIH MGC_115 Homo sapiens cDNA clone IMAGE:5178433 5',
          mRNA sequence.
ACCESSION
          BI818841
          BI818841.1 GI:15930391
VERSION
KEYWORDS
          EST.
SOURCE
          Homo sapiens (human)
 ORGANISM Homo sapiens
          Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
          Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
             (bases 1 to 925)
REFERENCE
          NIH-MGC http://mgc.nci.nih.gov/.
 AUTHORS
          National Institutes of Health, Mammalian Gene Collection (MGC)
 TITLE
 JOURNAL
          Unpublished
          Contact: Robert Strausberg, Ph.D.
COMMENT
          Email: cgapbs-r@mail.nih.gov
          Tissue Procurement: Life Technologies, Inc.
           cDNA Library Preparation: Life Technologies, Inc.
           cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
           DNA Sequencing by: Incyte Genomics, Inc.
           Clone distribution: MGC clone distribution information can be
          found through the I.M.A.G.E. Consortium/LLNL at:
          http://image.llnl.gov
          Plate: LLAM11444 row: n column: 02
          High quality sequence stop: 874.
FEATURES
                  Location/Qualifiers
                   1. .925
    source
                   /organism="Homo sapiens"
                   /mol type="mRNA"
                   /db xref="taxon:9606"
                   /clone="IMAGE:5178433"
                   /lab host="DH10B"
                   /clone lib="NIH MGC 115"
                   /note="Organ: pooled brain, lung, testis; Vector:
                   pCMV-SPORT6; Site 1: NotI; Site_2: EcoRV (destroyed); RNA
                   source anonymous pool of 6 male brains, age range 23-27; 1
                   male lung, age 27; and 1 male testis, age 69. Library is
                   oligo-dT primed and directionally cloned (EcoRV site is
                   destroyed upon cloning). Average insert size 1.8 kb,
                   insert size range 1-3 kb. Library is normalized and
                   enriched for full-length clones and was constructed by C.
                   Gruber (Invitrogen). Research Genetics tracking code
                   021. Note: this is a NIH MGC Library."
BASE COUNT
                      316 c
                              278 q
                                      161 t
              170 a
ORIGIN
                       39.6%; Score 534.4; DB 12; Length 925;
 Query Match
 Best Local Similarity
                       87.2%; Pred. No. 6e-106;
 Matches 609; Conservative
                             0; Mismatches
                                           86; Indels
Qу
          Db
          66 TAGTGCTGACGCCTGGCCGGCCGGCCGGACTGTCCACCTGCAAGACCATCGACATGG 125
QУ
             206 TGGTGCTGACGCCTGGCCGGCCGGCGGGACTATCCACCTGCAAGACTATCGACATGG 265
Db
```

Qy	126 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATTCGCGGCCAGATTCTGTCCAAGCTTCGGC 185
Db	266 AGCTGGTGAAGCGGAAGCGCATCGAGGCCATCCGCGGCCAGATCCTGTCCAAGCTGCGGC 325
Qу	186 TTGCCAGCCCCCGAGCCAGGGGGACGTGCCGCCCGGCCCGCTGCCTGAGGCAGTACTGG 245
Db	326 TCGCCAGCCCCGAGCCAGGGGGAGGTGCCGCCGGCCCGGCCCGAGGCCGTGCTCG 385
Qy	246 CTCTTTACAACAGTACCCGCGACCGGGTAGCCGGGGAAAGTGTCGAACCGGAGCCCGAGC 305
Db	386 CCCTGTACAACAGCACCCGCGACCGGGGTGGCCGGGGAGAGTGCAGAACCGGAGCCCGAGC 445
Qy	306 CAGAGGCGGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACC 365
Db	446 CTGAGGCCGACTACTACGCCAAGGAGGTCACCCGCGTGCTAATGGTGGAAACCCACAACG 505
QУ	366 AAATCTATGATAAATTCAAGGGCACCCCCCACAGCTTATATATGCTGTTCAACACGTCGG 425
Db	506 AAATCTATGACAAGTTCAAGCAGAGTACACACAGCATATATAT
Qy	426 AGCTCCGGGAAGCGGTGCCGGAACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTGCTGA 485
Db	566 AGCTCCGAGAAGCGGTACCTGAACCCGTGTTGCTCCCCGGGCAGAGCTGCGTCTGCTGA 625
Qy	486 GGCTCAAGTTAAAAGTGGAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCT 545
Db	626 GGCTCAAGTTAAAAGTGGAGCACCACGTGGAGCTGTACCAGAAATACAGCAACAATTCCT 685
Qу	546 GGCGCTACCTCAGCAACCGGCTGC-TGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTT 604
Db	686 GGCGATACCTCAGCAACCGGCTGCTTGGCACCCAGCGACTCGCCAGAGTGGTTATCTTTT 745
Qy	605 GATGTCACCGGAGTTGTGCGGCAGTGGCTGACCCGCAGAGAGGCTATAGAGGGTTTTC 662
Db	746 GATGTCACCGGAGTTGTGCGGCAGTGGTTGAGCCGTGGACGGGGAACATTGAGGGCTTTC 805
Qy	663 GCCTCAGTGCCCACTCTTCCTCTGACAGCAAAGATAAC 700
Db	806 GCCTTAGCGCCCACTGCTCCTGTGACAGCAGGGATACC 843
RESULT 14 AL530080/0 LOCUS DEFINITION ACCESSION VERSION KEYWORDS SOURCE ORGANISM REFERENCE AUTHORS	AL530080 841 bp mRNA linear EST 23-MAY-2003 AL530080 Homo sapiens NEUROBLASTOMA COT 50-NORMALIZED Homo sapiens cDNA clone CS0DD009YM06 3-PRIME, mRNA sequence. AL530080 AL530080.2 GI:31067915 EST. Homo sapiens (human)
TITLE JOURNAL	Full-length cDNA libraries and normalization Unpublished

```
COMMENT
          On Feb 13, 2001 this sequence version replaced qi:12793573.
          Contact: Genoscope
          Genoscope - Centre National de Sequencage
          BP 191 91006 EVRY cedex - France
          Email: segref@genoscope.cns.fr, Web : www.genoscope.cns.fr
          was normalized. Library was constructed by Life Technologies, a
          division of Invitrogen. This sequence belongs to sequence cluster
          9160.r For more information about this cluster, see
          http://www.genoscope.cns.fr/
          cgi-bin/cluster.cgi?seq=CS0DD009BG03NP1&cluster=9160.r. Contact :
          Feng Liang Email: fliang@lifetech.com URL:
          http://fulllength.invitrogen.com/ InVitroGen Corporation 1600
          Faraday Avenue Genoscope sequence ID : CS0DD009BG03NP1.
FEATURES
                 Location/Oualifiers
                 1. .841
    source
                 /organism="Homo sapiens"
                 /mol type="mRNA"
                 /db xref="taxon:9606"
                 /clone="CS0DD009YM06"
                 /tissue type="NEUROBLASTOMA COT 50-NORMALIZED"
                 /clone lib="Homo sapiens NEUROBLASTOMA COT 50-NORMALIZED"
                 /note="1st strand cDNA was primed with a NotI-oligo(dT)
                 primer. Five prime end enriched, double-strand cDNA was
                 digested with Not I and cloned into the Not I and EcoR V
                 sites of the pCMVSPORT 6 vector. Library was normalized."
                     240 c
BASE COUNT
             150 a
                            283 q
                                    153 t
                                            15 others
ORIGIN
 Query Match
                      39.6%; Score 533.8; DB 9; Length 841;
 Best Local Similarity
                     81.2%; Pred. No. 7.9e-106;
 Matches 687; Conservative
                          8; Mismatches 106; Indels
                                                      45; Gaps
                                                                 5;
        438 CGGTGCCGGAACCTGTATTGCTCT-CTCGGGCAGAGCTGCGCCTGCTGAGGCTCAAGTTA 496
Qу
            841 CGGTACCTGMACCCTTGTTGYTCTCCCCGGGCAGAGCTGCTTCTGCTAAGGCTCAAGTTA 782
Db
        497 AAAGTGGAGCACCACGTGGAGCTATACCAGAAATACAGCAATGATTCCTGGCGCTACCTC 556
Qу
            781 AAAGTGGAGCACGTGGAGCTGTACCAGAAATACAGCAACAATWCCTGGCGATACCTC 722
Db
        557 AGCAACCGGCTGCTGGCCCCCAGTGACTCACCGGAGTGGCTGTCCTTTGATGTCACCGGA 616
Qу
            Db
        617 GTTGTGCGGCAGTGGCTGACCCGCAGAGAGGGCTATAGAGGGTTTTCGCCTCAGTGCCCAC 676
Qу
            661 GTTGTGCGGCAGTGGTTGAGCCGTGGAGGGGAAATTAAGG--TTTCGCCTTAGCGCCNAC 604
Db
        677 TCTTCCTCTGACAGCAAAGATAACACACTCCACGTGGAAATTAACGGGTTCAATTCTGGC 736
Qу
              Db
        603 GGCTCCTGTAACAGCAGGGATAACACACTGCAAGTGAACATCAACGGGTTAACTACCGGC 544
        737 CGCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGCTCCTCATGGCC 796
Qу
            Db
        543 CGCCGAGGTGACCTGGCCACCATTCTTGGCATGAACCGGCCTTTCCTGCTTCTCATGGCC 484
        797 ACCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAGCCCTGGATACC 856
Qу
```

```
Db
        483 ACCCCGCTGGAGAGGGCCCAGCTTCTGCAAAGCTCCCGGCACCGCCGA------ 436
        857 AACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCTTCAGCTCCACG 916
Qу
                                Db
                               -GCCCTGGACACCAACTATTGCTTCAGCTCCACG 403
Qу
        917 GAGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTGGAAG 976
           Db
        402 GAGAAGAACTGCTGCGTGCGGCAGCTGTACATTAACTTCCGCAAGGACCTCGGCTGGGAG 343
        977 TGGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTACATC 1036
Qу
           342 TGGATCCACGAGCCCAAGGGCTWCCATGCCAACTTCTGCCTCGGGCCCTGCCCCTACATT 283
Db
       1037 TGGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCCAGCACAACCCGGGC 1096
Qу
           Db
       282 TGGAGCCTGGACACGCAGGACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCCGG-- 225
       1097 GCGTCGGCGCCCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTACTAC 1156
Qу
           Db
       224 GCCTCGGCGCGCGTGC-GCGTGCCGCAGGCGCTGCACTCGTCGTACTAC 166
       1157 GTGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAAGTGC 1216
Qу
           Db
       165 GTGGGCCGCAAGCCCAAGGTGGGGCGCTGTCCAACATGGTCGTGCGCTCCTGCAAGGGC 106
Qу
       1217 AGCTGAGGCCCCGCCCGCCCACAGCCCCGCCCACCCGGCAGGCCCGGCCCACCCCCGC 1276
            Db
       1277 CCGCCT 1282
Qу
           |\cdot|: |\cdot|
        45 CCKGCT 40
Db
RESULT 15
BI084718/c
LOCUS
         BI084718
                             956 bp
                                     mRNA
                                           linear
                                                  EST 20-JUN-2001
DEFINITION 602869722T1 NIH MGC 102 Homo sapiens cDNA clone IMAGE:5014421 3',
         mRNA sequence.
ACCESSION
         BI084718
VERSION
         BI084718.1 GI:14503048
KEYWORDS
         EST.
SOURCE
         Homo sapiens (human)
 ORGANISM
        Homo sapiens
         Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
         Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
           (bases 1 to 956)
 AUTHORS
         NIH-MGC http://mgc.nci.nih.gov/.
 TITLE
         National Institutes of Health, Mammalian Gene Collection (MGC)
 JOURNAL
         Unpublished
COMMENT
         Contact: Robert Strausberg, Ph.D.
         Email: cgapbs-r@mail.nih.gov
         Tissue Procurement: ATCC
          cDNA Library Preparation: CLONETECH Laboratories, Inc.
          cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
```

```
DNA Sequencing by: Incyte Genomics, Inc.
           Clone distribution: MGC clone distribution information can be
          found through the I.M.A.G.E. Consortium/LLNL at:
          http://image.llnl.gov
          Plate: LLCM1821 row: 1 column: 06
          High quality sequence start: 3
          High quality sequence stop: 793.
FEATURES
                  Location/Qualifiers
                  1. .956
    source
                  /organism="Homo sapiens"
                  /mol type="mRNA"
                  /db xref="taxon:9606"
                  /clone="IMAGE:5014421"
                  /tissue type="epidermoid carcinoma, cell line"
                  /lab host="DH10B (phage-resistant)"
                  /clone lib="NIH MGC 102"
                  /note="Organ: salivary gland; Vector: pOTB7; Site 1: XhoI;
                  Site 2: EcoRI; cDNA made by oligo-dT priming.
                  Directionally cloned into EcoRI/XhoI sites using the
                  following 5' adaptor: GGCACGAG(G). Library constructed
                  by Ling Hong in the laboratory of Gerald M. Rubin
                   (University of California, Berkeley) using ZAP-cDNA
                  synthesis kit (Stratagene) and Superscript II RT (Life
                  Technologies). Note: this is a NIH_MGC Library."
BASE COUNT
              172 a
                      273 с
                              312 g
                                     199 t
ORIGIN
 Query Match
                       39.5%; Score 533.4; DB 12; Length 956;
 Best Local Similarity 77.8%; Pred. No. 1e-105;
 Matches 755; Conservative
                             0; Mismatches 161; Indels
                                                        55; Gaps
                                                                    7;
         329 GAGGTCACCCGCGTGCTAATGGTGGAAAGCGGCAACCAAATCTATGATAAATTCAAGGGC 388
Qу
            - 1 | | |
Db
         955 GAGGTTAACCGGTGCTAAATGGTGGAAACCCACCACGATCTATGACCAGGTTCAGCAGA 896
         389 ACCCCCCACAGCTTATATATGCTGTTCAACACGTC--GGAGCTCCGGGAAGCGGTGCCGG 446
Qу
                      1 11 1111 1 1111
                                         - | |
                                                 1111 111 1111 11
         895 GTACACACAGCCATAAATATGGTCTTCACACATTCAGGAGCTTCCGAGAACCGGTACCCT 836
Dh
        447 AACCTGTATTGCTCTCTCGGGCAGAGCTGCGCCTG----CTGAGGCTCAAGTTAAAAGT 501
Qу
             835 GAACCGTGTTGGCTCTTCCCGGGGAAGAGCTGCCGTCTGCCTGAGGCTCAAGTTAAAAGT 776
Db
Qу
         502 -GGAGCAGCACGTGGAGCTATACCAGAAATACAGCAATGATTCCTGGCGCTACCTCAGCA 560
             Db
         775 GGGACCAGCACGTGGAGCTGTAACCAGGAATACAGCACAATTCCTGGCGATACCTCAGCA 716
Qу
        561 ACCGGCTGCTGGCCCCCAGTGA--CTCACCGGAGTGGCTGTCCTTTGATGTCACCGGAGT 618
            Db
        715 ACCGGCTGGTGGCACCCAGCGAACTCGCCCAGAGTGGTTATCTTTTGATGTCACCGGAGT 656
        619 TGTGCGGCAGTGGCTGACCCGCAG-AGAGGCTATAGAGGGTTTTCGCCTCAGTGCCCACT 677
Qу
            Db
        655 TGTGCGGCAGTGGTTGAGCCGTGGAAGGGGGAAATTGAGGGCTTTCGCCTTAGCGCCCACT 596
        678 CTTCCTCTGACAGCAAAGATAACACTCCACGTGGAAATTAACGGGTTCAATTCTGGCC 737
Qу
```

Db	595	$\tt GCTCCTGTGACAGCAGGGATAACACACTGCAAGTGGACATCAACGGGTTCACTACCGGCC$	536
Qу	738	GCCGGGGTGACCTGGCCACCATTCACGGCATGAACCGGCCCTTCCTGCTCCTCATGGCCA	797
Db	535	GCCGAGGTGACCTGGCCACCATTCATGGCATGAACCGGCCTTTCCTGCTTCTCATGGCCA	476
Qy	798	CCCCGCTGGAGAGGGCCCAGCACCTGCACAGCTCCCGGCACCGCCGAGCCCTGGATACCA	857
Db	475	CCCCGCTGGAGAGGCCCAGCATCTGCAAAGCTCCCGGCACCGCCGAGCCCTGGAC	420
Qу	858	ACGACTACAAGGATGACGACGACAAGGCCCTGGATACCAACTACTGCTTCAGCTCCACGG	917
Db	419		395
Qy	918	AGAAGAACTGCTGCGTGCGGCAGCTCTACATTGACTTCCGGAAGGACCTGGGCTGGAAGT	977
Db	394	AGAAGAACTGCTGCGTGCGGCAGCTGTACATTGACTTCCGCAAGGACCTCGGCTGGAAGT	335
Qy	978	GGATTCATGAACCCAAGGGCTACCATGCCAATTTCTGCCTGGGGCCCTGTCCCTACATCT	1037
Db	334	GGATCCACGAGCCCAAGGGCTACCATGCCAACTTCTGCCTCGGGCCCTGCCCCTACATTT	275
Qy	1038	GGAGCCTAGACACTCAGTACAGCAAGGTCCTGGCTCTGTACAACCAGCACAACCCGGGCG	1097
Db	274	GGAGCCTGGACACGCAGTACAGCAAGGTCCTGGCCCTGTACAACCAGCATAACCCGGGCG	215
Qy	1098	CGTCGGCGCGCCGTGCTGCGTGCCGCAGGCGCTGGAGCCACTGCCCATCGTGTACTACG	1157
Db	214		155
Qy	1158	TGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGTTCCTGCAAGTGCA	1217
Db	154	TGGGCCGCAAGCCCAAGGTGGAGCAGCTGTCCAACATGATCGTGCGCTCCTGCAAGTGCA	95
Qу	1218	GCTGAGGCCCGCCCCACAGCCCCGCCCACCCGGCCGGCCCGGCCCCACCCCCGCC	1277
Db	94		40
Qy	1278	CGCCTCACCGG 1288	
Db	39	CGCCCCGCTG 29	

Search completed: October 28, 2003, 00:08:20 Job time: 3352.62 secs